



# Partner API - Onboarding external

<https://partner-service-develop.preprod.otto.vodfactory.com/docs/index.html#free-headings-GETapi-free-headings--id->

## ▼ Documentation changelog

| Version | Date       | Description                                                            |
|---------|------------|------------------------------------------------------------------------|
| 1.0.8   | 2025-03-19 | MCP server (AI)                                                        |
| 1.0.7   | 2025-12-30 | Availabilities end dates are now not required                          |
| 1.0.6   | 2025-12-24 | Justwatch details added                                                |
| 1.0.5   | 2025-11-11 | Add new molotov image format specs : "poster_23"                       |
| 1.0.4   | 2025-11-10 | Edited payloads, as external_id and parent_external_id are now strings |
| 1.0.3   | 2025-10-20 | Allociné details added                                                 |
| 1.0.2   | 2025-09-10 | Molotov blocks informations added.                                     |
| 1.0.1   | 2025-09-09 | Metadata "Genres" added.<br>Persons : details added for each field.    |

## ▼ API changelog

| Version | Date       | Description                                                              |
|---------|------------|--------------------------------------------------------------------------|
| 0.7.0   | 2026-01-08 | Justwatch feature added + new param "light" in endpoint GET "contents"   |
| 0.6.0   | 2025-12-30 | Availabilities end dates are now not required                            |
| 0.5.0   | 2025-12-02 | Daily reports can now be sent by email                                   |
| 0.4.1   | 2025-11-11 | New Molotov image format : "poster_23" with ratio 2/3                    |
| 0.4.0   | 2025-11-10 | All the attributes external_id and parent_external_id are now strings    |
| 0.3.0   | 2025-10-20 | Allociné feature added                                                   |
| 0.2.0   | 2025-09-29 | Metadata "Genres" added.<br>Endpoint "/api/genres" to get the full list. |
| 0.1.3   | 2025-08-27 | API Doc fixes.<br>Rules fixes.                                           |

|       |            |                                       |
|-------|------------|---------------------------------------|
|       |            | Add person identifiers in Amazon MEC. |
| 0.1.2 | 2025-08-20 | Update required metadatas list        |

## API overview

This API enables content providers to distribute their SVOD catalog across multiple partner platforms.

It delivers all the components required for content publication, including metadata, media assets, and offer information.

The API is designed to simplify and standardize the content delivery process to platforms such as Amazon Prime Channels, OQEE, Molotov, and VOO, ensuring consistent and reliable distribution across all endpoints.

## API Documentation



Partner API docs: <https://partner-service-develop.preprod.otto.vodfactory.com/docs/index.html>

## Pre-configurations

### Get an API Key (Bearer token)

Our team will provide you with an API key.

This API key will be linked to your platform and must be sent in the headers (Bearer token) for each API request.

### AWS configurations

If your videos and assets are stored in a **private S3 bucket** (without public access), we will need the following information:

| Name               | Description                                           | Example                    |
|--------------------|-------------------------------------------------------|----------------------------|
| <b>Access key</b>  | Access key used to authenticate to the S3 storage     | xxx                        |
| <b>Secret key</b>  | Secret key paired with the access key                 | yyy                        |
| <b>Endpoint</b>    | Endpoint URL of the S3 service                        | s3.eu-west-1.amazonaws.com |
| <b>Region</b>      | AWS region where the bucket is located                | eu-west-1                  |
| <b>Provider</b>    | Provider name                                         | AWS                        |
| <b>Bucket name</b> | Name of the bucket where videos and assets are stored | bucket_name                |

If your videos and assets (images, subtitles, and audio) have public HTTP access, we won't need these.

## Call the API

### Service URL

<https://otto-partner.vodfactory.com/api>

### Headers

#### Bearer token

Always send the API key as a Bearer token.

#### Accept-Language (or "Locale")

Always send a header "Accept-Language" with the format "fr-FR".

Use it to specify the language in which you want to save or retrieve your data.

You can find more information about language codes here:

#### Content type

The "Content-Type" should always be "application/json".

## ▼ MCP Server (AI)

Connect your AI assistant (Claude, Cursor, Windsurf...) directly to the Partner API using the MCP protocol. Once connected, your assistant can browse, create, and update your catalog without leaving your workflow.

### Prerequisites

- **Node.js >= 20** installed on your machine → [nodejs.org](https://nodejs.org)
- **Your API Bearer token**
- A compatible MCP client (Claude Desktop, Cursor, Windsurf, VS Code...)

### Connection details

|                |                                                  |
|----------------|--------------------------------------------------|
|                |                                                  |
| Server URL     | <code>https://otto-partner.vodfactory.com</code> |
| Protocol       | MCP Streamable HTTP                              |
| Authentication | Bearer token (Sanctum)                           |

### Setup — Claude Desktop

1. Open your Claude Desktop configuration file:

- **macOS:** `~/Library/Application Support/Claude/claude_desktop_config.json`
- **Windows:** `%APPDATA%\Claude\claude_desktop_config.json`

2. Add the following block inside `mcpServers`:

```
{
  "mcpServers": {
    "apiPartner": {
      "command": "npx",
      "args": [
        "-y",
        "mcp-remote",
        "https://otto-partner.vodfactory.com/mcp",
        "--header",
        "Authorization:Bearer YOUR_TOKEN_HERE"
      ]
    }
  }
}
```

Replace `YOUR_TOKEN_HERE` with your personal Bearer token.

3. Restart Claude Desktop. A **apiPartne** server will appear in the tools panel.

### Setup — Cursor / Windsurf / VS Code

Add a new MCP server in your IDE settings:

- **Type:** `command`
- **Command:** `npx`
- **Args:** `y mcp-remote https://api.vodfactory.com/mcp --header Authorization:Bearer YOUR_TOKEN_HERE`

### Available tools

Once connected, your assistant has access to the following tools:

| Tool                                  | Description                       |
|---------------------------------------|-----------------------------------|
| <code>get_genres</code>               | List all available genre codes    |
| <code>get_languages</code>            | List available languages          |
| <code>get_countries</code>            | List available countries          |
| <code>get_contents</code>             | Search and list your contents     |
| <code>get_content</code>              | Get a specific content by ID      |
| <code>create_content</code>           | Create a new content              |
| <code>update_content</code>           | Update an existing content        |
| <code>patch_content</code>            | Partially update a content        |
| <code>delete_content</code>           | Delete a content                  |
| <code>get_persons</code>              | List persons (cast & crew)        |
| <code>create_person</code>            | Create a person                   |
| <code>get_videos</code>               | List videos attached to a content |
| <code>create_video</code>             | Add a video to a content          |
| <code>send_content_to_partners</code> | Publish a content to partners     |
| <code>unpublish_content</code>        | Unpublish a content               |
| ...                                   | (and more)                        |

## Example prompts

Once connected, you can ask your assistant:

- | *"List my 10 most recent contents"*
- | *"Create a new movie titled 'Horizon' with genre Action and language French"*
- | *"Update the description of content ABC-123"*
- | *"What are the available genre codes for documentaries?"*

## Troubleshooting

### "Server disconnected"

Ensure Node.js >= 20 is installed: `node --version`

### "Unauthorized"

Check that your Bearer token is valid and correctly copied (no extra spaces).

### "Client session not initialized"

This is handled automatically by MCP clients. If using a custom client, send a `notifications/initialized` after `initialize`.

## External ID

Each time you create an element (content, video, person, ...) you must send an "external\_id", which corresponds to the ID of this element in your system.

This way, you don't have to store an internal identifier generated by the Partner API. The external ID is the one used in your API requests.

This external\_id must be a string.

## Language codes

This API uses the language codes defined by Amazon: [Support – Video Central](#)

You can find the complete list by calling the endpoint: [https://otto-partner.vodfactory.com/api/languages`](https://otto-partner.vodfactory.com/api/languages)

Examples: en-US, en-GB, fr-FR, fr-BE, pl-PL, ...

If you send another language code ("fr" or "fre" instead of "fr-FR") it will be automatically converted to the correct code.

## Contents

### ▼ Example payload for a Program:

```
{
  "type": "program",
  "external_id": "1234",
  "title": "Lorem ipsum",
  "sku_code": "lorem_ipsum_1234",
  "availabilities": {
    "amazon": [
      {
        "country_code": "FRA",
        "format_profile": "HD",
        "starts_at": "2025-09-01 00:00:00",
        "ends_at": "2030-09-01 00:00:00"
      }
    ]
  }
}
```

### ▼ Example payload for a Series:

```
{
  "type": "series",
  "external_id": "12345",
  "title": "Lorem ipsum series",
  "sku_code": "lorem_ipsum_series_1234"
}
```

### ▼ Example payload for a Season:

```
{
  "type": "season",
  "parent_external_id": "12345",
  "rank": 1,
  "external_id": "123456",
  "title": "Season 1",
  "sku_code": "lorem_ipsum_season_1_123456"
}
```

### ▼ Example payload for an Episode:

```
{
  "type": "episode",
  "parent_external_id": "123456",
  "rank": 1,
  "external_id": "123456",
  "title": "Episode 1",
  "sku_code": "lorem_ipsum_episode_1_123456"
}
```

An episode must be linked to a season.

## Attributes

|                    |                                                                                                                                                                        |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| external_id        | The external ID of the content. String                                                                                                                                 |
| type               | program / series / season / episode / magazine / tv_show                                                                                                               |
| sku_code           | A unique identifier used by partners. Usually "{title}_{externalId}".<br>Examples: "superman_1234", "star_wars_episode_1_6543"                                         |
| parent_external_id | The external ID of the parent, only for a season, episode, or tv_show. String                                                                                          |
| rank               | Starting at 1, the rank of the content in its parent. The last rank must match the number of contents in the current parent.<br>Only for a season, episode, or tv_show |

## Requirements for series

Each serie must have at least one season.

Each time your create an episode you have to attach to a season parent (attribute parent\_external\_id).

## Metadata

| Partner              | Label             | Type                  | Restriction      | Description                                                                              |
|----------------------|-------------------|-----------------------|------------------|------------------------------------------------------------------------------------------|
|                      | title             | text                  | 150 characters   | Title                                                                                    |
|                      | original_title    | text                  | 150 characters   | Title in the original language                                                           |
|                      | synopsis          | text                  | 400 characters   | Synopsis                                                                                 |
|                      | short_synopsis    | text                  | 150 characters   | Short synopsis                                                                           |
|                      | persons           | list                  |                  | List of people with external ID and job.<br>At least one director is required for Amazon |
|                      | countries         | list of country codes |                  | List of country codes                                                                    |
|                      | duration          | integer               |                  | Duration in <b>seconds</b>                                                               |
|                      | release_date      | date                  |                  | Release date in "YYYY-MM-DD" format.<br>If you only know the year: "YYYY-01-01"          |
|                      | owner             | text                  | 150 characters   | Studio credit line                                                                       |
|                      | video_quality     | text                  | SD/HD/UHD        | Video quality                                                                            |
|                      | original_language | language code         |                  | Localized language code.<br>fr-FR, en-US, ...                                            |
|                      | rating            | integer               | 0/10/12/16/18    | CSA rating.<br>0 = all audiences                                                         |
|                      | genres            | list of codes         | 3 max for Amazon | List of genre codes                                                                      |
| Molotov              | molotov_tags      | molotov_tag           |                  | Custom tags                                                                              |
| Betv                 | betv_categories   | betv_category         |                  | Custom categories                                                                        |
| Allociné & Justwatch | front_url         | text                  | 255 characters   | The URL to watch the content                                                             |

## Required attributes

✓ : programs, series, seasons, and episodes

| Attribute      | Amazon            | Free | Molotov           | Betv | Allociné      | Justwatch | Google |
|----------------|-------------------|------|-------------------|------|---------------|-----------|--------|
| title          | ✓                 | ✓    | ✓                 | ✓    | ✓             | ✓         | ✓      |
| original_title |                   |      |                   |      | ✓             |           |        |
| synopsis       | ✓                 |      | ✓                 | ✓    |               | ✓         |        |
| short_synopsis | ✓                 |      |                   |      |               |           |        |
| persons        | ✓                 |      |                   |      | ✓ (directors) |           |        |
| countries      | ✓                 |      |                   |      |               |           |        |
| duration       | program & episode |      | program & episode | ✓    |               |           |        |

|                   |   |                   |   |   |   |  |   |
|-------------------|---|-------------------|---|---|---|--|---|
| release_date      | ✓ | program & episode |   |   | ✓ |  |   |
| owner             | ✓ |                   |   |   |   |  |   |
| video_quality     |   |                   |   | ✓ |   |  |   |
| original_language | ✓ |                   |   |   |   |  |   |
| rating            | ✓ | program & episode | ✓ | ✓ |   |  |   |
| genres            | ✓ |                   |   |   |   |  |   |
| molotov_tags      |   |                   |   |   |   |  |   |
| betv_categories   |   |                   |   | ✓ |   |  |   |
| front_url         |   |                   |   |   | ✓ |  | ✓ |

## Genres

Genre is a specific metadata aimed to regroup categories/themes/genres from all the partners.

For Amazon it is required and a maximum of three unique genres are accepted.

A list of available genres for each marketplace is provided in the following Excel file :

[partners-genres.xlsx](#)

You can get this list using the endpoint : GET <https://otto-partner.vodfactory.com/api/genres>

## People (cast and crew)

You can send a list of actors, directors, etc.

Available roles: *actor, director, producer, writer, creator*.

### Create people

▼ POST <https://otto-partner.vodfactory.com/api/persons>

```
{
  "external_id": 456,
  "firstname": "George",
  "lastname": "Clooney",
  "name": "George Clooney", // Required if firstname and lastname are omitted
  "gender": "male", // male or female
  "birth_date": "1961-05-06",
  "image": "https://media.themoviedb.org/t/p/w300_and_h450_bestv2/dt0a7DT0SqeHb7NpURD6ifyEzsN.jpg",
  "identifiers": {
    "imdb": "nm0000123",
    "tmdb": "1461"
  }
}
```

## Fields

| Field      | Required                          | Description                 | Used by                  |
|------------|-----------------------------------|-----------------------------|--------------------------|
| firstname  | If no <i>name</i> provided        |                             | Amazon/Free/Molotov/Betv |
| lastname   | If no <i>name</i> provided        |                             | Amazon/Free/Molotov/Betv |
| name       | If no firstname/lastname provided |                             | Amazon/Free/Molotov/Betv |
| gender     | No                                | "male" or "female"          | Amazon/Free              |
| birth_date | No                                | Date in format "YYYY-MM-DD" | Free                     |

|             |    |                    |             |
|-------------|----|--------------------|-------------|
| image       | No | URL                | Free        |
| identifiers | No | Identifiers list : | Amazon/Free |

### Add people to your content with a role

▼ Example payload:

```
{
  "persons": [
    {
      "external_id": 456,
      "job": "actor"
    },
    {
      "external_id": 456,
      "job": "director"
    }
  ]
}
```

### Countries

You can send a list of country codes in ISO2 or ISO3 format: FRA, FR, USA, US, ...

You can find these codes by calling the endpoint: <https://otto-partner.vodfactory.com/api/countries>

### Availabilities

Availabilities correspond to the dates your content will be available.

Each availability has a start and end date, a country\_code, a format\_profile (quality), and a license type (SVOD by default).

Availability attribute ends\_at is not required. If not set, the content will be available until an end date is set.

Format profiles: SD / HD / UHD

License type: SVOD

▼ Example payload:

```
{
  "availabilities": {
    "amazon": [
      {
        "country_code": "FRA",
        "format_profile": "HD", // UHD, HD or SD
        "licence_type": "SVOD", // Not required. SVOD by default
        "starts_at": "2025-08-01 10:00:00",
        "ends_at": null // Not required
      }
    ],
    "free": [
      {
        "country_code": "FRA",
        "format_profile": "HD",
        "starts_at": "2025-10-01 12:00:00",
        "ends_at": "2026-12-31 23:00:00"
      },
      {
        "country_code": "FRA",
        "format_profile": "HD",
        "starts_at": "2027-01-01 00:00:00",

```



```
    "ends_at": "2027-12-31 23:00:00"
  }
}
}
```

## Image formats

| Partner | Name           | Ratio    | Minimum resolution | Max size | Format  | Required | Content                 |
|---------|----------------|----------|--------------------|----------|---------|----------|-------------------------|
| Free    | cover_poster   | 3:4      | 315×420            |          |         | Yes      |                         |
| Free    | cover_wide     | 16:9     | 736×414            |          |         | Yes      |                         |
| Free    | backdrop_wide  | 16:9     | 1920×1080          |          |         | Yes      |                         |
| Free    | banner_wide    | 320:103  | 1920×618           |          |         | No       |                         |
| Amazon  | box_art        | 3:4      | 1200×1600          | 10MB     | jpg/png | Yes      | Program                 |
| Amazon  | cover_art      | 16:9     | 1920×1080          | 10MB     | jpg/png | Yes      | Program Series & Season |
| Amazon  | poster_art     | 2:3      | 2000×3000          | 10MB     | jpg/png | Yes      | Program Series & Season |
| Amazon  | hero_art       | 16:9     | 1920×1080          | 10MB     | jpg/png | Yes      | Program Series & Season |
| Amazon  | title_art      | Flexible | 1100×660           | 1MB      | png     | No       | Program Series & Season |
| Amazon  | season_box_art | 4:3      | 1600×1200          | 10MB     | jpg/png | Yes      | Season                  |
| Amazon  | episodic_art   | 16:9     | 1920×1080          | 10MB     | jpg/png | No       | Episode                 |
| Molotov | poster         | 16:21    | 1000×1314          |          |         | Yes      |                         |
| Molotov | poster_23      | 2:3      | 2000×3000          |          |         | No       |                         |
| Molotov | backdrop       | 16:9     | 1920×1080          |          |         | Yes      |                         |
| Molotov | landscape      | 16:9     | 1920×1080          |          |         | Yes      |                         |

| Partner | Name      | Ratio | Minimum resolution | Max size | Format | Required | Content |
|---------|-----------|-------|--------------------|----------|--------|----------|---------|
| Betv    | poster    | 3:4   | 1200×1600          |          |        | Yes      |         |
| Betv    | wallpaper | 16:9  | 1920×1080          |          |        | Yes      |         |

 More details about Amazon's artwork specifications: <https://videocentral.amazon.com/support/delivery-experience/artwork/artwork-specifications>

 More details about Amazon's artwork requirements: <https://videocentral.amazon.com/support/delivery-experience/artwork/artwork-requirements>

▼ Example payload:

```
{
  "images": {
    "amazon": {
      "cover_art": "https://path/to/amazon/cover_art.jpg",
      "box_art": "https://path/to/amazon/box_art.jpg",
      "poster_art": "https://path/to/amazon/poster_art.jpg",
      "hero_art": "https://path/to/amazon/hero_art.jpg",
      "title_art": "https://path/to/amazon/title_art.jpg",
      "season_box_art": "https://path/to/amazon/season_box_art.jpg",
      "episodic_art": "https://path/to/amazon/episodic_art.jpg"
    },
    "free": {
      "cover_poster": "https://path/to/free/cover_poster.jpg",
      "cover_wide": "https://path/to/free/cover_wide.jpg",
      "backdrop_wide": "https://path/to/free/backdrop_wide.jpg"
    },
    "molotov": {
      "poster": "https://path/to/molotov/poster.jpg",
      "landscape": "https://path/to/molotov/wallpaper.jpg",
      "backdrop": "https://path/to/molotov/backdrop.jpg"
    },
    "betv": {
      "poster": "https://path/to/betv/poster.jpg",
      "wallpaper": "https://path/to/betv/wallpaper.jpg"
    }
  }
}
```

## Identifiers

Identifiers are used to identify contents and people.

Usage by partner:

| Identifier | Amazon | Free | Molotov | Betv | Allociné | Justwatch | Google |
|------------|--------|------|---------|------|----------|-----------|--------|
| imdb       | ✓      | ✓    | ✓       |      | ✓        | ✓         | ✓      |
| tmdb       |        | ✓    | ✓       |      |          | ✓         |        |
| allocine   |        | ✓    | ✓       |      | ✓        |           |        |
| eidr       | ✓      |      | ✓       |      | ✓        | ✓         | ✓      |
| isan       | ✓      |      | ✓       | ✓    | ✓        |           |        |
| plurimedia |        | ✓    | ✓       |      |          |           |        |

| Identifier | Amazon | Free | Molotov | Betv | Allociné | Justwatch | Google |
|------------|--------|------|---------|------|----------|-----------|--------|
| tms        |        | ✓    |         |      |          |           | ✓      |
| tvdb       |        | ✓    |         |      |          |           |        |
| webedia    |        |      |         |      | ✓        |           |        |

▼ Example payload:

```
"identifiers": {
  "imdb": "10403420",
  "tmdb": "663712",
  "allocine": "285418",
  "eidr": null,
  "isan": "0000-0004-903B-0000-Y-0000-0000-9",
  "plurimedia": null,
  "tms": null,
  "tvdb": null,
  "webedia": null
}
```

## Videos



<https://partner-service-develop.preprod.otto.vodfactory.com/docs/index.html#videos-POSTapi-contents--contentId--videos>

## Attributes

| Label                     | Description                    | Required  |
|---------------------------|--------------------------------|-----------|
| external_id               |                                | ✓         |
| partner                   | amazon, free, molotov, or betv | ✓         |
| type                      | main, bonus, or trailer        | ✓         |
| url                       | s3:// or http(s)               | ✓         |
| dash_url                  | http                           | If no url |
| duration                  |                                | ✓         |
| is_drmised                | The video has DRM              |           |
| drm_key_id                |                                | If DRM    |
| drm_key                   |                                | If DRM    |
| drm_initialization_vector |                                | If DRM    |

## Create a video

You must create a content item before creating a video linked to it.

POST <https://otto-partner.vodfactory.com/api/contents/{externalId}/videos>

▼ Example payload to create a video:

```
{
  "external_id": 1234,
  "partner": "amazon",
  "type": "main", // main, trailer or bonus
  "url": "s3://bucket/path/to/video.mp4",
  "duration": 3600, // In seconds
  "subtitles": [
    {
      "external_id": 9876,
```

```

        "language_code": "fr-FR", // Amazon code
        "version": "normal", // normal, sdh, forced
        "url": "http://path/to/subtitle_fr.vtt" // Or s3:// url
    },
    "audios": [
        {
            "external_id": 6543,
            "language_code": "fr-FR",
            "url": "http://path/to/audio_fr.wav" // Or s3:// url
        }
    ],
    "audiotracks": [
        {
            "language_code": "en-US",
            "is_original_version": true
        },
        {
            "language_code": "fr-FR",
            "is_original_version": false
        }
    ]
}

```

In the URL, `externalId` corresponds to the external ID of the content.

### ▼ Create a video without linking it to a content

You can create a video without linking it directly to a content item:

POST <https://otto-partner.vodfactory.com/api/contents/videos>

To link it to a content later, send the video's external ID in the content payload:

```

{
  "title": "Lorem Ipsum",
  "video": {
    "amazon": {
      "main": "1234", // video external ID
      "trailer": ["6545", "9876"] // external IDs
    },
    "free": {
      "main": "4567"
    }
  }
}

```

## Subtitles

### Versions

- "normal": spoken dialogue
- "sdh": deaf and hard of hearing
- "forced": Forced Narratives (forced subtitles)

### Supported formats

- Amazon: srt
- Free: vtt and ttml

### ▼ Example payload:

```
{
  "subtitles": [
    {
      "external_id": "654",
      "language_code": "fr-FR",
      "url": "s3://bucket/path/to/subtitles_fr-fr.srt"
    },
    {
      "external_id": "655",
      "language_code": "fr-FR",
      "version": "sdh",
      "url": "s3://bucket/path/to/subtitles_fr-fr.srt"
    },
    {
      "external_id": "656",
      "language_code": "en-US",
      "url": "http://example.org/subtitles/en-us.srt"
    }
  ]
}
```

## Audio tracks

The list of audio tracks must be provided.

▼ Example payload:

```
{
  "audiotracks": [
    {
      "language_code": "en-US",
      "is_original_version": true
    },
    {
      "language_code": "fr-FR"
    }
  ]
}
```

## Audio files

Required only for Amazon videos.

### Amazon

#### Supported formats:

- PCM (ipcm) audio in a QuickTime .mov container
- PCM (ipcm) audio in an MPEG-2 transport stream
- AAC audio in an .mp4 container
- PCM (ipcm) audio in a self-contained .wav file

▼ Amazon requires separate audio files, except for the original audio version, so you must specify them in the payload:

```
{
  "audios": [
    {
```

```

        "external_id": 567,
        "language_code": "fr-FR",
        "url": "s3://bucket/path/to/audio_fr-fr.mp4"
    },
    {
        "external_id": 568,
        "language_code": "fr-BE",
        "url": "s3://bucket/path/to/audio_fr-be.mp4"
    }
]
}

```

## Delivering to partners

### Automation

Once a day (at midnight), all contents that have been modified in the last 24 hours will be sent to partners.

Depending on what has changed, only certain files will be sent.

For example, if you update only the availability dates of your content, only the avails files will be sent to Amazon.

If you update the metadata of your content, only the MEC file will be sent to Amazon.

If you update the subtitles of a video already sent, only the new subtitles will be sent to Amazon.

### Send manually to partners

If you don't want to wait for automation, you can send your content to partners manually.

### The concept of actions

For Amazon, you can send a specific action or all actions.

For Free, Molotov, and Bets, there is only one action.

- Amazon
  - *amazon\_avails*: update availability dates only
  - *amazon\_data*: update MEC file (metadata) only
  - *amazon\_pictures*: update pictures only
  - *amazon\_videos*: update MMC file and videos only
- Free:
  - *free\_videos\_send*: send videos and their subtitles to Free, then encode
  - *free\_videos\_encode*: encode already delivered videos only (force re-encoding)
  - *free\_subtitles\_encode*: update the encoded video with new subtitles only
- Molotov:
  - *molotov*: send all. Metadata, images, and videos
  - *molotov\_update*: update metadata and images only
- Bets:
  - *bets*: send all. Metadata, images, and videos
  - *bets\_update*: update metadata and images only

### Send

POST <https://otto-partner.vodfactory.com/api/contents/{externalId}/send>

```

{
  "amazon_avails": true,

```

```

    "amazon_data": true,
    "amazon_pictures": true,
    "amazon_videos": true,
    "free_videos_send": true,
    "molotov": true,
    "betv": true
  }
}

```

## Unpublish

You can unpublish content from partner(s).

POST <https://otto-partner.vodfactory.com/api/contents/{externalId}/unpublish>

```

{
  "partners": [
    "amazon" // Partners list
  ],
  "country_code": "FRA", // Only for Amazon
  "amazon_full_delete": false // Delete all delivered files
}

```

For each partner, this sets the availability end date to yesterday and then sends the files to the partners.

## Delivery statuses

You can check the delivery statuses of your content.

You will know if your content can be sent (all required data is set) and whether it has been sent successfully.

Check these statuses before sending your content manually.

You can detect why your content was not sent automatically: missing metadata, missing pictures, process errors, etc.

## How to get delivery statuses

GET <https://otto-partner.vodfactory.com/api/contents/{externalId}/action-statuses>

You will receive a response in which each action has its status.

▼ Complete example:

```

{
  "status": "success",
  "results": {
    "amazon": {
      "enabled": true,
      "status": "incomplete",
      "sent_at": null,
      "message": null,
      "actions": {
        "amazon_avails": {
          "enabled": true, // Amazon is activated and the availability dates
are set

          "status": "success", // The files have been sent
          "sent_at": "2025-04-09T16:26:13.000000Z", // Datetime when the file
s were sent

          "message": null // No error message
        },
        "amazon_data": {
          "enabled": true, // All required metadata is set
          "status": "ready", // The files have not been sent yet

```

```

        "sent_at": null, // Not sent yet
        "message": null // No error message
    },
    "amazon_pictures": {
        "enabled": true, // All required pictures are set
        "status": "ready", // The files have not been sent yet
        "sent_at": null, // Not sent yet
        "message": null // No error message
    },
    "amazon_videos": {
        "enabled": false, // Cannot send because the content has no Amazon
video
        "status": "incomplete", // Video missing
        "sent_at": null,
        "message": "No video found"
    }
}
},
"free": {
    "enabled": true,
    "status": "success",
    "sent_at": "2025-04-09T16:26:13.000000Z",
    "message": null,
    "actions": {
        "free_videos_send": {
            "enabled": true,
            "status": "ready",
            "sent_at": null,
            "message": null
        },
        "free_videos_encode": {
            "enabled": false,
            "status": "incomplete",
            "sent_at": null,
            "message": "Video not delivered"
        },
        "free_subtitles_encode": {
            "enabled": false,
            "status": "incomplete",
            "sent_at": null,
            "message": "Video not encoded"
        }
    }
},
"molotov": {
    "enabled": true,
    "status": "success",
    "sent_at": "2025-04-09T16:26:13.000000Z",
    "message": null,
    "actions": {
        "molotov_update": {
            "enabled": true,
            "status": "ready",
            "sent_at": null,
            "message": null
        }
    }
}
},

```



```

    "betv": {
      "enabled": false,
      "status": "incomplete",
      "sent_at": null,
      "message": null,
      "actions": {
        "betv_update": {
          "enabled": false,
          "status": "not_created",
          "sent_at": null,
          "message": null
        }
      }
    },
    "warnings": [],
    "errors": []
  }
}

```

## Partner specifications

### ▼ Amazon

#### Amazon Video Specifications

| Quality          | Minimum resolution | Codec / Container               | Minimum / Preferred bitrate | Key technical points                                              |
|------------------|--------------------|---------------------------------|-----------------------------|-------------------------------------------------------------------|
| <b>4K UHD</b>    | ≥ 3840×2160        | ProRes 422 HQ, MOV              | ≥ 250 Mbps                  | Rec. 2020 / DCI-P3, 10-bit, 4:2:2, progressive                    |
| <b>4K HDR</b>    | ≥ 3840×2160        | ProRes 422 HQ                   | ≥ 250 Mbps                  | HDR metadata, Legal YUV, MaxCLL/FALL, etc.                        |
| <b>HD</b>        | ≥ 1280×720         | ProRes 422 HQ, MPEG-2, H.264    | 20–88 Mbps                  | Rec. 709, variable fps, multiple containers                       |
| <b>SD</b>        | ≥ 640×260          | Same as HD                      | 10–50 Mbps                  | Rec. 601, interlaced allowed                                      |
| <b>Audio</b>     | —                  | PCM, MPEG-2 Layer II, AC-3, AAC | 192–960 kbps                | 48 kHz, 16–24 bit, mono / stereo / 5.1                            |
| <b>Subtitles</b> | —                  | TTML, SCC, STL, WebVTT, SRT     | —                           | Must be time-coded, language-tagged, include SDH/CC when required |

#### More details on the media technical specifications

 [Media Technical Standards - Amazon Prime Video](#)

### People

Amazon requires at least one director. Others are optional.

### Amazon genres

Find the full list of codes: <https://m.media-amazon.com/images/G/01/CooperWebsite/dvp/downloads/Genres.xlsx>

You can get the full list with the endpoint: GET `/api/amazon/genres` :

```

{
  "status": "success",
  "results": [

```

```

{
  "code": "av_genre_action",
  "breadcrumb": "Action/Adventure",
  "definition": "Action - Fictional titles that feature a number of spectacular and/or destructive action sequences in which a heroic character is pitted against a force or enemy of some kind, resulting in physical confrontations and challenges often with overwhelming odds against the hero."
},
{
  "code": "av_subgenre_action_comedy",
  "breadcrumb": "Action/Adventure > Comedy",
  "definition": "Action – Comedy – Action-based, fictional titles with an added comedic element. These types of titles usually involve the hero engaging in physical situations while spouting witty or clever dialogue."
}
]
}

```

You can get details of each genre by calling: GET `/api/amazon/genres/{code}`:

```

{
  "status": "success",
  "results": {
    "code": "av_genre_action",
    "breadcrumb": "Action/Adventure",
    "definition": "Action - Fictional titles that feature a number of spectacular and/or destructive action sequences in which a heroic character is pitted against a force or enemy of some kind, resulting in physical confrontations and challenges often with overwhelming odds against the hero."
  }
}

```

## ▼ Free (Oqee)

Your content will appear in search only if you provide a Plurimedia identifier.

You need at least one plan.

### ▼ Plans

You can manage plans with the `api/plans` endpoints.

- external\_id: your ID
- price: the price of the plan in cents (999 for €9.99). Required
- name: the unique name of the plan. Required
- description: short description. Required
- price\_description: description of the price. Optional
- starts\_at: the start date of the plan. Required
- ends\_at: the end date of the plan. Optional

### ▼ Animation - Build your rows

OQEE lets you define the editorial configuration of your portal.

You can configure the appearance and organize how your content is presented.

Create blocks (rows) with items.

A block can be of type "row" (multiple items) or "banner" (one item).

An item can be a content item (program, series, season) or a "heading" (group of contents).



<https://partner-service-develop.preprod.otto.vodfactory.com/docs/index.html#free-blocks-POSTapi-free-blocks>

### Create a block with items

POST <https://otto-partner.vodfactory.com/api/free/blocks>

```
{
  "external_id": 1234,
  "type": "row", // "row" or "banner"
  "image_format": "auto", // "auto" (recommended), "poster", "wide"
  "title": "Our latest content",
  "rank": 1,
  "items": [
    {
      "external_id": 456,
      "rank": 1,
      "content_external_id": 789 // The external ID of the content
    },
    {
      "external_id": 963,
      "rank": 2,
      "content_external_id": 790
    }
  ]
}
```

### Headings



<https://partner-service-develop.preprod.otto.vodfactory.com/docs/index.html#free-headings-GETapi-free-headings--id->

You can group content into "Free headings". It works like a category.

POST <https://otto-partner.vodfactory.com/api/free/headings>

```
{
  "external_id": 987654,
  "display_format": "grid", // "grid" or "rows"
  "image_format": "auto",
  "title": "Horror movies",
  "images": {
    "cover_poster": "https://path/to/free/cover_poster.jpg",
    "cover_wide": "https://path/to/free/cover_wide.jpg"
  },
  "contents": [
    {
      "external_id": 789,
      "rank": 1
    },
    {
      "external_id": 790,
      "rank": 2
    }
  ]
}
```

Then you can add this heading to a block:

POST <https://otto-partner.vodfactory.com/api/free/blocks>

```
{
  "external_id": 1235,
  "type": "row",
  "image_format": "auto",
  "title": "Our categories",
  "rank": 2,
  "items": [
    {
      "external_id": 457,
      "rank": 1,
      "heading_external_id": 987654 // The external ID of the heading
    }
  ]
}
```

### ▼ Automation

For Free, there is no need to send metadata and images to the partner. The partner fetches this information from the API once a day at night.

Once you update your content on the Partner API, it can take up to 48 hours to be updated on the OQEE platform.

### ▼ OQEE Video Specifications

| Quality   | Minimum resolution | Codec / Container                      | Bitrate (Min / Rec.)                                                      | Key technical points                                                                                                                                     |
|-----------|--------------------|----------------------------------------|---------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Full HD   | 1920×1080          | MP4 (AVC / HEVC High Profile)          | ≥ 30 Mbps                                                                 | GOP ≤ 2s. Aspect ratio 16:9. Progressive scan. Natural framerate (24/25/30/50/60 supported)                                                              |
| Audio     | —                  | HE-AAC / AAC / AC-3                    | Stereo: AC-3 192 kbps / AAC 320 kbps<br>5.1: AC-3 448 kbps / AAC 768 kbps | Up to 5.1 channels. 48 kHz sampling. Language tag per track in MP4. Audio levels must comply with <b>EBU R128 / ITU-R BS.1770</b> (LUFS -23, peak -3 dB) |
| Subtitles | —                  | WebVTT, TTML (IMSC1 text profile only) | —                                                                         | Standalone files (1 per language and version). Types: standard / hearing impaired (sme). Paths in S3 bucket must be declared in encoding task            |

More details on the media technical specifications

 [Media Technical Standards for OQEE Integration](#)

### ▼ Molotov

#### Animation

Molotov lets you define the editorial configuration of your portal.

You can configure the appearance and organize how your content is presented.

Create blocks (rows) with items.

 <https://partner-service-develop.preprod.otto.vodfactory.com/docs/index.html#free-blocks-POSTapi-molotov-blocks>

#### Molotov Tags

Molotov tags are a custom list of tags.

#### Molotov Video Specifications

| Quality          | Minimum resolution | Codec / Container                     | Minimum / Preferred bitrate            | Key technical points                                                                               |
|------------------|--------------------|---------------------------------------|----------------------------------------|----------------------------------------------------------------------------------------------------|
| <b>HD</b>        | 1920×1080          | H.264, MPEG-2 (in MP4 or TS)          | 10–50 Mbps                             | Progressive, mixed audio and video in the same file                                                |
| <b>Audio</b>     | —                  | AAC, AC-3, MPEG Audio (inside MP4/TS) | Stereo / 5.1 (in a single audio track) | Multi-audio allowed. Each audio track must have a language tag                                     |
| <b>Subtitles</b> | —                  | SRT, VTT, STL                         | —                                      | Separate subtitle file, language-tagged. Types: standard / CC (hard of hearing) / forced narrative |

## ▼ Betv

### Betv Video Specifications

| Quality           | Minimum resolution | Codec / Container                          | Bitrate (Max / Rules)             | Key technical points                                                                                               |
|-------------------|--------------------|--------------------------------------------|-----------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <b>SD</b>         | 720×576 (PAL)      | H.264 MP@L3.1 (AVC), MPEG-2 TS (SPTS)      | ≤ 2.5 Mbps (CBR only)             | Aspect ratio 16:9 or 4:3. I-frame every 0.5–1s. Multiplexed audio and video. No VBR allowed                        |
| <b>HD</b>         | 1920×1080 (PAL)    | H.264 High@L4.0 (AVC), MPEG-2 TS (SPTS)    | ≤ 7.5 Mbps (CBR only)             | Aspect ratio 16:9. I-frame every 0.5–1s. Same transport rules as SD                                                |
| <b>Audio</b>      | —                  | Dolby AC-3 stereo (2.0) or 5.1             | 192 kbps (stereo), 384 kbps (5.1) | French audio mandatory if available. If only OV, French subs must be burned in                                     |
| <b>Subtitles</b>  | —                  | DVB Bitmap (in TS). For OTT: PAC, SRT, STL | ~200 kbps (bitmap in TS)          | If no FR audio → burned-in French subs required. If multi-language → separate DVB subtitling or text files for OTT |
| <b>Age rating</b> | —                  | Burned-in icon (CSA rules)                 | —                                 | Logo must be visible bottom-right during the entire program (10, 12, 16, 18)                                       |

## ▼ Allociné

Once a day, all the contents will be sent to Allociné.

To be valid, each content needs to have at least one identity, have availabilities and have all required metadatas (title, original title, release date, directors and front url).

## ▼ Justwatch

Each day, all the contents will be get by Justwatch.

To be valid, each content needs to have at least one identity, have availabilities and have all required metadatas (title & synopsis).