

# Test Execution Report

**Project:** Travel Booking Website

**Tester:** Farah Safwat

**Date:** October 2025

**Environment:** Web – Chrome Browse

## 1 Objective

The purpose:

To validate the end-to-end functionality of the travel booking system through execution of designed test cases in Zephyr Scale.

## 2 Test Cases divided into Folders and Subfolders

The screenshot displays the Zephyr Scale web application interface. At the top, there is a navigation bar with a search bar, a '+ Create' button, and an 'Upgrade' button. Below this, the 'Spaces' section shows 'Agile Travel' with a dropdown menu. The main navigation bar includes various views: Summary, Timeline, Backlog, Board, Calendar, List, Forms, Goals, Code, Archived work items, Pages, Shortcuts, and Zephyr. The 'Zephyr' section is active, showing a 'Configuration' link. The 'Test Cases' tab is selected, displaying a list of test cases. On the left, a sidebar shows a tree view of test cases organized into folders and subfolders. The main area shows a table of test cases with columns for ID, Key, Version, Name, and Status. The test cases are listed as follows:

| ID     | Key | Version                                                                               | Name     | Status |
|--------|-----|---------------------------------------------------------------------------------------|----------|--------|
| AT-T15 | 1.0 | validate booking in very future date ex. 10 years in the future                       | APPROVED |        |
| AT-T4  | 1.0 | validate booking One way with today's date                                            | APPROVED |        |
| AT-T8  | 1.0 | validate booking Return option with same 'From' and 'To' locations                    | APPROVED |        |
| AT-T3  | 1.0 | validate booking Return option with same Departing and Returning day                  | APPROVED |        |
| AT-T2  | 1.0 | validate booking with 'Trip type' One way                                             | APPROVED |        |
| AT-T1  | 1.0 | validate booking with 'Trip type' Return                                              | APPROVED |        |
| AT-T12 | 1.0 | validate booking with date in the past in Departing and Returning                     | APPROVED |        |
| AT-T10 | 1.0 | validate booking with Departing and Returning in invalid day or month(30,31 Feburary) | APPROVED |        |
| AT-T14 | 1.0 | validate booking with leaving 'Time Flight No.' empty                                 | APPROVED |        |

At the bottom, there is a pagination bar showing '1 - 40 of 49' and a navigation bar with '1' and '2' buttons.

### 3 The desired test cases are added to the version 1.0 cycle

### open the test cycle to go to execution step

The screenshot shows the Jira Zephyr interface. At the top, there's a search bar and a '+ Create' button. Below that, the 'Agile Travel' space is selected. The 'Test Cycles' tab is active, and a red arrow points to the '+ New Test Cycle' button. The main area displays a list of test cycles:

| Run                      | Key | Name                       | Progress | Status       |
|--------------------------|-----|----------------------------|----------|--------------|
| <input type="checkbox"/> | ▶   | AT-R1 version 1.0          | 77%      | IN PROGRESS  |
| <input type="checkbox"/> | ▶   | AT-R2 version 1.0 (cloned) | 0%       | NOT EXECUTED |

At the bottom, it shows '1 - 2 of 2' items.

The screenshot shows the Jira Zephyr interface for the 'version 1.0' test cycle. A red arrow points to the 'version 1.0' link in the breadcrumb. The 'Test cases' tab is active, showing a list of test cases:

| P | Key                             | V   | Name                                                                           | Assigned To | Environment | Release version | Iteration |
|---|---------------------------------|-----|--------------------------------------------------------------------------------|-------------|-------------|-----------------|-----------|
| ⋮ | <input type="checkbox"/> AT-T49 | 1.0 | Error message appears when leaving Origin and Destination empty                | Farah       |             |                 |           |
| ⋮ | <input type="checkbox"/> AT-T48 | 1.0 | validate that the user can go back after payment                               | Farah       |             |                 |           |
| ⋮ | <input type="checkbox"/> AT-T46 | 1.0 | validate that this card number has the desired enough money in it              | Farah       |             |                 |           |
| ⋮ | <input type="checkbox"/> AT-T26 | 1.0 | validate the next button is clickable after filling all fields                 | Farah       |             |                 |           |
| ⋮ | <input type="checkbox"/> AT-T32 | 1.0 | validate when choosing the visa that the Master is not selected and vice versa | Farah       |             |                 |           |
| ⋮ | <input type="checkbox"/> AT-T6  | 1.0 | validate that the Return type is the default                                   | Farah       |             |                 |           |
| ⋮ | <input type="checkbox"/> AT-T18 | 1.0 | validate that the Sign in button is clickable when writing both fields         | Farah       |             |                 |           |

At the bottom, there's a 'Total estimated time 0s' and a 'Test Player' button.

## 4A) Execute the test cases comparing the expected and actual results We found that they matched (pass)

The screenshot displays the Jira Zephyr interface for a test cycle named 'version 1.0'. The left sidebar shows a list of test cases under the 'Test Cases' tab. The test case 'AT-T4 (1.0) validate booking One way with today's date' is selected and highlighted in blue. The right pane shows the execution details for this test case, including the status 'Pass' with a green checkmark and a duration of 00:00:05. The execution details also show the environment, release version, and assigned user (Farah).

**Test Cases** 48

Search...

Group by: Folder ▾ ☐ Show assigned to me 48

- ✓ /Login/Valid Login 3 test cases
- ✓ /Login/Invalid Login 4 test cases
- ^ /Booking a Flight/Valid Select Flight Scenarios 6 test cases
  - AT-T6 (1.0) validate that the Return type is the default 00:00:03
  - AT-T4 (1.0) validate booking One way with today's date 00:00:05**
  - AT-T3 (1.0) validate booking Return option with same Departing and Returning day
  - AT-T2 (1.0) validate booking with 'Trip type' One way

**Start a new test execution**

AT-T4 (1.0) validate booking One way with today's date

No estimated time • Actual time: 5s • 17/Oct/25 9:54 PM

**Execution Details**

|                          |                       |
|--------------------------|-----------------------|
| <b>Environment</b>       | <b>Iteration</b>      |
| None ▾                   | None ▾                |
| <b>Release version 1</b> | <b>Assigned to</b>    |
| None ▾                   | Farah ▾               |
| <b>Executed by</b>       | <b>Estimated Time</b> |
| Farah ▾                  | hh:mm                 |

## 4 B) Execute the test case comparing the expected and actual results We found that they didn't match (Fail)

The screenshot displays the Jira Agile Travel interface. At the top, there's a search bar and a '+ Create' button. Below the search bar, the 'Spaces' section shows 'Agile Travel' with a list of views: Summary, Timeline, Backlog, Board, Calendar, List, Forms, Goals, Development, Code, Archived work items, Pages, Shortcuts, and Zephyr. The main header indicates the current view is 'version 1.0' with no estimated time, no execution time, and planned start/end dates of 16/Oct/25. A red arrow points to the 'version 1.0' label, with the text 'Example on Failed Test Case' above it.

The 'Test Cases' section on the left shows a list of test cases under the folder '/Booking a Flight/Invalid Select Flight Booking Scenarios'. The test case 'AT-T49 (1.0) Error message appears when leaving Origin and Destination empty' is highlighted in blue. A red arrow points to the 'Fail' status icon next to it. The test case details on the right show the title 'AT-T49 (1.0) Error message appears when leaving Origin and Destination empty' and the status 'Fail' with a dropdown arrow. A red arrow points to the 'Fail' button. The 'Execution Details' section shows the environment, iteration, release version, assigned to (Farah), and executed by (Farah).

Test Cases 48

Search...

Group by: Folder

Show assigned to me 48

/Booking a Flight/Valid Select Flight Scenarios 6 test cases

/Booking a Flight/Invalid Select Flight Booking Scenarios 12 test cases

AT-T49 (1.0) Error message appears when leaving Origin and Destination empty 00:00:10

AT-T15 (1.0) validate booking in very future date ex. 10 years in the future

AT-T8 (1.0) validate booking Return option with same 'From' and 'To' locations

AT-T12 (1.0) validate booking with date in the past in Departing and Returning

Start a new test execution

AT-T49 (1.0) Error message appears when leaving Origin and Destination empty

No estimated time • Actual time: 10s • 16/Oct/25 2:24 AM • 1 issue

Execution Details

Environment: None

Iteration: None

Release version: None

Assigned to: Farah

Executed by: Farah

Estimated Time: hh:mm

## 5 Write a Bug Report for the (Fail) Test Case

The screenshot shows the Jira interface for the 'Agile Travel' project. The top navigation bar includes a search bar, a '+ Create' button, and an 'Upgrade' button. Below the navigation bar, the 'Spaces' section shows 'Agile Travel' with various views like Summary, Timeline, Backlog, Board, Calendar, List, Forms, Goals, Development, Code, Archived work items, Pages, and Shortcuts. The main content area displays the 'version 1.0' test cycle with a 'Test Player' view. A list of test cases is shown on the left, including 'AT-T12 (1.0) validate booking with date in the past in Departing and Returning', 'AT-T10 (1.0) validate booking with Departing and Returning in invalid day or month(30,31 F...', 'AT-T14 (1.0) validate booking with leaving 'Time Flight No.' empty', and 'AT-T7 (1.0) validate booking with Returning date before the Departing Date'. The right panel shows a detailed view of a test case, 'AT-2 Booking=>No error message appear when leaving the Origin and Destination fields empty', which is marked as 'TO DO'. A red arrow points to the 'Attachments' section, which contains a file named 'Bug Report for this Test Case'. The 'Test Script' section shows a table with columns for STEP, TEST DATA, EXPECTED RESULT, and ACTUAL RESULT. The first row shows 'None' for all columns, and the status is 'FAIL'.

Test Cases 48

Search...

Group by: Folder

Show assigned to me 48

/Booking a Flight/Invalid Select Flight Booking Scenarios 12 test cases

- AT-T12 (1.0) validate booking with date in the past in Departing and Returning
- AT-T10 (1.0) validate booking with Departing and Returning in invalid day or month(30,31 F...
- AT-T14 (1.0) validate booking with leaving 'Time Flight No.' empty
- AT-T7 (1.0) validate booking with Returning date before the Departing Date

Create new issue + Add existing issue

AT-2 Booking=>No error message appear when leaving the Origin and Destination fields empty TO DO

Attachments

Test Script

Bug Report for this Test Case

17/Oct/25 9:56 PM FAIL

| STEP                            | TEST DATA | EXPECTED RESULT |
|---------------------------------|-----------|-----------------|
| None                            | None      | None            |
| ACTUAL RESULT                   |           |                 |
| Click to type the actual result |           |                 |

## 6 Conclusion

During the execution of the test cases, some functionalities worked as expected, while others did not meet the expected results.

A portion of the test cases **passed successfully**, confirming that the main system features are functioning correctly.

However, a few **test cases failed**, These defects have been documented and reported in Jira for further investigation and fixes.

Overall, the build is **partially stable**, and a re-test will be required once the reported bugs are resolved.