



M2P Collect - Functional Specification Document

Field	Value
Document Title	M2P Collect Functional Specification
Client	Blox
Platform	M2P Collect
Version	1.0
Status	Draft
Date	2026-05-20
Prepared by	M2P Fintech
Classification	Confidential

Table of Contents

1. [Introduction](#)
 - 1.1 About M2P Collect
 - 1.2 Platform Components
 - 1.3 Key Capabilities
 - 1.4 Definitions and Abbreviations
2. [User Roles and Access Control](#)
3. [Portfolio Sourcing](#)
 - 3.1 Bulk Case Upload
 - 3.2 API-Based Sourcing
 - 3.3 Sourcing Trail
4. [Case Allocation](#)
 - 4.1 Static Allocation
 - 4.2 Case and Agent Reallocation
 - 4.3 Strategy Engine
 - 4.4 Auto Allocation and Job Scheduler
5. [Collections Workflow \(Web\)](#)
 - 5.1 Case Status View
 - 5.2 Collection Events
 - 5.3 Receipt Approval
 - 5.4 Repossession Approval
 - 5.5 SETTLEMENT (SULH) Management
 - 5.6 Events Upload
 - 5.7 Case Enrichment
6. [Agency Management](#)
 - 6.1 Agency Onboarding
 - 6.2 Agency Case Reallocation
 - 6.3 Agency Payout Configuration
7. [Reports](#)
 - 7.1 Daily Reports
 - 7.2 On-Demand Reports
 - 7.3 Live Report
8. [Supervisory Review](#)
 - 8.1 User Geo Analysis
 - 8.2 Real-Time Location
 - 8.3 Userwise Progress

- 8.4 User Productivity

9. [System Administration and Configuration](#)

9.1 Contractor Settings

- 9.2 Notification Engine
- 9.3 Business Rules and User Groups
- 9.4 Settlement Approval Matrix
- 9.5 Master Data Management

1. Introduction

1.1 About M2P Collect

M2P Collect is a browser-based Collections Management Platform designed for lenders, consumer finance companies, and their collections agencies. It covers the end-to-end collections lifecycle: portfolio intake, case allocation to field and telecalling agents, payment receipt management, agency management, and performance reporting.

The platform is offered as web integrated components:

- **Collect Web** - a browser-based platform for administrators, supervisors, and telecalling agents.

1.2 Platform Components

Component	Primary Users	Access Mode
Collect Web	Admins, Supervisors, Telecallers, Agency Admins	Browser (Chrome recommended)

1.3 Key Capabilities

Capability	Description
Portfolio Sourcing	Upload or API-pull Financing portfolios from upstream lending systems
Case Allocation	Assign cases to collectors via static upload, rule-based strategy, or manual reallocation
Strategy Engine	Configurable rule-based automatic case assignment based on DPD, product, location, and other attributes
Collections Workflow	Track all collection interactions: PTP, receipts, disputes, denials, repossessions, SETTLEMENT (SULH)

Receipt Approval	Maker-checker approval for payments collected by field agents
Agency Management	Onboard, configure, and manage third-party collection agencies
Field Tracking	Live and historical GPS tracking of field agents, updated at a configurable interval
Offline Support	Case data and dispositions cached offline; auto-synced on reconnect
Reports	Daily operational and on-demand performance reports across all collection channels
Cloud Telephony	Optional OBD and click-to-call integration for telecalling

1.4 Definitions and Abbreviations

Term	Definition
Broken PTP	A Promise-to-Pay commitment that was not honoured by the committed date
CE	Custom Event - a configurable disposition type defined per client or product
DPD	Days Past Due - the number of days since a Financing instalment fell overdue
INSTALLMENT	Equated Monthly Instalment - the fixed monthly repayment amount on a Financing
FOS	Field Officer / Supervisor - a user with a field collections role
KPI	Key Performance Indicator
OTP	One-Time Password - a temporary code used for identity verification
POS	Principal Outstanding - the remaining principal balance on a Financing

PTP	Promise to Pay - a customer's commitment to make payment on a specified date
QR	Quick Response code - a scannable payment code
RC	Registration Certificate - vehicle ownership document
Term	Definition
Repo	Repossession - physical recovery of a collateral asset (typically a vehicle)
SFTP	Secure File Transfer Protocol - used for file-based case intake from external systems
SMS	Short Message Service - text messaging channel
SOM	Stage of Matter - a classification bucket indicating the legal or collection stage of a case
TC	Telecaller - a user handling collections via outbound phone calls
TOS	Total Outstanding - the total amount due including principal, Profit, and charges

2. User Roles and Access Control

Access in M2P Collect is governed by configurable roles. The following roles are supported out of the box; additional roles can be configured per Blox's operational structure.

Role	Typical Access
Super Admin / Contractor Admin	All modules; full user and configuration management
Collections Manager / Supervisor	Allocation, My Workflow, Review, Reports; team oversight

Field Officer (FOS)	My Workflow (My Cases, Case Status); field dispositions
Telecaller (TC)	My Workflow (Case Status, My Cases, Auto Calling); call dispositions
Role	Typical Access
Agency Admin	Agency Management, Allocation; scoped to own agency
Reporting User	Reports, Review; read-only

Each user is created with a role, a location assignment, a reporting hierarchy (reports-to), and optional compliance fields. Users can be activated, deactivated, blocked, or unblocked by admins.

Maker-Checker Control: For rule changes, receipt approvals, and settlement approvals, a maker-checker workflow is configurable at the contractor level. When enabled, changes submitted by a maker require checker approval before becoming effective.

3. Portfolio Sourcing

3.1 Bulk Case Upload

Financing portfolios are loaded into the platform via a structured CSV file upload. The upload template includes fields such as agreement reference, customer name, product type, DPD, outstanding amount, location, P.O. Box, language, bank, branch, INSTALLMENT amount, and Financing account number. Mandatory fields are defined per the client's upload template configuration.

On upload, the system validates each row asynchronously. A sourcing trail entry records the file name, uploader, timestamp, and a count of successfully processed, failed, and unallocated cases. Failed rows can be downloaded as a separate file for correction and reupload.

3.2 API-Based Sourcing

The platform supports connection to external Financing management systems for automated, scheduled case intake. Configuration includes the external system's API

credentials, the scheduled pull time, and a JSON-based column mapping. SFTP-based file intake is also supported as an alternative to API-based sourcing.

3.3 Sourcing Trail

Every upload or API pull generates a batch record in the sourcing trail. The trail shows processing status, success and failure counts, and provides a download link for error reports. Cases that pass validation but have not yet been allocated to an agent are staged in an unallocated queue, visible in the Allocation module.

4. Case Allocation

4.1 Static Allocation

Static Allocation allows bulk case-to-agent assignment by uploading a CSV file that maps each Financing Account Number to a primary agent (and optionally a secondary agent). The allocation is processed asynchronously and tracked in an allocation trail.

4.2 Case and Agent Reallocation

Two reallocation types are supported:

Reallocation Type	Description
Agent Case Reallocation	Transfer all cases from one agent to another; supports bulk upload of agent-level mappings
Case Reallocation	Transfer specific individual cases to a new agent; supports single case or bulk CSV upload

Agency-level reallocation (moving all cases from one agency to another) is handled separately in the Agency Management module.

4.3 Strategy Engine

The Strategy Engine is a configurable rule-based allocation engine. Each rule defines:

- The event or trigger condition (e.g., new case sourced, DPD breached).
- Filter attributes: DPD range, product type, location, language, P.O Blox, agency.
- The target agent or user group to receive matching cases.
- An execution priority (lower value runs first when multiple rules match).

Rules follow a maker-checker lifecycle when enabled:

Status	Meaning
Pending	Created by maker; awaiting checker approval
Active	Approved and live
Inactive	Temporarily disabled
Rejected	Rejected by checker

4.4 Auto Allocation and Job Scheduler

The Strategy Engine can be triggered manually (trigger-all or trigger selected rules) or on a configurable schedule via the Job Scheduler. The scheduler runs active strategy rules against the unallocated case queue and assigns cases to matching agents automatically.

5. Collections Workflow (Web)

5.1 Case Status View

The Case Status screen is the primary operational view for supervisors and managers. It supports two display modes:

View	Description
Financing View	Cases displayed at Financing/agreement level
Customer View	Cases consolidated at customer level, showing aggregated overdue, POS, and TOS across all a customer's Financings

Filters are available by action status, DPD, bank/lender, and date. Each case row hyperlinks to a Case Detail screen showing full Financing information, contact details, asset details, event history, receipts, call recordings (if cloud telephony is enabled), and audit data.

Actions available on Case Detail (web):

- Log a collection event (PTP, Receipt, Denial, Dispute, Installment, Surrender, Feedback, Repo)
- Reprioritise the case (update follow-up date)
- Add or update contact information
- Star or archive the case
- Raise an SETTLEMENT (SULH) request and collected money is posted in LMS through real-time API
- Recommend field collection escalation

5.2 Collection Events

Agents log the following event types against a case:

Event Type	Description
PTP (Promise to Pay)	Customer has committed to pay on a specific future date; captures amount and type (self-pay or pick-up)
Receipt	Payment received; captures payment mode (cash, cheque, digital), amount, reference number, and payment date which is further pushed in LMS from collect
Denial	Customer has refused or is unable to pay
Dispute	Customer has raised a dispute on the Financing
Reminder / Callback	Schedule a follow-up reminder or callback
Feedback	General agent feedback after customer interaction
Unreachable	Contact attempt failed; sub-types include Line Busy, Switched Off, No Answer, Out of Network, and others as configured
Event Type	Description

Invalid Number	Contact number is not valid; sub-types include Does Not Exist, Incorrect Number, Not Working, Not Operational, and others as configured
SETTLEMENT (SULH)	One-Time Settlement offer raised

5.3 Receipt Approval

When the receipt maker-checker workflow is enabled, receipts submitted by agents appear in a pending queue for supervisor review. The supervisor can approve or reject individual receipts or perform bulk approval and rejection. Rejections require a remark. A separate auto approval configuration is also available for receipts below a configurable threshold.

5.4 SETTLEMENT (SULH) Management

SETTLEMENT (SULH) (One-Time Settlement) follows a structured multi-step approval workflow:

```
SET Requested -> Recommended -> Approved -> Successful -> Verified
                                     -> Rejected
                                     -> Invalidated
```

The SETTLEMENT (SULH) Management screen provides tab-based views for each lifecycle state. Approvers review the settlement offer amount, principal and Profit waiver percentages, and POS and TOS before approving or rejecting.

An optional verification step (configurable) requires the settlement to be verified post-payment before it is marked as Successful and Verified.

The Settlement Approval Matrix (SAM) defines tiered approver roles and the offer amount ranges they can authorize.

5.5 Events Upload

Bulk collection events can be uploaded via CSV for scenarios such as data migration, reconciliation, or batch event recording from offline systems. The event upload supports all major event types and records a processing trail with success and failure counts.

5.6 Case Enrichment

The platform provides a Case Enrichment capability for bulk update of contact and address data on existing cases. This allows operations teams to upload corrections or enhancements to case-level contact information without re-sourcing the case, ensuring field agents always have current contact details.

6. Agency Management

6.1 Agency Onboarding

External collection agencies are onboarded with the following configuration:

Configuration Area	Details
Basic Profile	Agency name, type, owner, contact, address, agreement start and end dates
Scope	DPD range, product types, lender names, locations, and P.O Blox the agency handles
Bank Details	Agency bank account and branch details for payout
Auto Approval	Option to auto-approve agency-created users without manual approval

Agencies can be activated, deactivated, or modified. Cases are not assignable to a deactivated agency.

6.2 Agency Case Reallocation

Cases can be transferred from one agency to another, or from an agency back to the contractor pool. Reallocation is available individually or in bulk via CSV upload. All reallocation events are audit-logged.

6.3 Agency Payout Configuration

The platform supports configuring agency commission and payout terms, including fixed fee per case, percentage of recovered amount, and tiered slabs based on DPD and product type. Payout configuration is managed within the agency records.

7. Reports

7.1 Daily Reports

The Daily Reports section provides two views. An operational summary presents current-day metrics (cases visited, calls made, payments collected, PTP count, SETTLEMENT (SULH) initiated, new unallocated cases, and cases resolved) in an auto-refreshed dashboard view for supervisors. Pre-configured daily report files are also generated automatically and available for download as CSV.

7.2 On-Demand Reports

Users can generate and download reports on demand by selecting a report type and a date range. The following report types are available (subject to channel configuration):

Report Type	Description
Daily Activity Report	Field agent activity summary for the selected period
Agent Performance Report	Per-agent KPI metrics
Event Report	Full case event log across all event types
Feedback Report	Agent disposition and feedback summary
Payment Report	Payment receipts and confirmation log
SETTLEMENT (SULH) Report	SETTLEMENT (SULH) request and approval log
Repo Report	Repossession activity log

Allocation Report	Case allocation history
Call Log Report	Detailed call log data (available if voice channel is configured)
Digital Campaign	Campaign delivery and response metrics (available if campaign
Report Type	Description
Report	channel is configured)
Letter Report	Letter-based collection activity (available if letter channel is configured)

Report generation is asynchronous. Once complete, a download link appears in the report history table. Reports are retained for a configurable number of days.

7.3 Live Report

A live report view shows current-day operational metrics in near-real time, including active agents online, cases in progress, calls in progress, payments pending approval, and escalated cases.

8. Supervisory Review

8.1 User wise Progress

The Userwise Progress screen provides per-agent performance metrics for a configurable date range:

Metric	Description
Assigned Cases	Total cases allocated to the agent
Visited Cases	Cases with at least one field visit logged
Called Cases	Cases contacted via outbound call
Promised To Pays(PTP) Received	Count of PTP commitments logged

Payments Collected	Count of payment receipts submitted
Amount Collected	Total amount collected
Target Achievement %	Performance against assigned KPI target
Last Activity	Timestamp of the most recent agent action

Results can be exported as a CSV.

8.2 User Productivity

A User Productivity view presents efficiency-focused metrics per agent, distinct from the Userwise Progress table. Metrics include average cases handled per day, average calls per day, call success rate, and visit-to-payment conversion rate. This view helps supervisors identify productivity trends and coaching opportunities.

9. System Administration and Configuration

9.1 Contractor Settings

The Contractor Settings panel is the master configuration interface for the deployed instance. Key configurable parameters include:

Parameter	Description
OTP Login	Enable or disable OTP on login

Parameter	Description
Auto User ID Blocking	Automatically block user IDs after a configurable number of inactive days
Per Day Receipt Limit	Maximum receipts an agent can submit per day

Auto Approval Receipt	Enable auto-approval of receipts without maker-checker
Contact Masking	Mask customer contact numbers on agent screens
Cloud Telephony	Enable OBD and click-to-call integration
Enable Agency Management	Activate the agency management module
SETTLEMENT (SULH) Enable	Enable the SETTLEMENT (SULH) workflow
SETTLEMENT (SULH) Duration	Number of days for which an SETTLEMENT (SULH) offer remains valid
Enable SETTLEMENT (SULH) Verification	Require a verification step before SETTLEMENT (SULH) is marked as successful
Enable SAM Maker-Checker	Enable maker-checker on Settlement Approval Matrix changes
Auto Broken PTP Conversion	Automatically mark expired PTP commitments as Broken PTP
PTP Expiry (Days)	Days after the PTP date before automatic broken PTP conversion
Intelligent Feedback Capture	Enable AI-assisted remarks capture for agent dispositions (optional; subject to availability)
FOS Receipt and Cash Limits	Per-day receipt transaction limit and maximum cash an agent can handle
Parameter	Description
Report Duration	Number of days of historical data available in reports
SMS Templates	Configurable SMS templates for repayment confirmations, receipt acknowledgements, and PTP events

9.2 Notification Engine

The Notification Engine drives automated communications triggered by specific case events. Notifications can be sent via SMS, WhatsApp, Email, or OBD (auto-dialler). For each notification rule, an administrator configures the triggering event, the communication channel, the message template, and the send timing relative to the event.

Supported trigger events include: new case allocation, PTP recorded, receipt captured, dispute raised, broken PTP, SETTLEMENT (SULH) status changes, and repossession events.

9.3 Business Rules and User Groups

Business Rules (Manage Rules): Allocation rules can be defined to govern which agents are eligible for which cases, based on attributes such as bank/lender, product type, DPD range, location, language, and P.O Blox. Rules are managed through the Strategy Engine or the standalone Manage Rules interface, with optional maker-checker governance.

User Groups: Agents can be organised into named groups (with a configurable maximum size). Groups can be used as allocation targets in the Strategy Engine, enabling pool-based rather than individual agent assignment.

Agent Targets: KPI targets (cases resolved, amount collected, field visits) can be assigned per agent per period for performance management.

Adoption Review: An Adoption Review report surfaces agents with low or no platform activity, flagging users who have never logged in, not logged in recently, or have had no case activity.

9.4 Settlement Approval Matrix

The Settlement Approval Matrix (SAM) defines the SETTLEMENT (SULH) approval authority structure. Each matrix entry specifies an approver role, an offer amount range (from-to), and an approval level. Multiple tiers are supported, allowing lower-value settlements to be approved by front-line supervisors while higher-value settlements escalate to senior management. Escalation timeouts are configurable per tier. SAM changes are subject to maker-checker control when enabled.

9.5 Master Data Management

Master data provides the reference values that drive allocation rules, case categorisation, and reporting filters. Administrators can search, add, and edit master data records across the following categories:

Category	Description
Bank Name	Lender and bank names used in case sourcing and allocation rules
Location	Geographic location codes and names
Product	Financing product types
Agency	External collection agency names
DPD Range	Days Past Due buckets for allocation rule configuration
Language	Language preferences for agent-customer matching
Block Code	Regulatory Financing block codes
State	State or region names
Risk Bucket	Risk tier classifications
SOM Bucket	Stage-of-matter bucket categories

Master records can be added individually or in bulk via CSV upload.

Blox Business models

The above-mentioned events are standard Collect features supported for blox, however, Blox may utilize the same basis on different models defined below. All the mentioned features will be applicable and available for all models onboarded, unless otherwise specified.

B2C model

Overview

In B2C model, Blox is directly funding the customer post getting QCB licence under Diminishing Musharakah Co-ownership structure.

Actors

- Customer: applies via the Blox app or web portal
- LOS: handles onboarding, KYC, BRE, credit decisioning, and offer generation
- LMS: manages the post-disbursement contract, repayment schedule, co-ownership register, and GL

- Collect handles the delinquent customers

Pre-conditions

- Blox holds a valid QCB lending licence
- M2P LOS, LMS, and Collect are configured with Blox as the sole lender

Post-conditions

- Contract is in delinquent state for collect
- Blox is responsible for recovery of overdue of loan amount and information is further pushed to LMS.
- On full repayment, contract closes and title transfers to the customer

Process flow

- Customer applies for vehicle financing at Blox App/ web portal
- Information is pushed to LOS for capturing complete customer information and underwriting
- Contract is created in LMS post disbursement of loan
- Loan servicing is undertaken in LMS by Blox users.
- In case customer goes delinquent, the case will flow to collect.
- Any recovery made by Blox will be posted in collect which will be further to LMS.

B2B2C model — NBFC as lender

Overview

An NBFC (such as Al-Jazeera Finance) holds the lending license and funds the vehicle. Blox acts as the servicer of loan and managing the contract on the NBFC's behalf. Entire stack is operated by Blox, with each contract tagged to the relevant NBFC as lender.

Actors

- Customer: applies via the Blox platform (identical experience to B2C)
- LOS: runs origination, KYC, BRE, and routes the credit package to the NBFC for approval
- NBFC: reviews and approves credit, funds the dealer, and owns the loan on its balance sheet
- Collect: services the contract on behalf of the NBFC; manages delinquent customer and pushes back the information to LMS on successful collect.
 - Collect Operator – Blox
 - Collect Operator 2 – NBFC

Pre-conditions

- NBFC partnership agreement is in place between Blox and the NBFC, this is handled outside LMS and collect
- Blox shall continue to service the loan, similar to B2C, however final settlement of any fee or profit sharing between Blox and NBFC need to be handled offline collect.

Post-conditions

- Repayments collected by Blox as servicer and Blox shall notify NBFC on any material events.

Process flow

- Customer applies for vehicle financing at Blox App/ web portal
- Information is pushed to LOS for capturing complete customer information and underwriting
- Contract is created in LMS post disbursement of loan
- Loan servicing is undertaken in LMS by Blox users

- In case customer goes delinquent, at DPD – 1, case is moved from LMS to collect for contract recovery
- On successful recovery, repayment details are posted in LMS

Out of scope:

- Any contract rendered between NBFC, and Blox need to be handled outside Collect
- Blox shall continue to recover money on behalf of all lenders as servicer, however, final monetary, communication or any contractual settlement between NBFC and blox will be catered outside collect.

B2B2C White-Label (3rd party-Operated) model

Overview

In the white-label model, Blox provides its platform (Collect) to a third party(ex. NBFC), where 3rd party's staff operates the platform directly, while Blox remains the lender and will continue to have access full information on the platform.

Since the platform is exposed to multiple third parties, each party should be able to access its own data, own products only and admin rights will only be accessible to Blox team/ its users.

Every customer info from each party are isolated from every other party. Within a single entity, access is governed by a branch-based role hierarchy so that a branch sees only its own data while the blox's head office or super admin sees all branches.

Actors

Customer: walks into a QAuto branch or applies via the dealer-branded portal; onboarded under assistance of dealer staff

Post LOS journey, loan is created in LMS, w.r.t program.

Collect – in case loan goes past due, its moved to collect based on rules defined.

User access management (RBAC)

- Data created under one 3rd party -1 is never visible to another 3rd Party -2. Within a 3rd Party - 1, most roles are branch-scoped
- Each user belongs to exactly one 3rd Party and one home branch
- The Super Admin is managed by blox for users, roles creation.
- All actions are audit-logged with user, 3rd party, branch, and timestamp.
- Blox and its team will have access to all branches.

Pre-conditions

- Branch hierarchy (branches, and any regions) is configured for the third party
- 3rd party user and its branches, roles, and access is created by Blox;
- Role-based access policies are configured

Post-conditions

- Data visibility is enforced: branch users see only their branch, while Blox sees all branches
- Collection case can be undertaken by its respective 3rd Party user only.
- A full audit trail records which branch and user onboarded and actioned each customer

Process flow

Customer applies for vehicle financing at through 3rd party

- Contract is created in LMS post disbursement of loan
- Loan servicing is undertaken by 3rd party with its own set of customer base and provisioned branch access.
- Similarly, in case of Days past overdue- case shall flow to collect for recovery of money.