

CLIENTNO	NAME	CITY	PINCODE	STATE	BAL_DUE
0001	Ivan	Bombay	400054	Maharastra	15000
0002	Vandana	Madras	780001	Tamilnadu	0
0003	Pramada	Bombay	400057	Maharastra	5000
0004	Basu	Bombay	400056	Maharastra	0
0005	Ravi	Delhi	100001	-	2000

S_ORDERNO	S_ORDERDATE	CLIENTNO	DELYTYPE	BILL	SALESMANNO	DELAYDATE	ORDERSTATUS
019001	12-JAN-96	0001	F	N	50001	20-JAN-96	Ip
019002	25-JAN-96	0002	P	N	50002	27-JAN-96	C
016895	18-FEB-96	0003	F	Y	500003	20-FEB-96	F
019003	03-APR-96	0001	F	Y	500001	07-APR-96	F

S_ORDERNO	PRODUCTNO	QTYORDERED	QTYDISP	PRODUCT_RATE
019001	P00001	4	4	525
019001	P07965	2	1	8400
019002	P00001	10	0	525
046865	P07868	3	3	3150
046865	P07885	10	10	5250

CHALLANNO	S_ORDERNO	CHALLANDATE	BILLED
CH9001	019001	12-DEC-95	Y
CH865	046865	12-NOV-95	Y
CH3965	010008	12-OCT-95	Y

SALESMA N_NO	SALESMAN NAME	ADDRE SS	CITY	PINCO DE	STATE	SALA MT	TGT_TO_ GET	YTDSA LES	REMAR KS
500001	Kiran	A/14 worli	Bomb ay	40000 2	Maharas tra	3000	100	50	Good
500002	Manish	65,na ri man	Bomb ay	40000 1	Maharas tra	3000	200	100	Good
500003	Ravi	P-7 Bandr a	Bomb ay	40003 2	Maharas tra	3000	200	100	Good
500004	Ashish	A/5 Juhu	Bomb ay	40004 4	Maharas tra	3500	200	150	Good

## Assignment - 4

1. Create an index on the table client\_master, field clientno.

**create index index\_clientmaster on Clientmaster (Clientno);**

2. Create an index on the sales\_order, field s\_order\_no.

**create index index\_salesorder on Salesorder (S\_orderno);**

3. Create a composite index on the sales\_order\_details table for the columns s\_order\_no and product\_no.

**create index index\_sales\_order\_details on Sales\_order\_details (S\_orderno, Productno);**

4. Create a composite index ch\_index on challan\_header table for the columns challan no and s\_order\_no.

**create index ch\_index on Challan\_header (ChallanNo, S\_orderNo);**

5. Create a unique index on the table salesman\_master, field salesman\_no.

**create unique index index\_salesman\_master on Salesman\_master (Salesman\_no);**

6. Drop index ch\_index on table challan\_header.

**drop index ch\_index;**

7. Create view on salesman\_master whose sal\_amt is less than 3500.

**create view sal\_amtLessThan3500 as  
select \* from Salesman\_master  
where Salamt < 3500;**

8. Create a view client\_view on client\_master and rename the columns as name, city, pcode, state respectively.

**create view client\_view as  
select Name as name, City as city, Pincode as pcode, State as state from Clientmaster;**

9. Select the client names from client\_view who lives in city 'Bombay'.

**select name from client\_view where city='Bombay';**

NAME
Ivan
Pramada
Basu

10. Drop the view client\_view.

**drop view client\_view;**

11. Create sequence inv\_seq with the following parameters, increment by 3, cycle, cache 4 and which will generate numbers from 1 to 9999 in ascending order.

**create sequence inv\_seq  
start with 1  
increment by 3  
minvalue 1  
maxvalue 9999  
cycle  
cache 4;**

12. Give another name for Sales\_order\_details table.

**alter table Sales\_order\_details rename to new\_sales\_order\_details;**