

Crop Weather Calendar of Papaya: Barishal Region (Districts: Barishal, Jhalakati, Patuakhali, Pirujpur, Barguna, Bhola) Bangladesh

Region: Barishal	Papaya																								Duration: 365-373 days					
Months	Feb.	March				April				May				June				July				August				September-February				
Std.Week/Normal	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	-12
Rainfall (mm)	14	18	18	22	25	35	41	53	49	69	67	85	105	130	126	129	92	112	115	100	93	96	82	81	73	78	72	75	55	14
Max. Temp. (°C)	33.0	32.9	33.3	33.7	33.5	33.5	33.6	33.4	33.4	33.2	33.3	32.8	31.9	31.3	31.0	31.0	31.1	30.8	31.0	31.2	31.2	31.0	31.5	31.5	31.2	31.5	32.0	32.0	31.9	33.0
Min. Temp. (°C)	22.1	22.8	23.7	24.0	24.6	24.4	24.4	25.1	25.2	25.7	26.0	26.1	26.0	26.0	26.0	26.0	26.0	26.0	25.9	26.0	26.0	26.0	26.0	26.0	25.9	25.9	26.0	25.5	25.2	22.1
Mean Temp. (°C)	27.6	27.9	28.5	28.8	29.1	29.0	29.0	29.3	29.3	29.5	29.6	29.4	28.9	28.6	28.5	28.5	28.6	28.4	28.5	28.6	28.6	28.5	28.8	28.8	28.6	28.7	29.0	28.7	28.6	27.6
RHmax (%)	96.5	96.5	96.6	96.4	96.0	96.0	96.1	96.2	96.1	96.2	96.5	96.4	96.6	97.0	97.3	97.4	97.4	97.4	97.6	97.4	97.3	97.2	97.3	97.3	97.4	97.7	97.6	98.0	97.9	96.5
RHMin (%)	50.7	54.4	58.0	59.8	61.9	62.5	64.2	65.9	67.5	69.6	70.9	73.2	76.9	79.2	80.6	80.7	79.4	81.0	80.0	78.9	78.6	79.0	77.6	77.4	77.6	76.4	74.6	73.9	72.3	50.7
RHmean (%)	73.6	75.4	77.3	78.1	78.9	79.3	80.1	81.1	81.8	82.9	83.7	84.8	86.8	88.1	89.0	89.0	88.4	89.2	88.8	88.2	88.0	88.1	87.5	87.4	87.5	87.1	86.1	85.9	85.1	73.6
SShr (hrs)	52.3	50.7	53.0	51.3	54.7	51.7	49.0	48.0	46.0	37.3	37.3	30.7	23.0	21.3	20.3	20.3	23.3	21.0	25.3	26.0	25.7	26.0	27.3	29.0	28.3	29.3	29.7	33.0	36.7	52.3
WD (deg)	210	198	200	198	197	191	190	192	189	186	187	185	177	179	175	180	175	177	175	173	180	176	184	182	185	191	209	212	220	210
WS(Km/hr)	6.3	6.7	6.9	7.0	7.5	7.2	7.0	7.3	7.1	7.0	7.0	6.3	6.5	6.8	6.5	6.5	6.5	6.5	6.5	6.4	5.6	6.5	5.7	5.6	5.0	5.0	4.5	4.5	4.0	6.3
Stages																														
	Seedling raising & transplantation					Vegetative stage								Flowering Stage		Fruit production and Harvesting														

Congenial Weather Condition for Diseases		
Fruit rot		Temperature 30.5°C to 35°C, hot, humid weather and relative humidity >80%.
Powdery mildew		Temperature 21-24°C; relative humidity below 70% with cloudy weather
Mosaic virus	Temperature (22.0 to 26°C), relative humidity >80% with dry weather	
Leaf curl virus	Temp 22. 0°C to 27.0°C; with warm weather	

Congenial weather for insect-pests		
Mealybug	Temp. 22.0 – 25.0°C, RH: 65-70%	
Papaya Whitefly	Temp. 22.0 – 25.0°C, RH: 50 –80%	
Papaya Aphids	Temp. 22.0 – 26.0°C, RH: 60 - 70%	
Red mite	Temp. 22.0 – 25.5°C, RH:- 80-90%	
Root knot nematode	Temp. 22.0 – 25.0°C, RH:- 60-80%	

Weather Warning			
Rainfall		> 40 mm	
Cloudy Weather		Cloudy Weather	
Relative Humidity		Maximum Humidity > 92% Minimum Humidity < 40%	
Hail storm		Hail storm	
High wind		> 20 km/hr	
Temperature		Max. Temp. > 35.0 °C and Min. Temp. < 25.0 °C	

Crop Weather Calendar of Papaya: Bogura Region (Districts: Bogura, Joypurhat, Pabna, Sirajganj) Bangladesh

Region: Bagura	Papaya																								Duration: 365-373 days					
Months	Feb.	March				April				May				June				July				August				September-February				
Std.Week/Normal	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	-12
Rainfall (mm)	3	8	8	12	26	28	37	42	45	58	59	74	70	92	76	93	80	91	76	63	61	72	67	56	60	60	76	74	51	3
Max. Temp. (°C)	32.9	32.9	33.9	34.3	34.0	33.6	33.1	33.6	33.4	33.3	33.9	33.4	32.7	32.3	32.3	32.0	31.9	32.0	32.1	32.3	32.6	32.1	32.3	32.6	32.3	32.0	32.1	32.0	32.1	32.9
Min. Temp. (°C)	20.0	21.1	22.3	23.0	23.0	23.1	23.3	23.9	24.3	24.6	25.0	25.9	26.0	26.1	26.1	26.0	26.1	26.0	26.1	26.3	26.9	26.3	26.4	26.1	26.0	26.0	26.0	25.1	25.0	20.0
Mean Temp. (°C)	26.5	27.0	28.1	28.7	28.5	28.4	28.2	28.8	28.9	29.0	29.5	29.7	29.4	29.2	29.2	29.0	29.0	29.0	29.1	29.3	29.8	29.2	29.4	29.4	29.2	29.0	29.1	28.6	28.6	26.5
RHmax (%)	86.3	87.7	88.0	88.3	90.6	90.9	92.4	92.4	92.7	93.0	93.7	94.1	95.1	95.1	95.6	95.9	95.9	95.9	95.9	95.1	95.3	95.6	95.9	95.7	95.9	96.3	96.1	96.4	96.0	86.3
RHMin (%)	39.1	45.3	44.4	45.9	50.7	54.9	57.3	58.7	60.0	63.4	64.6	66.7	70.4	72.4	73.9	73.3	74.1	74.4	73.3	72.0	71.9	73.3	72.7	71.7	72.0	72.3	70.7	71.0	68.7	39.1
RHmean (%)	62.7	66.5	66.2	67.1	70.7	72.9	74.9	75.6	76.4	78.2	79.2	80.4	82.8	83.8	84.8	84.6	85.0	85.2	84.6	83.6	83.6	84.5	84.3	83.7	84.0	84.3	83.4	83.7	82.4	62.7
SShr (hrs)	58.0	56.0	56.0	56.0	55.0	52.0	48.0	50.0	49.0	46.0	44.0	39.0	33.0	28.0	26.0	28.0	31.0	29.0	28.0	35.0	37.0	36.0	31.0	35.0	35.0	35.0	37.0	37.0	44.0	58.0
WD (deg)	205	176	173	164	149	134	127	126	126	121	135	134	134	134	132	141	135	138	143	137	136	141	147	142	147	152	160	174	170	205
WS(Km/hr)	6.7	6.8	6.7	6.3	6.8	7.4	7.2	7.4	6.7	6.3	6.3	6.3	7.2	6.3	6.7	5.6	5.6	6.8	6.1	6.3	5.7	6.1	5.6	5.6	5.6	5.6	5.6	5.4	5.0	6.7
Stages																														
	Seedling raising & transplantation					Vegetative stage								Flowering Stage				Fruit production and Harvesting												

Congenial Weather Condition for Diseases		
Fruit rot		Temperature 30.5°C to 35°C, hot, humid weather and relative humidity >80%.
Powdery mildew		Temperature 21-24°C; relative humidity below 70% with cloudy weather
Mosaic virus	Temperature (22.0 to 26°C), relative humidity >80% with dry weather	
Leaf curl virus	Temp 22. 0°C to 27.0°C; with warm weather	

Congenial weather for insect-pests		
Mealybug	Temp. 22.0 – 25.0°C, RH: 65-70%	
Papaya Whitefly	Temp. 22.0 – 25.0°C, RH: 50 –80%	
Papaya Aphids	Temp. 22.0 – 26.0°C, RH: 60 - 70%	
Red mite	Temp. 22.0 – 25.5°C, RH:- 80-90%	
Root knot nematode	Temp. 20.0 - 25°C, RH:- 60-80%	

Weather Warning			
Rainfall		> 42 mm	
Cloudy Weather		Cloudy Weather	
Relative Humidity		Maximum Humidity > 92% Minimum Humidity < 40%	
Hail storm		Hail storm	
High wind		> 20 km/hr	
Temperature		Max. Temp. > 34 °C and Min. Temp. < 25 °C	

Crop Weather Calendar of Papaya: Dhaka Region (Districts: Dhaka, Tangail, Gazipur, Narsingdi, Narayanganj, Munshiganj, Manikgonj) Bangladesh

Region: Dhaka	Papaya																							Duration: 365-373 days						
Months	Feb.	March				April				May				June				July				August				September-February				
Std.Week/Normal	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	-12
Rainfall (mm)	14	21	25	21	32	43	46	56	55	76	70	73	87	81	78	83	74	91	82	67	60	77	63	61	61	69	70	69	47	14
Max. Temp. (°C)	33.4	33.2	33.9	34.6	34.1	33.8	33.6	33.7	33.7	33.2	33.5	33.4	32.8	32.2	32.2	32.1	32.0	31.7	32.2	32.2	32.2	31.9	32.3	32.5	32.3	32.2	32.3	32.3	32.5	33.4
Min. Temp. (°C)	21.3	21.8	22.9	23.5	23.7	23.6	23.7	24.2	24.6	24.9	25.4	25.8	25.9	26.2	26.2	26.1	26.2	26.0	26.0	26.2	26.7	26.2	26.2	26.1	26.0	26.0	26.0	25.7	25.3	21.3
Mean Temp. (°C)	27.3	27.5	28.4	29.0	28.9	28.7	28.6	28.9	29.2	29.0	29.4	29.6	29.3	29.2	29.2	29.1	29.1	28.9	29.1	29.2	29.4	29.0	29.3	29.3	29.2	29.1	29.1	29.0	28.9	27.3
RHmax (%)	89.6	90.3	91.3	91.4	91.4	91.7	92.3	92.8	92.9	93.5	93.8	94.0	94.5	94.4	94.7	94.7	94.1	94.5	94.3	94.0	94.1	94.4	94.8	94.4	94.8	95.2	95.0	95.5	95.4	89.6
RHMin (%)	38.9	44.5	45.9	47.1	52.0	55.1	56.7	58.6	60.4	63.5	65.0	66.7	69.9	71.5	72.9	73.5	73.1	73.5	71.1	71.0	71.6	72.2	71.2	70.0	70.2	69.4	69.7	68.0	65.7	38.9
RHmean (%)	64.3	67.4	68.6	69.2	71.7	73.4	74.5	75.7	76.7	78.5	79.4	80.3	82.2	83.0	83.8	84.1	83.6	84.0	82.7	82.5	82.8	83.3	83.0	82.2	82.5	82.3	82.3	81.8	80.6	64.3
SShr (hrs)	55.5	52.5	53.5	54.0	55.0	54.5	51.5	48.0	48.0	42.5	42.0	38.5	31.0	26.0	26.0	27.0	27.5	28.5	32.0	33.5	32.5	31.5	31.5	35.0	33.5	32.0	32.0	34.0	40.0	55.5
WD (deg)	206	188	181	175	167	156	159	164	156	155	157	161	157	157	158	162	157	161	159	156	165	157	165	164	163	177	176	195	194	206
WS(Km/hr)	6.2	6.5	6.5	6.6	6.6	6.7	6.8	6.5	6.4	6.1	5.8	5.6	6.3	6.5	6.5	5.8	5.9	6.1	5.9	6.1	5.8	5.6	5.4	5.5	5.5	5.3	4.3	4.6	4.0	6.2
Stages																														
	Seedling raising & transplantation					Vegetative stage					Flowering Stage			Fruit production and Harvesting																

Congenial Weather Condition for Diseases		
Fruit rot		Temperature 30.5°C to 35°C, hot, humid weather and relative humidity >80%.
Powdery mildew		Temperature 23-26°C; relative humidity below 70% with cloudy weather
Mosaic virus	Temperature (22.0 to 26°C), relative humidity >80% with dry weather	
Leaf curl virus	Temp 22. 0°C to 27.0°C; with warm weather	

Congenial weather for insect-pests		
Mealybug	Temp. 22.0 – 25.0°C, RH: 65-70%	
Papaya Whitefly	Temp. 22.0 – 25.0°C, RH: 50 –80%	
Papaya Aphids	Temp. 22.0 – 26.0°C, RH: 60 - 70%	
Red mite	Temp. 22.0 – 25.5°C, RH:- 80-90%	
Root knot nematode	Temp. 21.0 - 25°C, RH:- 60-80%	

Weather Warning		
Rainfall		> 42 mm
Cloudy Weather		Cloudy Weather
Relative Humidity		Maximum Humidity > 92% Minimum Humidity < 40%
Hail storm		Hail storm
High wind		> 20 km/hr
Temperature		Max. Temp. > 34 °C and Min. Temp. < 26 °C

Crop Weather Calendar of Papaya: Dinajpur Region (Districts: Dinajpur, Thakurgaon and Panchaghar) Bangladesh

Region: Dinajpur	Papaya																								Duration: 365-373 days					
Months	Feb.	March				April				May				June				July				August				September-February				
Std.Week/Normal	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	-12
Rainfall (mm)	2	7	8	8	25	23	31	36	57	55	73	57	77	111	96	109	105	81	84	70	60	93	103	71	66	61	73	119	62	2
Max. Temp. (°C)	32.0	32.1	33.0	33.4	33.0	32.4	32.3	32.9	33.0	33.0	33.4	33.3	33.0	32.3	32.4	32.0	32.1	32.1	32.3	32.9	32.6	32.4	32.1	32.4	32.3	32.4	32.0	31.9	32.0	32.0
Min. Temp. (°C)	18.6	19.7	20.4	21.1	22.0	22.0	22.3	22.9	23.6	24.0	24.4	25.0	25.1	25.6	26.0	26.0	26.0	26.0	26.0	26.3	26.7	26.1	26.0	26.0	26.0	25.7	25.1	24.9	24.7	18.6
Mean Temp. (°C)	25.3	25.9	26.7	27.3	27.5	27.2	27.3	27.9	28.3	28.5	28.9	29.2	29.1	29.0	29.2	29.0	29.1	29.1	29.2	29.6	29.7	29.3	29.1	29.2	29.2	29.1	28.6	28.4	28.4	25.3
RHmax (%)	86.0	87.1	86.6	87.4	89.4	91.1	92.3	92.0	92.1	92.4	92.7	93.4	93.9	94.7	94.4	95.1	94.6	94.4	94.7	94.1	94.0	95.0	95.7	95.6	95.6	96.1	96.0	96.1	96.0	86.0
RHMin (%)	36.4	43.3	40.9	43.4	50.9	53.7	57.6	57.3	59.3	62.4	62.3	65.4	67.7	71.4	71.6	73.3	72.7	71.9	71.6	70.1	70.9	72.6	73.1	71.6	72.4	71.3	71.6	70.9	68.3	36.4
RHmean (%)	61.2	65.2	63.8	65.4	70.2	72.4	75.0	74.7	75.7	77.4	77.5	79.4	80.8	83.1	83.0	84.2	83.7	83.2	83.2	82.1	82.5	83.8	84.4	83.6	84.0	83.7	83.8	83.5	82.2	61.2
SShr (hrs)	55.0	49.0	52.0	55.0	49.0	50.0	49.0	51.0	48.0	44.0	42.0	40.0	35.0	27.0	31.0	27.0	29.0	31.0	36.0	36.0	37.0	34.0	34.0	37.0	37.0	36.0	33.0	38.0	42.0	55.0
WD (deg)	192	170	171	150	142	123	118	115	119	108	117	111	118	120	121	127	121	126	134	132	132	134	139	141	133	143	146	148	151	192
WS(Km/hr)	5.6	5.0	5.6	4.8	4.8	5.4	3.9	3.7	4.3	3.7	3.9	3.7	3.7	3.7	3.7	3.7	3.7	3.9	3.7	3.9	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.9	3.7	5.6
Stages																														
	Seedling raising & transplantation					Vegetative stage								Flowering Stage		Fruit production and Harvesting														

Congenial Weather Condition for Diseases		
Fruit rot		Temperature 30.0°C to 35°C, hot, humid weather and relative humidity >80%.
Powdery mildew		Temperature 21-24°C; relative humidity below 70% with cloudy weather
Mosaic virus	Temperature (20.0 to 26°C), relative humidity >80% with dry weather	
Leaf curl virus	Temp 20.0°C to 27.0°C; with warm weather	

Congenial weather for insect-pests		
Mealybug	Temp. 20.0 – 25.0°C, RH: 65-70%	
Papaya Whitefly	Temp. 20.0 – 25.0°C, RH: 50 –80%	
Papaya Aphids	Temp. 20.0 – 26.0°C, RH: 60 - 70%	
Red mite	Temp. 20.0 – 25.5°C, RH:- 80-90%	
Root knot nematode	Temp. 18.0 - 25°C, RH:- 60-80%	

Weather Warning		
Rainfall		> 45 mm
Cloudy Weather		Cloudy Weather
Relative Humidity		Maximum Humidity > 92% Minimum Humidity < 40%
Hail storm		Hail storm
High wind		> 20 km/hr
Temperature		Max. Temp. > 34 °C and Min. Temp. < 26 °C

Crop Weather Calendar of Papaya: Jashore Region (Districts: Jashore, Kushtia, Chuadanga, Jhenaidah, Meherpur, Magura) Bangladesh

Region: Jessore	Papaya																								Duration: 365-373 days						
Months	Feb.	March					April				May				June				July				August				September-February				
Std.Week/Normal	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	-12	
Rainfall (mm)	12	12	12	7	13	22	29	31	36	45	39	50	55	81	73	82	72	84	73	64	56	68	49	51	53	68	59	70	45	12	
Max. Temp. (°C)	34.7	34.6	35.5	36.1	36.5	36.3	36.0	36.0	35.9	35.5	35.6	35.3	34.0	33.3	33.0	32.7	32.9	32.7	32.7	33.0	32.8	32.7	33.1	33.3	32.9	32.9	33.0	33.2	33.2	34.7	
Min. Temp. (°C)	20.8	21.8	22.8	23.5	24.1	24.2	24.2	25.2	25.0	25.5	26.0	26.2	26.2	26.1	26.2	26.0	26.1	26.2	26.2	26.0	26.2	26.0	26.1	26.0	26.0	26.0	26.0	25.3	25.1	20.8	
Mean Temp. (°C)	27.7	28.2	29.2	29.8	30.3	30.3	30.1	30.6	30.4	30.5	30.8	30.7	30.1	29.7	29.6	29.4	29.5	29.5	29.4	29.5	29.5	29.3	29.6	29.6	29.5	29.5	29.5	29.2	29.1	27.7	
RHmax (%)	92.1	92.4	92.4	92.9	92.4	92.3	92.8	92.7	93.1	93.6	94.0	94.1	94.8	95.7	96.0	96.1	96.1	96.1	96.1	96.0	96.2	96.5	96.2	96.2	96.4	96.6	96.3	96.6	96.5	92.1	
RHMin (%)	36.7	42.0	41.5	41.6	44.3	46.9	49.9	51.7	54.8	58.7	60.0	62.1	67.5	71.7	73.5	74.4	73.4	74.6	73.4	72.6	73.0	73.0	71.7	71.0	71.5	70.8	69.7	67.7	67.0	36.7	
RHmean (%)	64.4	67.2	66.9	67.2	68.3	69.6	71.3	72.2	74.0	76.1	77.0	78.1	81.1	83.7	84.7	85.2	84.7	85.3	84.7	84.3	84.6	84.7	83.9	83.6	83.9	83.7	83.0	82.1	81.7	64.4	
SShr (hrs)	53.0	51.5	55.5	54.5	54.5	55.5	54.0	51.5	52.5	46.5	45.5	41.5	32.0	26.5	26.0	24.5	29.0	25.0	29.5	32.5	30.0	28.0	30.5	32.5	31.5	33.0	32.5	38.5	40.0	53.0	
WD (deg)	212	208	209	204	193	188	186	186	180	181	180	183	174	175	178	186	178	180	177	172	175	175	185	171	180	186	187	195	195	212	
WS(Km/hr)	4.4	4.7	5.1	5.2	5.7	5.6	5.6	5.8	5.2	5.2	5.0	4.6	4.9	4.6	4.6	4.4	4.3	4.4	4.7	4.3	4.4	4.3	3.9	4.1	4.1	4.1	3.8	3.7	3.1	4.4	
Stages																															
	Seedling raising & transplantation					Vegetative stage								Flowering Stage						Fruit production and Harvesting											

Congenial Weather Condition for Diseases		
Fruit rot		Temperature 32.0°C to 36.0°C, hot, humid weather and relative humidity >80%.
Powdery mildew		Temperature 24-26°C; relative humidity below 70% with cloudy weather
Mosaic virus	Temperature (20.0 to 26°C), relative humidity >80% with dry weather	
Leaf curl virus	Temp 20.0°C to 27.0°C; with warm weather	

Congenial weather for insect-pests		
Mealybug	Temp. 20.0 – 26.0°C, RH: 65-70%	
Papaya Whitefly	Temp. 20.0 – 26.0°C, RH: 50 –80%	
Papaya Aphids	Temp. 20.0 – 25.0°C, RH: 60 - 70%	
Red mite	Temp. 20.0 – 25.5°C, RH:- 80-90%	
Root knot nematode	Temp. 15.0 - 26°C, RH:- 60-80%	

Weather Warning			
Rainfall		> 45 mm	
Cloudy Weather		Cloudy Weather	
Relative Humidity		Maximum Humidity > 92% Minimum Humidity < 40%	
Hail storm		Hail storm	
High wind		> 20 km/hr	
Temperature		Max. Temp. > 34 °C and Min. Temp. < 26 °C	

Crop Weather Calendar of Papaya: Mymensingh Region (Districts: Mymensingh, Kishoregonj, Jamalpur, Netrokona, Sherpur) Bangladesh

Region: Mymensingh	Papaya																								Duration: 365-373 days					
Months	Feb.	March				April				May				June				July				August				September-February				
Std.Week/Normal	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	-12
Rainfall (mm)	11	17	20	30	40	36	55	62	69	97	81	96	103	98	85	109	99	89	100	72	74	67	81	75	63	65	79	87	71	11
Max. Temp. (°C)	31.9	31.3	32.1	32.7	32.0	31.7	31.6	31.9	32.3	32.0	32.0	32.0	31.7	31.4	31.0	31.1	31.3	31.3	31.1	32.0	32.0	32.0	32.0	31.4	31.7	31.9	31.7	32.0	31.9	
Min. Temp. (°C)	19.9	20.9	21.9	22.4	22.9	22.9	22.9	23.6	24.0	24.3	25.0	25.6	25.7	26.0	26.0	26.0	26.0	26.0	26.0	26.1	26.3	26.3	26.0	26.0	26.0	26.0	26.0	25.1	25.0	19.9
Mean Temp. (°C)	25.9	26.1	27.0	27.6	27.5	27.3	27.3	27.8	28.2	28.2	28.5	28.8	28.7	28.7	28.5	28.6	28.7	28.7	28.6	29.1	29.2	29.2	29.0	29.0	28.7	28.9	29.0	28.4	28.5	25.9
RHmax (%)	89.7	90.4	89.9	90.9	91.1	91.3	92.4	92.6	92.7	92.7	94	94.1	94.7	95	94.7	95	94.6	94.6	94.9	94.7	93.9	94.0	94.9	94.7	94.9	95.3	95.0	95.4	95.6	89.7
RHMin (%)	48.3	54.7	55	56.6	61.1	62.6	64.6	66	66.4	69.4	71.9	73	75.4	76.6	77.7	77.6	77	76.6	76.4	74.6	74.6	74.9	75.9	75.0	75.9	74.1	74.1	74.0	72.6	48.3
RHmean (%)	69.0	72.6	72.5	73.8	76.1	77.0	78.5	79.3	79.6	81.1	83.0	83.6	85.1	85.8	86.2	86.3	85.8	85.6	85.7	84.7	84.3	84.5	85.4	84.9	85.4	84.7	84.6	84.7	84.1	69.0
SShr (hrs)	48.0	44.0	49.0	49.0	49.0	46.0	44.0	44.0	45.0	39.0	36.0	34.0	26.0	25.0	23.0	24.0	24.0	25.0	30.0	33.0	31.0	30.0	26.0	31.0	28.0	30.0	31.0	31.0	40.0	48.0
WD (deg)	179	165	149	146	143	128	126	134	131	126	130	142	138	143	144	156	152	152	151	153	149	148	157	155	151	157	156	167	181	179
WS(Km/hr)	6.3	6.1	7.2	6.8	7.2	7.6	7.4	6.8	7.4	7.4	6.8	6.1	7.4	6.8	7.2	7.2	6.8	7.2	6.1	6.1	6.1	6.1	5.7	6.1	5.6	5.6	5.4	4.4	4.3	6.3
Stages																														
	Seedling raising & transplantation					Vegetative stage								Flowering Stage		Fruit production and Harvesting														

Congenial Weather Condition for Diseases		
Fruit rot		Temperature 31.0°C to 36.0°C, hot, humid weather and relative humidity >80%.
Powdery mildew		Temperature 22-26°C; relative humidity below 70% with cloudy weather
Mosaic virus	Temperature (20.0 to 26°C), relative humidity >80% with dry weather	
Leaf curl virus	Temp 20.0°C to 27.0°C; with warm weather	

Congenial weather for insect-pests		
Mealybug	Temp. 20.0 – 26.0°C, RH: 65-70%	
Papaya Whitefly	Temp. 20.0 – 26.0°C, RH: 50 –80%	
Papaya Aphids	Temp. 20.0 – 24.0°C, RH: 60 - 70%	
Red mite	Temp. 20.0 – 25.5°C, RH:- 80-90%	
Root knot nematode	Temp. 19.0 - 26°C, RH:- 60-80%	

Weather Warning			
Rainfall		> 45 mm	
Cloudy Weather		Cloudy Weather	
Relative Humidity		Maximum Humidity > 92% Minimum Humidity < 40%	
Hail storm		Hail storm	
High wind		> 20 km/hr	
Temperature		Max. Temp. > 34 °C and Min. Temp. < 26 °C	

Crop Weather Calendar of Papaya: Rajshahi Region (Districts: Rajshahi, Chapainawabganj, Naogaon and Natore) Bangladesh

Region: Rajshahi	Papaya																								Duration: 365-373 days					
Months	Feb.	March				April				May				June				July				August				September-February				
Std.Week/Normal	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	-12
Rainfall (mm)	4	14	13	10	19	17	24	29	33	36	34	48	51	78	72	66	71	75	72	52	57	64	53	57	54	59	52	83	44	4
Max. Temp. (°C)	34.6	35.0	36.1	36.7	36.4	35.9	35.4	35.3	35.1	35.0	35.3	35.0	33.9	33.1	33.0	32.7	32.9	32.3	32.6	32.9	32.9	32.7	33.0	33.0	32.9	33.0	33.0	32.9	32.7	34.6
Min. Temp. (°C)	19.4	20.6	22.1	23.0	23.4	23.9	23.7	24.3	24.6	25.0	25.4	25.9	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.1	26.0	26.1	26.0	26.0	26.0	26.0	25.3	25.0	19.4
Mean Temp. (°C)	27.0	27.8	29.1	29.9	29.9	29.9	29.6	29.8	29.9	30.0	30.4	30.5	30.0	29.6	29.5	29.4	29.5	29.2	29.3	29.5	29.5	29.4	29.6	29.5	29.5	29.5	29.5	29.1	28.9	27.0
RHmax (%)	88.3	89.1	88.9	89.0	90.1	90.7	92.1	92.7	93.3	93.1	93.7	94.6	95.4	96.1	96.6	96.6	96.9	97.0	96.9	96.7	96.6	96.7	96.1	96.4	96.3	96.7	96.3	96.7	96.3	88.3
RHMin (%)	30.4	35.9	34.3	34.6	41.4	45.1	50.0	51.9	55.6	58.3	58.9	62.6	67.9	71.1	73.4	73.7	74.3	75.3	73.9	72.6	72.6	74.1	72.0	70.9	71.3	71.0	69.6	68.9	67.4	30.4
RHmean (%)	59.4	62.5	61.6	61.8	65.8	67.9	71.1	72.3	74.5	75.7	76.3	78.6	81.7	83.6	85.0	85.2	85.6	86.2	85.4	84.7	84.6	85.4	84.1	83.7	83.8	83.9	83.0	82.8	81.9	59.4
SShr (hrs)	59.0	52.0	57.0	57.0	57.0	56.0	52.0	53.0	54.0	48.0	51.0	48.0	35.0	31.0	31.0	30.0	30.0	30.0	34.0	34.0	36.0	33.0	34.0	40.0	35.0	38.0	40.0	43.0	46.0	59.0
WD (deg)	208	186	185	174	167	147	136	136	135	126	133	139	129	127	132	141	134	138	140	131	131	141	143	133	142	143	143	153	145	208
WS(Km/hr)	5.6	5.6	6.1	5.7	7.2	7.4	7.4	7.2	7.2	7.2	7.2	6.7	6.7	6.8	6.8	5.7	6.1	6.3	6.7	6.3	5.6	5.7	5.6	5.6	5.6	5.6	5.6	5.4	4.8	5.6
Stages																														
	Seedling raising & transplantation					Vegetative stage								Flowering Stage				Fruit production and Harvesting												

Congenial Weather Condition for Diseases		
Fruit rot		Temperature 32.0°C to 36.0°C, hot, humid weather and relative humidity >80%.
Powdery mildew		Temperature 23-26°C; relative humidity below 70% with cloudy weather
Mosaic virus	Temperature (20.0 to 26°C), relative humidity >80% with dry weather	
Leaf curl virus	Temp 20.0°C to 27.0°C; with warm weather	

Congenial weather for insect-pests		
Mealybug	Temp. 20.0 – 26.0°C, RH: 65-70%	
Papaya Whitefly	Temp. 20.0 – 26.0°C, RH: 50 –80%	
Papaya Aphids	Temp. 20.0 – 25.0°C, RH: 60 - 70%	
Red mite	Temp. 20.0 – 25.5°C, RH:- 80-90%	
Root knot nematode	Temp. 19.0 - 26°C, RH:- 60-80%	

Weather Warning		
Rainfall		> 35 mm
Cloudy Weather		Cloudy Weather
Relative Humidity		Maximum Humidity > 92% Minimum Humidity < 40%
Hail storm		Hail storm
High wind		> 20 km/hr
Temperature		Max. Temp. > 34 °C and Min. Temp. < 26 °C