

Eggplant (Brinjal) Weather & Cultivation Report

BAMIS Official Verified Dataset - Bangladesh

Ground truth: Bangladesh Agro-Meteorological Information Service (BAMIS), Department of Agricultural Extension.

Included here: 6 official Rabi Brinjal/Eggplant regional crop-weather calendars directly retrieved from BAMIS.

Regions: Barisal, Rajshahi, Jashore, Mymensingh, Bogra and Dhaka.

Weather variables: rainfall, max/min/mean temperature, RH max/min/mean, sunshine, wind direction and wind speed.

Synthetic values from the previous eggplant.pdf are not used.

Official crop calendar index: <https://www.bamis.gov.bd/en/calendar>

Rabi Eggplant Weather: Barisal Region

Districts: Patuakhali; Barisal; Jhalokhati; Pirozpur; Borguna; Bhola

BAMIS source: <https://www.bamis.gov.bd/res/calendars/2023/04/17/27405.pdf>

Std Week	Rain	MaxT	MinT	MeanT	RHmax	RHmin	RHmean	Sun	WD	WS
46	9	29.6	19.6	24.8	97.8	56.6	77.2	49	232	2.7
47	6	29.3	18.4	23.9	97.8	53.7	75.8	50	217	3.3
48	7	28.3	16.7	22.5	97.8	51.8	74.8	51.3	212	3.6
49	1.7	27.8	15.6	21.7	98	50.6	74.3	48.7	225	3.1
50	4	27	14.9	21	97.9	50.9	74.4	46.3	223	3.4
51	1.3	26.2	14	20.1	98.2	50.7	74.4	44.3	212	3.3
52	0.7	25.7	13.1	19.4	98.2	50.3	74.3	43.7	212	3.9
1	1.3	25.1	12.6	18.9	98	50.1	74.1	46.7	209	4.5
2	1	25.2	12.5	18.9	97.8	49.3	73.6	44	211	4.4
3	1	25.8	12.7	19.2	97.6	48.5	73.1	47.3	204	4.5
4	1.7	26.2	12.5	19.4	97.6	45.2	71.4	52.7	216	4.3
5	2.7	27	14	20.5	97.3	46.2	71.7	50.3	217	5
6	3.7	27.8	14.6	21.2	97.1	44.8	70.9	52.3	211	4.6
7	5	28.9	16.2	22.5	97	46.2	71.6	51.7	214	4.9
8	8	29.7	16.9	23.3	97	45.1	71	52	211	4.9
9	5.7	30.7	18.3	24.5	96.7	44.9	70.8	53.7	214	5.1
10	5.3	31.7	19.5	25.6	97.1	45.2	71.2	54	226	5.2
11	6	32.7	20.5	26.6	96.7	45.3	71	54.3	218	5.4
12	14.3	33	22.1	27.6	96.5	50.7	73.6	52.3	210	6.3
13	18	32.9	22.8	27.9	96.5	54.4	75.4	50.7	198	6.7
14	18	33.3	23.7	28.5	96.6	58	77.3	53	200	6.9
15	21.7	33.7	24	28.8	96.4	59.8	78.1	51.3	198	7

Rabi Eggplant Weather: Rajshahi Region

Districts: Rajshahi; Chapainawabganj; Naogaon; Natore

BAMIS source: <https://www.bamis.gov.bd/res/public/calendars/2023/04/17/27419.pdf>

Std Week	Rain	MaxT	MinT	MeanT	RHmax	RHmin	RHmean	Sun	WD	WS
44	7	31.7	23.1	27.4	96.1	60.9	78.5	53	146	3.9
45	5	31	21.4	26.2	96	57.4	76.7	56	146	4.3
46	1	30.4	20.7	25.6	95.9	55.9	75.9	55	122	3.7
47	0	30.4	19.3	24.9	96.1	51.9	74	57	137	3.7
48	2	29.6	17.6	23.6	95.7	49.4	72.6	54	151	3.7
49	1	27	14	20.5	94.7	46.9	70.8	51	143	3.7
50	3	26	13.1	19.6	95.9	50.1	73	47	146	3.7
51	0	25.4	12.4	18.9	95.3	50	72.7	46	144	3.7
52	4	24.4	11.6	18	95.7	50	72.9	44	167	3.7
1	1	24	11	17.5	95.6	50.1	72.9	42	146	3.9
2	1	23.9	10.9	17.4	95.1	48.4	71.8	42	161	3.7
3	2	24	10.9	17.5	95.3	47.9	71.6	46	174	3.7
4	1	24.9	10.9	17.9	95.3	45.7	70.5	52	196	4.4
5	4	25.6	12	18.8	95.3	44.7	70	51	198	3.9
6	3	26.7	12.3	19.5	94	42	68	55	195	5
7	2	28.1	13.6	20.9	93.9	40.3	67.1	56	197	3.9
8	3	29.3	14.1	21.7	92	36.6	64.3	58	215	5
9	5	30.4	15.1	22.8	91.6	34.6	63.1	59	209	5
10	4	32.1	16.4	24.3	90.3	32.7	61.5	59	220	5.4
11	3	33.1	17.6	25.4	88.7	30.4	59.4	59	214	5.4
12	4	34.6	19.4	27	88.3	30.4	59.4	59	208	5.6

Rabi Eggplant Weather: Jashore Region

Districts: Jashore; Kushtia; Chuadanga; Jhenaidah; Meherpur; Magura

BAMIS source: <https://www.bamis.gov.bd/res/public/calendars/2023/04/17/27414.pdf>

Std Week	Rain	MaxT	MinT	MeanT	RHmax	RHmin	RHmean	Sun	WD	WS
37	68	32.9	26	29.5	96.6	70.8	83.7	33	186	4.1
38	59	33	26	29.5	96.3	69.7	83	32.5	187	3.8
39	69.5	33.2	25.3	29.2	96.6	67.7	82.1	38.5	195	3.7
40	44.5	33.2	25.1	29.1	96.5	67	81.7	40	195	3.1
41	33	33	24.4	28.7	96.5	64.4	80.4	43.5	198	3
42	26.5	32.7	23.4	28	96.5	61.5	79	47	187	2.9
43	20	31.9	21.6	26.7	96.1	57.1	76.6	49	182	2.5
44	9	31.1	20.7	25.9	95.9	56.2	76	45.5	153	2.5
45	8	31.1	19.4	25.3	95.9	52	74	48.5	175	2.3
46	7.5	30.3	18	24.2	95.7	49.8	72.8	49.5	177	2.4
47	1	29.6	16.7	23.1	95.7	48.1	71.9	47.5	179	2.3
48	2	28.5	15.1	21.8	95.4	46.3	70.8	48.5	178	2.4
49	1.5	27.7	14	20.9	95.2	47.2	71.2	47.5	184	2.3
50	4	26.6	13.4	20	95.8	49.2	72.5	43.5	183	2.4
51	0	25.7	12.3	19	95.5	49.4	72.5	42	177	2.5
52	3.5	25.2	11.4	18.3	95.7	47.9	71.8	42	174	2.5
1	0.5	24.5	10.9	17.7	95.4	49.6	72.5	41	158	3
2	1.5	24.5	10.7	17.6	95.3	47.9	71.6	42.5	156	3
3	2.5	25.1	11	18	95.3	47	71.2	44.5	188	3
4	3	25.6	10.8	18.2	94.9	44.7	69.8	48	192	3
5	6.5	26.6	12	19.3	94.9	44.2	69.5	48.5	186	3.2
6	5	27.8	13.3	20.5	94.2	42.2	68.2	49.5	191	3.1
7	4.5	28.9	14.7	21.8	94	41	67.5	50	203	3.3
8	8	30	15.6	22.8	93.7	39.3	66.5	54.5	214	3.7
9	4	31	16.4	23.7	93.2	36.5	64.9	55	219	3.5
10	2.5	32.4	17.7	25	92.5	35.4	63.9	54	213	3.9

Rabi Eggplant Weather: Mymensingh Region

Districts: Mymensingh; Kishoreganj; Jamalpur; Netrokona; Sherpur

BAMIS source: <https://www.bamis.gov.bd/res/calendars/2023/04/17/27417.pdf>

Std Week	Rain	MaxT	MinT	MeanT	RHmax	RHmin	RHmean	Sun	WD	WS
38	79	31.9	26	29	95	74.1	84.6	31	156	5.4
39	87	31.7	25.1	28.4	95.4	74	84.7	31	167	4.4
40	71	32	25	28.5	95.6	72.6	84.1	40	181	4.3
41	52	31.7	24.3	28	95.3	70.3	82.8	41	174	3.9
42	45	31.6	23.4	27.5	95.3	66.7	81	47	193	3.7
43	15	31.1	21.7	26.4	95.4	62.7	79.1	53	197	3.7
44	7	30.9	20.9	25.9	95	61	78	51	186	3.7
45	5	30.3	19.7	25	95	58.4	76.7	53	181	3.9
46	5	30	18.3	24.2	94.6	55.9	75.3	52	186	3.7
47	0	28.9	17	23	95	53	74	53	186	3.7
48	4	28.3	15.4	21.9	95.1	51.6	73.4	50	193	3.7
49	1	27.6	15	21.3	95.3	52.3	73.8	49	191	3
50	3	26.3	14	20.2	95.6	54.1	74.9	43	206	3.5
51	0	25.4	13.3	19.4	95.6	53.6	74.9	40	199	3.7
52	2	25	12.4	18.7	95.3	53.7	74.5	42	221	3.7
1	0	24.4	12	18.2	95.1	53.6	74.4	41	230	3.7
2	3	24	11.6	17.8	94.4	53.1	73.8	39	236	3.7
3	1	24	11.9	18	94.4	51.4	72.9	41	216	3.7
4	0	25.1	12	18.6	93.4	47	70.2	45	238	3.7
5	2	25.9	13	19.5	92.6	47.9	70.3	44	228	3.7
6	1	26.6	13.7	20.2	92.1	45.3	68.7	48	218	3.9
7	5	27.4	15	21.2	91.4	45	68.2	50	222	4.4
8	7	28.1	15.9	22	90.6	45.1	67.9	50	210	5.4
9	1	29.1	16.6	22.9	90.6	44.3	67.6	51	214	5
10	4	30.3	17.4	23.9	90.6	43.6	67.1	53	202	5.4
11	6	31	18.6	24.8	90.1	44.6	67.4	53	208	5.6

Rabi Eggplant Weather: Bogra Region

Districts: Bogra; Pabna; Sirajganj; Joypurhat

BAMIS source: <https://www.bamis.gov.bd/res/public/calendars/2023/04/17/27408.pdf>

Std Week	Rain	MaxT	MinT	MeanT	RHmax	RHmin	RHmean	Sun	WD	WS
36	60	32.3	26	29.2	95.9	72	84	35	147	5.6
37	60	32	26	29	96.3	72.3	84.3	35	152	5.6
38	76	32.1	26	29.1	96.1	70.7	83.4	37	160	5.6
39	74	32	25.1	28.6	96.4	71	83.7	37	174	5.4
40	51	32.1	25	28.6	96	68.7	82.4	44	170	5
41	42	32.3	24	28.2	96	66	81	48	184	5
42	25	32	23.4	27.7	95.7	62.1	78.9	54	199	5
43	18	31.6	21.7	26.7	95.1	57.9	76.5	57	198	4.4
44	5	31	21	26	94.3	55.6	75	52	186	4.4
45	5	30.7	19.9	25.3	94.6	52.4	73.5	55	200	3.7
46	0	30.1	18.3	24.2	94.1	49.9	72	55	202	3.7
47	0	29.7	17.3	23.5	93.9	48.3	71.1	56	205	3.7
48	3	28.9	15.7	22.3	93.9	47	70.5	56	217	3.7
49	0	27.7	15	21.4	93.7	48.1	70.9	54	222	3.7
50	3	26.3	14.1	20.2	94.6	50.6	72.6	48	232	3.9
51	0	25	12	18.7	94.3	50.6	72.5	49	249	3.7
52	4	25.7	13.4	19.6	94.6	50	72.3	46	248	3.7
1	0	24	12	18.1	94.1	50.9	72.5	44	258	4.3
2	2	24	11.4	17.7	94.3	49	71.7	44	247	5.4
3	2	24.3	11.4	17.9	94.3	47.7	71	46	239	4.8
4	1	25.4	12	18.7	93.9	46	70	50	252	5
5	1	25.9	12.9	19.4	93.1	44.9	69	50	249	5.4
6	1	26.9	13.6	20.3	92.1	41.4	66.8	52	233	5.6
7	4	27.7	14.6	21.2	91.4	40.3	65.9	53	234	5.6
8	3	28.6	15.4	22	90.4	39.1	64.8	56	229	6.7

Rabi Eggplant Weather: Dhaka Region

Districts: Dhaka; Tangail; Gazipur; Narsingdi; Narayanganj; Munshiganj; Manikganj

BAMIS source: <https://www.bamis.gov.bd/res/public/calendars/2023/03/17/26537.pdf>

Std Week	Rain	MaxT	MinT	MeanT	RHmax	RHmin	RHmean	Sun	WD	WS
40	47	32.5	25.3	28.9	95.4	65.7	80.6	40	194	4
41	42	32.3	24.8	28.5	95.4	63	79.2	44	198	3.9
42	40.5	32	23.8	27.9	95	60.2	77.6	47.5	192	4.1
43	26	31.5	22.3	26.9	94.8	55.5	75.2	54	190	3.8
44	12.5	30.9	21.5	26.2	94.5	54.6	74.6	49.5	190	3.7
45	10	30.6	20.5	25.5	95	51.5	73.2	51.5	189	3.7
46	6	29.8	18.7	24.3	94.7	49.3	72	51.5	199	3.7
47	1.5	29	17.7	23.3	94.6	47.5	71	52	212	3.7
48	4.5	28.3	16.1	22.2	94.3	46.3	70.3	51.5	211	3.6
49	1.5	27.6	15.5	21.5	94.8	47.6	71.2	48.5	219	3.7
50	4.5	26.2	14.7	20.5	95.3	49.4	72.3	46.5	224	3.7
51	1	25.5	13.5	19.5	95.1	49.8	72.5	44.5	225	3.7
52	3.5	24.8	12.9	18.8	95	49.1	72.1	44.5	233	3.7
1	1	24	12.4	18.2	94.6	50.3	72.4	42.5	238	4.1
2	0	23.9	12	17.9	94.3	48.8	71.6	42.5	238	4
3	0	24.5	12	18.3	93.8	46.2	70	45	232	4.1
4	0.5	25	12.1	18.6	93.4	43.3	68.3	49	242	4.3
5	3.5	26.2	13.6	19.9	92.4	42.3	67.3	49.5	241	4.3
6	3.5	27.2	14.3	20.7	92.1	39.4	65.7	51.5	236	4.5
7	2.5	28.3	15.5	21.9	91.7	39.7	65.7	53	234	5
8	12	28.9	16.5	22.7	91.1	38.9	65	54.5	228	5.3
9	3.5	30	17.5	23.7	90	36	63	56	234	5
10	4	31.5	18.6	25	89.9	35.5	62.7	55	230	5.4
11	9.5	32.3	19.8	26.1	89.2	35.9	62.5	58	223	5.7
12	13.5	33.4	19.8	26.1	89.6	38.9	64.3	55.5	206	6.2
13	20.5	33.2	21.8	27.5	90.3	44.5	67.4	52.5	188	6.5
14	25	33.9	22.9	28.4	91.3	45.9	68.6	53.5	181	6.5
15	21	34.6	23.5	29	91.4	47.1	69.2	54	75	6.6
16	31.5	34.1	23.7	28.9	91.4	52	71.7	55	167	6.6
17	42.5	33.8	23.6	28.7	91.7	55.1	73.4	54.5	156	6.7

BAMIS Cultivation Guidelines and Pest/Disease Conditions

Growth-stage conditions reproduced from the official regional crop-weather calendars.

Growth Stage	Temperature	RH	Soil Temp	Sunshine
Germination and Seedling Planting	15-20 C	50-75%	22-25 C	6-8 hr
Vegetative Growth	20-30 C	50-75%	22-25 C	6-8 hr
Flowering	20-30 C	50-75%	22-25 C	6-8 hr
Fruiting	20-32 C	50-75%	22-25 C	6-8 hr
Harvesting	24-32 C	50-75%	22-25 C	6-8 hr

Pest / Disease	Favorable temperature	Relative humidity
Shoot and Fruit Borer	24-30 C	55-75%
Leaf hopper/Jassid/Thrips	22-30 C	60-65%
Epilachna beetle	25-30 C	55-65%
Red Mites	15-26 C	60-70%
White fly	22-32 C	55-75%
Wilting	25-30 C	50-80%
Foot rot/collar rot disease	24-30 C	70-80%
Fruit rot	28-32 C	55-75%

Verification note: No values were copied from the synthetic-looking repeated regional sequences in the previous eggplant.pdf.