

Crop Weather Calendar of Wheat: Barishal Region (Districts: Barishal, Jhalakati, Patuakhali, Pirujpur, Barguna, Bhola) **Bangladesh**

Region: Barishal	Wheat											Duration: 119 days					
Months	November			December				January				February				March	
Std.Week/Normal	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10
Rainfall (mm)	9.0	6.0	7.0	1.7	4.0	1.3	0.7	1.3	1.0	1.0	1.7	2.7	3.7	5.0	8.0	5.7	5.3
Max. Temp. (°C)	29.9	29.3	28.3	27.8	27.0	26.2	25.7	25.1	25.2	25.8	26.2	27.0	27.8	28.9	29.7	30.7	31.7
Min. Temp. (°C)	19.6	18.4	16.7	15.6	14.9	14.0	13.1	12.6	12.5	12.7	12.5	14.0	14.6	16.2	16.9	18.3	19.5
Mean Temp. (°C)	24.8	23.9	22.5	21.7	21.0	20.1	19.4	18.9	18.9	19.2	19.4	20.5	21.2	22.5	23.3	24.5	25.6
RHmax (%)	97.8	97.8	97.8	98.0	97.9	98.2	98.2	98.0	97.8	97.6	97.6	97.3	97.1	97.0	97.0	96.7	97.1
RHMin (%)	56.6	53.7	51.8	50.6	50.9	50.7	50.3	50.1	49.3	48.5	45.2	46.2	44.8	46.2	45.1	44.9	45.2
RHmean (%)	77.2	75.8	74.8	74.3	74.4	74.4	74.3	74.1	73.6	73.1	71.4	71.7	70.9	71.6	71.0	70.8	71.2
SShr (hrs)	49.0	50.0	51.3	48.7	46.3	44.3	43.7	46.7	44.0	47.3	52.7	50.3	52.3	51.7	52.0	53.7	54.0
WD (deg)	232	217	212	225	223	212	212	209	211	204	216	217	211	214	211	214	226
WS(Km/hr)	2.7	3.3	3.6	3.1	3.4	3.3	3.9	4.5	4.4	4.5	4.3	5.0	4.6	4.9	4.9	5.1	5.2
																	
	sowing			Germination				Vegetative Growth				Flowe ring	Grain Formation			Maturity to Harvesting	

Favorable Weather Conditions					
Minimum temperature	3 to 4.5°C				cooler nights
Optimum temperature	Around 25°C				
Maximum Cardinal temperature	30- 32°C				
Mean Daily Temperature		15 to 20°C	15 to 20°C		
Soil Moisture	High				dryness
Solar radiation					Bright sunny days
daily consumptive water use		0.17 to 0.87	0.17 to 0.87		
Normal Phase wise water requirement (mm)	47	128	77	137	39

Weather Warning			
Rainfall	>50 mm/day	>100mm/day	>100mm/day
Duration of wet spell	>50 mm for 3-4 days	>75 mm for 3-4 days	>50mm for 3-4 days
Cloudy Weather		Cloudy Weather	Cloudy Weather
Drought	20 days	20 days	20 days
High wind	>50 km/hr	>50 km/hr	>50 km/hr
Maximum Temperature	>30°C	>30°C	>30°C
Minimum Temperature	<15°C	<15°C	<15°C

Congenial Weather Condition for Pests & Diseases					
Blast	Continuous rains and average temperatures between 18-20°C during the flowering stage of the crop followed by sunny weather and humid days. Intensity increases at 30°C temperature with high relative humidity				
Leaf rust			Temperature 15-25°C, rain and high dew		
Stem borer			Maximum, minimum and average temperature ranged from 31.9-33.9°C, 22.2-26.3°C and 26.9-29.5°C, respectively. Average relative humidity of 80 per cent and rainfall		
Aphid			Mean temperature 18.7°C and relative humidity percentage 71.0%, mean weekly temperature 29.1 °C and relative humidity 55%		

Crop Weather Calendar of Wheat: Bogura Region (Districts: Bogura, Joypurhat, Pabna, Sirajganj) Bangladesh

Region: Bogura		Wheat										Duration: 119 days						
Months	November			December				January				February				March		
Std.Week/Normal	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	
Rainfall (mm)	0.0	0.0	3.0	0.0	3.0	0.0	4.0	0.0	2.0	2.0	1.0	1.0	1.0	4.0	3.0	5.0	2.0	
Max. Temp. (°C)	30.1	29.7	28.9	27.7	26.3	25.7	25.0	24.1	24.0	24.3	25.4	25.9	26.9	27.7	28.6	29.3	30.9	
Min. Temp. (°C)	18.3	17.3	15.7	15.0	14.1	13.4	12.4	12.0	11.4	11.4	12.0	12.9	13.6	14.6	15.4	16.4	17.4	
Mean Temp. (°C)	24.2	23.5	22.3	21.4	20.2	19.6	18.7	18.1	17.7	17.9	18.7	19.4	20.3	21.2	22.0	22.9	24.2	
RHmax (%)	94.1	93.9	93.9	93.7	94.6	94.3	94.6	94.1	94.3	94.3	93.9	93.1	92.1	91.4	90.4	88.7	89.1	
RHMin (%)	49.9	48.3	47.0	48.1	50.6	50.6	50.0	50.9	49.0	47.7	46.0	44.9	41.4	40.3	39.1	38.0	36.9	
RHmean (%)	72.0	71.1	70.5	70.9	72.6	72.5	72.3	72.5	71.7	71.0	70.0	69.0	66.8	65.9	64.8	63.4	63.0	
SShr (hrs)	55.0	56.0	56.0	54.0	48.0	49.0	46.0	44.0	44.0	46.0	50.0	50.0	52.0	53.0	56.0	60.0	59.0	
WD (deg)	202	205	217	222	232	249	248	258	247	239	252	249	233	234	229	235	230	
WS(Km/hr)	3.7	3.7	3.7	3.7	3.9	3.7	3.7	4.3	5.4	4.8	5.0	5.4	5.6	5.6	6.7	5.7	6.3	
																		
	sowing			Germination			Vegetative Growth				Flowe ring	Grain Formation				Maturity to Harvesting		
Favourable Weather Conditions																		
Minimum temperature				3 to 4.5 ⁰ C													cooler nights	
Optimum temperature				Around 25 ⁰ C														
Maximum Cardinal temperature				30- 32 ⁰ C														
Mean Daily Temperature								15 to 20 ⁰ C				15 to 20 ⁰ C						
Soil Moisture				High													dryness	
Solar radiation																	Bright sunny days	
daily consumptive water use								0.17 to 0.87				0.17 to 0.87	0.17 to 0.87					
Normal Phase wise water requirement (mm)				47				128				77	137				39	
Weather Warning																		
Rainfall				>50 mm/day				>100mm/day				>100mm/day						
Duration of wet spell				>50 mm for 3-4 days				>75 mm for 3-4 days				>50mm for 3-4 days						
Cloudy Weather								Cloudy Weather				Cloudy Weather						
Drought				20 days				20 days				20 days						
High wind				>50 km/hr				>50 km/hr				>50 km/hr						
Maximum Temperature				>30 ⁰ C				>30 ⁰ C				>30 ⁰ C						
Minimum Temperature				<15 ⁰ C				<15 ⁰ C				<15 ⁰ C						
Congenial Weather Condition for Pests & Diseases																		
Blast		Continuous rains and average temperatures between 18-20 ⁰ C during the flowering stage of the crop followed by sunny weather and humid days. Intensity increases at 30 ⁰ C temperature with high relative humidity																
Leaf rust								Temperature 15-25 ⁰ C, rain and high dew										
Loose smut												Tem perat ure 22- 25 ⁰ C, Relat ive humi dity 60- 85%						
Black point																	Rain during ripening	
Stem borer								Maximum, minimum and average temperature ranged from 31.9-33.9 ⁰ C, 22.2-26.3 ⁰ C and 26.9-29.5 ⁰ C, respectively. Average relative humidity of 80 per cent and rainfall										
Aphid								Mean temperature 18.7 ⁰ C and relative humidity percentage 71.0%, mean weekly temperature 29.1 ⁰ C and relative humidity 55%										

Crop Weather Calendar of Wheat: Cumilla Region (Districts: Cumilla, Chandpur, Bramanbaria) Bangladesh

Region: Cumilla	Wheat										Duration: 119 days						
Months	Nov	December				January				February				March			
Std.Week/Normal	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12
Rainfall (mm)	2.5	0.0	4.5	1.0	1.5	0.0	0.0	0.0	1.5	3.0	3.0	6.0	7.5	4.5	7.0	9.0	19.0
Max. Temp. (°C)	28.2	27.7	26.5	25.8	25.4	24.7	24.5	25.0	25.4	26.2	27.3	28.1	29.1	29.8	30.9	32.0	32.2
Min. Temp. (°C)	16.9	15.8	15.0	14.2	13.4	13.0	12.7	12.7	12.6	14.2	14.5	16.2	16.7	18.1	19.2	19.9	21.5
Mean Temp. (°C)	22.5	21.7	20.8	20.0	19.4	18.8	18.6	18.9	19.0	20.2	20.9	22.1	22.9	23.9	25.0	25.9	26.8
RHmax (%)	95.8	95.8	96.2	96.0	96.0	96.0	95.5	95.3	94.4	94.6	94.4	93.9	94.1	93.9	93.9	93.5	93.7
RHMin (%)	52.2	50.6	51.9	52.1	51.3	51.8	51.2	49.1	46.4	47.7	45.2	46.8	46.1	46.8	47.4	47.7	52.6
RHmean (%)	74.0	73.2	74.1	74.1	73.6	73.9	73.4	72.2	70.4	71.1	69.8	70.3	70.1	70.3	70.6	70.6	73.1
SShr (hrs)	48.5	47.5	42.5	40.5	40.0	40.0	37.0	43.5	47.0	47.0	50.0	49.5	50.5	52.5	52.5	52.5	51.0
WD (deg)	195	206	192	211	213	205	205	209	218	212	203	214	206	214	215	216	211
WS(Km/hr)	3.3	3.3	4.0	3.5	3.8	4.0	4.0	4.2	4.6	4.4	4.6	4.6	4.6	4.6	4.6	4.8	5.5
																	
	sowing		Germination		Vegetative Growth				Flowering		Grain Formation			Maturity to Harvesting			

Favourable Weather Conditions					
Minimum temperature		3 to 4.5°C			cooler nights
Optimum temperature		Around 25°C			
Maximum Cardinal temperature		30- 32°C			
Mean Daily Temperature			15 to 20°C	15 to 20°C	
Soil Moisture		High			dryness
Solar radiation					Bright sunny days
daily consumptive water use			0.17 to 0.87	0.17 to 0.87	
Normal Phase wise water requirement (mm)		47	128	77	137
39					
Weather Warning					
Rainfall		>50 mm/day	>100mm/day	>100mm/day	
Duration of wet spell		>50 mm for 3-4 days	>75 mm for 3-4 days	>50mm for 3-4 days	
Cloudy Weather			Cloudy Weather	Cloudy Weather	
Drought		20 days	20 days	20 days	
High wind		>50 km/hr	>50 km/hr	>50 km/hr	
Maximum Temperature		>30°C	>30°C	>30°C	
Minimum Temperature		<15°C	<15°C	<15°C	

Congenial Weather Condition for Pests & Diseases			
Blast	Continuous rains and average temperatures between 18-20°C during the flowering stage of the crop followed by sunny weather and humid days. Intensity increases at 30°C temperature with high relative humidity		
Aphid		Mean temperature 18.7°C and relative humidity percentage 71.0%, mean weekly temperature 29.1 °C and relative humidity 55%	

Crop Weather Calendar of Wheat: Dhaka Region (Districts: Dhaka, Tangail, Gazipur, Narsingdi, Narayanganj, Munshiganj, Manikgonj) **Bangladesh**

Region: Dhaka	Wheat											Duration: 119 days					
Months	November			December				January				February				March	
Std.Week/Normal	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10
Rainfall (mm)	6.0	1.5	4.5	1.5	4.5	1.0	3.5	1.0	0.0	0.0	0.5	3.5	3.5	2.5	12.0	3.5	4.0
Max. Temp. (°C)	29.8	29.0	28.3	27.6	26.2	25.5	24.8	24.0	23.9	24.5	25.0	26.2	27.2	28.3	28.9	30.0	31.5
Min. Temp. (°C)	18.7	17.7	16.1	15.5	14.7	13.5	12.9	12.4	12.0	12.0	12.1	13.6	14.3	15.5	16.5	17.5	18.6
Mean Temp. (°C)	24.3	23.3	22.2	21.5	20.5	19.5	18.8	18.2	17.9	18.3	18.6	19.9	20.7	21.9	22.7	23.7	25.0
RHmax (%)	94.7	94.6	94.3	94.8	95.3	95.1	95.0	94.6	94.3	93.8	93.4	92.4	92.1	91.7	91.1	90.0	89.9
RHMin (%)	49.3	47.5	46.3	47.6	49.4	49.8	49.1	50.3	48.8	46.2	43.3	42.3	39.4	39.7	38.9	36.0	35.5
RHmean (%)	72.0	71.0	70.3	71.2	72.3	72.5	72.1	72.4	71.6	70.0	68.3	67.3	65.7	65.7	65.0	63.0	62.7
SShr (hrs)	51.5	52.0	51.5	48.5	46.5	44.5	44.5	42.5	42.5	45.0	49.0	49.5	51.5	53.0	54.5	56.0	55.0
WD (deg)	199	212	211	219	224	225	233	238	238	232	242	241	236	234	228	230	230
WS(Km/hr)	3.7	3.7	3.6	3.7	3.7	3.7	3.7	4.1	4.0	4.1	4.3	4.3	4.5	5.0	5.3	5.4	5.4
																	
	sowing			Germination				Vegetative Growth				Flowe ring	Grain Formation				Maturity to Harvesting

Favorable Weather Conditions					
Minimum temperature	3 to 4.5°C				cooler nights
Optimum temperature	Around 25°C				
Maximum Cardinal temperature	30- 32°C				
Mean Daily Temperature		15 to 20°C	15 to 20° C		
Soil Moisture	High				dryness
Solar radiation					Bright sunny days
daily consumptive water use		0.17 to 0.87	0.17 to 0.87	0.17 to 0.87	
Normal Phasewise water requirement (mm)	47	128	77	137	39
Weather Warning					
Rainfall	>50 mm/day	>100mm/day	>100mm/day		
Duration of wet spell	>50 mm for 3-4 days	>75 mm for 3-4 days	>50mm for 3-4 days		
Cloudy Weather		Cloudy Weather	Cloudy Weather		
Drought	20 days	20 days	20 days		
High wind	>50 km/hr	>50 km/hr	>50 km/hr		
Maximum Temperature	>30°C	>30°C	>30°C		
Minimum Temperature	<15°C	<15°C	<15°C		

Congenial Weather Condition for Pests & Diseases					
Blast	Continuous rains and average temperatures between 18-20°C during the flowering stage of the crop followed by sunny weather and humid days. Intensity increases at 30°C temperature with high relative humidity				
Leaf rust	Temperature 15-25°C, rain and high dew				
Loose smut			Tem perat ure 22- 25°C, Relat ive humi dity 60- 85%		
Stem borer		Maximum, minimum and average temperature ranged from 31.9-33.9°C, 22.2-26.3°C and 26.9-29.5°C, respectively. Average relative humidity of 80 per cent and rainfall			
Aphid		Mean temperature 18.7°C and relative humidity percentage 71.0%, mean weekly temperature 29.1°C and relative humidity 55%			

Crop Weather Calendar of Wheat: Dinajpur Region (Districts: Dinajpur, Thakurgaon and Panchaghar) Bangladesh

Region: Dinajpur	Wheat											Duration: 119 days					
Months	November			December				January				February				March	
Std.Week/Normal	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10
Rainfall (mm)	0.0	0.0	0.0	0.0	3.0	0.0	4.0	2.0	2.0	3.0	2.0	1.0	2.0	3.0	1.0	1.0	1.0
Max. Temp. (°C)	29.0	28.7	28.0	27.0	25.4	24.9	23.9	22.6	22.4	23.0	23.7	25.0	25.9	26.7	27.7	28.6	30.1
Min. Temp. (°C)	16.9	15.6	14.0	13.3	12.9	12.0	10.9	10.7	10.3	10.0	10.6	11.1	12.1	13.6	14.1	15.0	16.1
Mean Temp. (°C)	23.0	22.2	21.0	20.2	19.2	18.5	17.4	16.7	16.4	16.5	17.2	18.1	19.0	20.2	20.9	21.8	23.1
RHmax (%)	95.9	95.3	95.6	96.1	96.4	96.3	96.6	96.7	96.3	96.4	95.9	94.7	94.0	93.4	92.0	90.6	88.9
RHMin (%)	51.6	48.1	47.6	49.0	52.9	52.7	54.0	55.1	53.7	52.4	50.4	47.7	43.1	42.4	40.9	38.4	35.3
RHmean (%)	73.8	71.7	71.6	72.6	74.7	74.5	75.3	75.9	75.0	74.4	73.2	71.2	68.6	67.9	66.5	64.5	62.1
SShr (hrs)	52.0	54.0	53.0	48.0	42.0	41.0	37.0	34.0	34.0	37.0	41.0	44.0	46.0	52.0	54.0	57.0	59.0
WD (deg)	154	164	177	183	193	200	213	225	238	243	227	241	225	230	225	228	230
WS(Km/hr)	3.7	3.7	3.5	2.6	3.7	3.0	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.9	4.3
																	
	sowing			Germination				Vegetative Growth				Flowering	Grain Formation			Maturity to Harvesting	

Favourable Weather Conditions					
Minimum temperature	3 to 4.5°C				cooler nights
Optimum temperature	Around 25°C				
Maximum Cardinal temperature	30- 32°C				
Mean Daily Temperature			15 to 20°C		15 to 20°C
Soil Moisture	High				dryness
Solar radiation					Bright sunny days
daily consumptive water use			0.17 to 0.87		0.17 to 0.87
Normal Phase wise water requirement (mm)	47		128		39

Weather Warning					
Rainfall	>50 mm/day		>100mm/day		>100mm/day
Duration of wet spell	>50 mm for 3-4 days		>75 mm for 3-4 days		>50mm for 3-4 days
Cloudy Weather			Cloudy Weather		Cloudy Weather
Drought	20 days		20 days		20 days
High wind	>50 km/hr		>50 km/hr		>50 km/hr
Maximum Temperature	>30°C		>30°C		>30°C
Minimum Temperature	<15°C		<15°C		<15°C

Congenial Weather Condition for Pests & Diseases					
Blast	Continuous rains and average temperatures between 18-20°C during the flowering stage of the crop followed by sunny weather and humid days. Intensity increases at 30°C temperature with high relative humidity				
Leaf rust			Temperature 15-25°C, rain and high dew		
Loose smut				Temperature. 22-25°C, Relative humidity 60-85%	
Stem borer			Maximum, minimum and average temperature ranged from 31.9-33.9°C, 22.2-26.3°C and 26.9-29.5°C, respectively. Average relative humidity of 80 per cent and rainfall		
Aphid			Mean temperature 18.7°C and relative humidity percentage 71.0%, mean weekly temperature 29.1 °C and relative humidity 55%		

Crop Weather Calendar of Wheat: Rajshahi Region (Districts: Rajshahi, Chapainawabganj, Naogaon and Natore) Bangladesh

Region: Rajshahi	Wheat											Duration: 119 days						
Months	November			December				January				February				March		
Std.Week/Normal	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	
Rainfall (mm)	1.0	0.0	2.0	1.0	3.0	0.0	4.0	1.0	1.0	2.0	1.0	4.0	3.0	2.0	3.0	5.0	4.0	
Max. Temp. (°C)	29.6	28.9	28.3	27.0	26.0	25.4	24.4	24.0	23.9	24.0	24.9	25.6	26.7	28.1	29.3	30.4	32.1	
Min. Temp. (°C)	17.6	16.6	15.0	14.0	13.1	12.4	11.6	11.0	10.9	10.9	10.9	12.0	12.3	13.6	14.1	15.1	16.4	
Mean Temp. (°C)	23.6	22.8	21.7	20.5	19.6	18.9	18.0	17.5	17.4	17.5	17.9	18.8	19.5	20.9	21.7	22.8	24.3	
RHmax (%)	95.7	95.3	94.7	94.7	95.9	95.3	95.7	95.6	95.1	95.3	95.3	95.3	94.0	93.9	92.0	91.6	90.3	
RHMin (%)	49.4	47.4	45.6	46.9	50.1	50.0	50.0	50.1	48.4	47.9	45.7	44.7	42.0	40.3	36.6	34.6	32.7	
RHmean (%)	72.6	71.4	70.2	70.8	73.0	72.7	72.9	72.9	71.8	71.6	70.5	70.0	68.0	67.1	64.3	63.1	61.5	
SShr (hrs)	54.0	55.0	55.0	51.0	47.0	46.0	44.0	42.0	42.0	46.0	52.0	51.0	55.0	56.0	58.0	59.0	59.0	
WD (deg)	151	146	145	143	146	144	167	146	161	174	196	198	195	197	215	209	220	
WS(Km/hr)	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.9	3.7	3.7	4.4	3.9	5.0	3.9	5.0	5.0	5.4	
																		
	sowing			Germination			Vegetative Growth				Flowe ring	Grain Formation			Maturity to Harvesting			
Favorable Weather Conditions																		
Minimum temperature				3 to 4.5 ⁰ C													cooler nights	
Optimum temperature				Around 25 ⁰ C														
Maximum Cardinal temperature				30- 32 ⁰ C														
Mean Daily Temperature								15 to 20 ⁰ C				15 to 20 ⁰ C						
Soil Moisture				High													dryness	
Solar radiation																	Bright sunny days	
daily consumptive water use								0.17 to 0.87				0.17 to 0.87	0.17 to 0.87					
Normal Phase wise water requirement (mm)				47				128				77	137				39	
Weather Warning																		
Rainfall				>50 mm/day				>100mm/day				>100mm/day						
Duration of wet spell				>50 mm for 3-4 days				>75 mm for 3-4 days				>50mm for 3-4 days						
Cloudy Weather								Cloudy Weather				Cloudy Weather						
Drought				20 days				20 days				20 days						
High wind				>50 km/hr				>50 km/hr				>50 km/hr						
Maximum Temperature				>30 ⁰ C				>30 ⁰ C				>30 ⁰ C						
Minimum Temperature				<15 ⁰ C				<15 ⁰ C				<15 ⁰ C						
Congenial Weather Condition for Pests & Diseases																		
Blast	Continuous rains and average temperatures between 18-20°C during the flowering stage of the crop followed by sunny weather and humid days. Intensity increases at 30°C temperature with high relative humidity																	
Leaf rust							Temperature 15-25 ⁰ C, rain and high dew											
Loose smut												Tem perat ure 22- 25 ⁰ C, Relat ive humi dity 60- 85%						
Black point																Rain during ripening		
Stem borer							Maximum, minimum and average temperature ranged from 31.9-33.9°C, 22.2-26.3°C and 26.9-29.5°C, respectively. Average relative humidity of 80 per cent and rainfall											
Aphid							Mean temperature 18.7°C and relative humidity percentage 71.0%, mean weekly temperature 29.1 °C and relative humidity 55%											

Crop Weather Calendar of Wheat: Mymensingh Region (Districts: Mymensingh, Kishoregonj, Jamalpur, Netrokona, Sherpur) **Bangladesh**

Region: Mymensingh	Wheat												Duration: 119 days				
Months	November				December				January				February				Mar
Std.Week/Normal	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8
Rainfall (mm)	7.0	5.0	5.0	0.0	4.0	1.0	3.0	0.0	2.0	0.0	3.0	1.0	0.0	2.0	1.0	5.0	7.0
Max. Temp. (°C)	30.9	30.3	30.0	28.9	28.3	27.6	26.3	25.4	25.0	24.4	24.0	24.0	25.1	25.9	26.6	27.4	28.1
Min. Temp. (°C)	20.9	19.7	18.3	17.0	15.4	15.0	14.0	13.3	12.4	12.0	11.6	11.9	12.0	13.0	13.7	15.0	15.9
Mean Temp. (°C)	25.9	25.0	24.2	23.0	21.9	21.3	20.2	19.4	18.7	18.2	17.8	18.0	18.6	19.5	20.2	21.2	22.0
RHmax (%)	95.0	95.0	94.6	95.0	95.1	95.3	95.6	95.6	95.3	95.1	94.4	94.4	93.4	92.6	92.1	91.4	90.6
RHMin (%)	61.0	58.4	55.9	53.0	51.6	52.3	54.1	53.6	53.7	53.6	53.1	51.4	47.0	47.9	45.3	45.0	45.1
RHmean (%)	78.0	76.7	75.3	74.0	73.4	73.8	74.9	74.6	74.5	74.4	73.8	72.9	70.2	70.3	68.7	68.2	67.9
SShr (hrs)	51.0	53.0	52.0	53.0	50.0	49.0	43.0	40.0	42.0	41.0	39.0	41.0	45.0	44.0	48.0	50.0	50.0
WD (deg)	186	181	186	186	193	191	206	199	221	230	236	216	238	228	218	222	210
WS(Km/hr)	3.7	3.9	3.7	3.7	3.7	3.0	3.5	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.9	4.4	5.4
																	
	sowing			Germination			Vegetative Growth				Flowe ring	Grain Formation			Maturity to Harvesting		
Favourable Weather Conditions																	
Minimum temperature				3 to 4.5 ⁰ C										cooler nights			
Optimum temperature				Around 25 ⁰ C													
Maximum Cardinal temperature				30- 32 ⁰ C													
Mean Daily Temperature								15 to 20 ⁰ C				15 to 20 ⁰ C					
Soil Moisture				High										dryness			
Solar radiation														Bright sunny days			
daily consumptive water use								0.17 to 0.87				0.17 to 0.87	0.17 to 0.87				
Normal Phase wise water requirement (mm)				47				128				77	137			39	
Weather Warning																	
Rainfall				>50 mm/day				>100mm/day				>100mm/day					
Duration of wet spell				>50 mm for 3-4 days				>75 mm for 3-4 days				>50mm for 3-4 days					
Cloudy Weather								Cloudy Weather				Cloudy Weather					
Drought				20 days				20 days				20 days					
High wind				>50 km/hr				>50 km/hr				>50 km/hr					
Maximum Temperature				>30 ⁰ C				>30 ⁰ C				>30 ⁰ C					
Minimum Temperature				<15 ⁰ C				<15 ⁰ C				<15 ⁰ C					
Congenial Weather Condition for Pests & Diseases																	
Blast	Continuous rains and average temperatures between 18-20°C during the flowering stage of the crop followed by sunny weather and humid days. Intensity increases at 30°C temperature with high relative humidity																
Leaf rust								Temperature 15-25 ⁰ C, rain and high dew									
Stem borer								Maximum, minimum and average temperature ranged from 31.9-33.9°C, 22.2-26.3°C and 26.9-29.5°C, respectively. Average relative humidity of 80 per cent and rainfall									
Aphid								Mean temperature 18.7°C and relative humidity percentage 71.0%, mean weekly temperature 29.1 °C and relative humidity 55%									

Crop Weather Calendar of Wheat: Sylhet Region (Districts: Sylhet, Moulvibazar, Sunamganj, Habiganj) Bangladesh

Region: Sylhet	Wheat												Duration: 119 days					
Months	November			December				January				February				March		
Std.Week/Normal	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	
Rainfall (mm)	8.5	0.5	7.0	0.5	4.5	1.0	4.0	0.0	0.5	0.5	1.0	2.5	4.0	8.0	11.5	11.0	10.5	
Max. Temp. (°C)	29.6	29.0	28.2	27.8	26.9	26.1	25.7	25.3	24.7	25.1	25.8	26.5	27.2	28.2	28.9	30.0	31.0	
Min. Temp. (°C)	17.3	16.6	15.3	14.3	13.7	12.6	12.0	11.4	11.3	11.3	11.1	12.1	12.6	13.7	14.4	15.4	16.7	
Mean Temp. (°C)	23.5	22.8	21.7	21.1	20.3	19.3	18.8	18.3	18.0	18.2	18.4	19.3	19.9	21.0	21.6	22.7	23.8	
RHmax (%)	95.2	95.3	95.5	94.7	95.7	95.3	96.1	95.8	96.1	95.5	94.9	94.3	92.9	92.8	92.5	91.7	90.9	
RHMin (%)	56.2	54.4	53.5	51.4	53.6	53.0	52.7	53.5	53.9	50.7	48.1	45.8	42.3	42.5	41.7	40.8	41.1	
RHmean (%)	75.7	74.9	74.5	73.0	74.6	74.2	74.4	74.6	75.0	73.1	71.5	70.1	67.6	67.7	67.1	66.2	66.0	
SShr (hrs)	55.5	56.5	56.0	55.5	50.5	51.5	50.5	51.0	45.0	48.0	51.0	50.5	55.0	53.5	55.5	56.0	55.0	
WD (deg)	180	184	190	177	186	191	203	200	211	213	219	213	218	217	208	219	203	
WS(Km/hr)	4.3	4.6	4.3	4.2	4.5	4.5	4.3	4.6	4.9	5.1	4.8	6.1	6.5	6.9	7.1	6.8	6.8	
																		
	sowing			Germination				Vegetative Growth				Flowe ring	Grain Formation			Maturity to Harvesting		
Favourable Weather Conditions																		
Minimum temperature				3 to 4.5°C												cooler nights		
Optimum temperature				Around 25°C														
Maximum Cardinal temperature				30- 32°C														
Mean Daily Temperature								15 to 20°C				15 to 20° C						
Soil Moisture				High												dryness		
Solar radiation																Bright sunny days		
daily consumptive water use								0.17 to 0.87				0.17 to 0.87		0.17 to 0.87				
Normal Phase wise water requirement (mm)				47				128				77		137			39	
Congential Weather Condition for Pests & Diseases																		
Leaf rust								Temperature 15-25°C, rain and high dew										
Stem borer								Maximum, minimum and average temperature ranged from 31.9-33.9°C, 22.2-26.3°C and 26.9-29.5°C, respectively. Average relative humidity of 80 per cent and rainfall										
Aphid								Mean temperature 18.7°C and relative humidity percentage 71.0%, mean weekly temperature 29.1 °C and relative humidity 55%										
Weather Warning																		
Rainfall				>50 mm/day				>100mm/day				>100mm/day						
Duration of wet spell				>50 mm for 3-4 days				>75 mm for 3-4 days				>50mm for 3-4 days						
Cloudy Weather								Cloudy Weather				Cloudy Weather						
Drought				20 days				20 days				20 days						
High wind				>50 km/hr				>50 km/hr				>50 km/hr						
Maximum Temperature				>30°C				>30°C				>30°C						
Minimum Temperature				<15°C				<15°C				<15°C						

Weather Calendar of Wheat: Rangpur Region (Districts: Rangpur, Kurigram, Gaibandha, Nilphamari, Lalmonirhat) Bangladesh

Region: Rangpur	Wheat											Duration: 119 days					
Months	October			November				December				January				February	
Std.Week/Normal	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6
Rainfall (mm)	35.5	10.0	4.0	3.0	2.0	0.0	1.0	0.0	2.5	0.0	2.5	1.0	2.5	2.0	1.0	1.0	1.5
Max. Temp. (°C)	31.2	30.6	30.0	29.8	29.0	28.3	27.7	26.7	25.1	24.7	24.1	22.7	22.4	23.2	23.4	24.7	25.9
Min. Temp. (°C)	22.5	21.0	20.0	19.0	17.5	16.4	15.0	14.2	13.5	12.5	11.5	10.9	10.4	10.8	10.8	11.8	12.7
Mean Temp. (°C)	26.8	25.8	25.0	24.4	23.3	22.3	21.3	20.4	19.3	18.6	17.8	16.8	16.4	17.0	17.1	18.3	19.3
RHmax (%)	95.2	95.0	94.5	94.4	94.6	94.9	94.9	95.0	95.4	95.8	96.1	96.0	96.0	95.8	95.7	95.5	94.3
RHMin (%)	64.5	60.8	58.7	55.9	54.0	50.9	50.6	53.5	56.2	56.2	55.2	58.5	57.8	56.2	54.2	51.6	48.0
RHmean (%)	79.9	77.9	76.6	75.1	74.3	72.9	72.7	74.2	75.8	76.0	75.6	77.3	76.9	76.0	74.9	73.5	71.2
SShr (hrs)	51.5	56.5	55.5	55.0	52.0	54.0	53.0	49.5	41.5	42.5	40.0	36.0	36.5	39.5	41.0	44.0	48.5
WD (deg)	134	127	115	106	126	134	150	129	158	160	187	199	214	199	210	208	192
WS(Km/hr)	6.3	6.1	6.6	6.6	6.3	6.4	5.6	6.0	5.7	5.6	5.6	5.7	5.7	5.7	5.6	6.2	6.6
																	
	sowing			Germination				Vegetative Growth				Flowe ring	Grain Formation			Maturity to Harvesting	

Favorable Weather Conditions					
Minimum temperature		3 to 4.5 ⁰ C			cooler nights
Optimum temperature		Around 25 ⁰ C			
Maximum Cardinal temperature		30- 32 ⁰ C			
Mean Daily Temperature			15 to 20 ⁰ C	15 to 20 ⁰ C	
Soil Moisture		High			dryness
Solar radiation					Bright sunny days
daily consumptive water use			0.17 to 0.87	0.17 to 0.87	
Normal Phase wise water requirement (mm)		47	128	77	137
					39
Weather Warning					
Rainfall		>50 mm/day	>100mm/day	>100mm/day	
Duration of wet spell		>50 mm for 3-4 days	>75 mm for 3-4 days	>50mm for 3-4 days	
Cloudy Weather			Cloudy Weather	Cloudy Weather	
Drought		20 days	20 days	20 days	
High wind		>50 km/hr	>50 km/hr	>50 km/hr	
Maximum Temperature		>30 ⁰ C	>30 ⁰ C	>30 ⁰ C	
Minimum Temperature		<15 ⁰ C	<15 ⁰ C	<15 ⁰ C	

Congenial Weather Condition for Pests & Diseases						
Blast	Continuous rains and average temperatures between 18-20 ⁰ C during the flowering stage of the crop followed by sunny weather and humid days. Intensity increases at 30 ⁰ C temperature with high relative humidity					
Leaf rust			Temperature 15-25 ⁰ C, rain and high dew			
Loose smut				Tempe rature 22- 25 ⁰ C, Relativ e humidi ty 60- 85%		
Black point						Rain during ripening
Stem borer			Maximum, minimum and average temperature ranged from 31.9-33.9 ⁰ C, 22.2-26.3 ⁰ C and 26.9-29.5 ⁰ C, respectively. Average relative humidity of 80 per cent and rainfall			
Aphid			Mean temperature 18.7 ⁰ C and relative humidity percentage 71.0%, mean weekly temperature 29.1 ⁰ C and relative humidity 55%			

Crop Weather Calendar of Wheat: Khulna Region (Districts: Khulna, Satkhira, Bagerhat and Narail) Bangladesh

Region: Khulna	Wheat											Duration: 119 days					
Months	November			December				January				February				March	
Std.Week/Normal	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10
Rainfall (mm)	8.0	3.0	3.5	1.0	4.0	0.0	1.0	3.0	1.5	0.0	3.5	5.5	6.5	5.0	13.5	6.5	2.5
Max. Temp. (°C)	30.1	29.5	28.5	27.7	27.0	26.0	25.6	25.0	25.0	25.8	26.2	27.0	27.7	29.0	30.1	31.0	32.4
Min. Temp. (°C)	19.3	18.0	16.3	15.3	14.5	13.4	12.6	12.2	12.2	12.7	12.4	13.9	14.5	16.2	17.0	18.1	19.4
Mean Temp. (°C)	24.7	23.7	22.4	21.5	20.7	19.7	19.1	18.6	18.6	19.2	19.3	20.4	21.1	22.6	23.6	24.5	25.9
RHmax (%)	95.9	95.8	95.5	94.7	95.7	95.8	95.7	95.4	95.2	94.9	94.9	95.1	94.5	94.3	94.3	93.7	93.7
RHMin (%)	51.3	49.0	46.7	47.3	48.8	49.2	47.8	48.7	46.9	46.8	44.3	44.9	43.4	43.9	41.8	40.7	40.7
RHmean (%)	73.6	72.4	71.1	71.0	72.2	72.5	71.7	72.0	71.0	70.8	69.6	70.0	69.0	69.1	68.0	67.2	67.2
SShr (hrs)	52.5	53.5	53.0	52.0	49.5	48.0	48.5	47.0	46.5	49.5	53.0	52.5	53.5	55.5	55.5	57.5	57.5
WD (deg)	189	197	197	194	189	181	177	175	182	198	198	190	193	209	218	222	227
WS(Km/hr)	3.8	4.3	4.3	4.0	4.5	4.1	4.6	4.6	4.7	4.3	4.6	4.9	5.0	4.8	5.0	4.9	5.2
																	
	sowing			Germination			Vegetative Growth				Flowe ring		Grain Formation			Maturity to Harvesting	

Favorable Weather Conditions					
Minimum temperature	3 to 4.5 ⁰ C				cooler nights
Optimum temperature	Around 25 ⁰ C				
Maximum Cardinal temperature	30- 32 ⁰ C				
Mean Daily Temperature		15 to 20 ⁰ C	15 to 20 ⁰ C		
Soil Moisture	High				dryness
Solar radiation					Bright sunny days
daily consumptive water use		0.17 to 0.87	0.17 to 0.87	0.17 to 0.87	
Normal Phase wise water requirement (mm)	47	128	77	137	39
Weather Warning					
Rainfall	>50 mm/day	>100mm/day	>100mm/day	>100mm/day	
Duration of wet spell	>50 mm for 3-4 days	>75 mm for 3-4 days	>50mm for 3-4 days	>50mm for 3-4 days	
Cloudy Weather		Cloudy Weather	Cloudy Weather	Cloudy Weather	
Drought	20 days	20 days	20 days	20 days	
High wind	>50 km/hr	>50 km/hr	>50 km/hr	>50 km/hr	
Maximum Temperature	>30 ⁰ C	>30 ⁰ C	>30 ⁰ C	>30 ⁰ C	
Minimum Temperature	<15 ⁰ C	<15 ⁰ C	<15 ⁰ C	<15 ⁰ C	

Congenial Weather Condition for Pests & Diseases					
Blast	Continuous rains and average temperatures between 18-20 ⁰ C during the flowering stage of the crop followed by sunny weather and humid days. Intensity increases at 30 ⁰ C temperature with high relative humidity				
Leaf rust		Temperature 15-25 ⁰ C, rain and high dew			
Loose smut			Temperatu re. 22-25 ⁰ C, Relative humidity 60-85%		
Stem borer		Maximum, minimum and average temperature ranged from 31.9-33.9 ⁰ C, 22.2-26.3 ⁰ C and 26.9-29.5 ⁰ C, respectively. Average relative humidity of 80 per cent and rainfall			
Aphid		Mean temperature 18.7 ⁰ C and relative humidity percentage 71.0%, mean weekly temperature 29.1 ⁰ C and relative humidity 55%			

Weather Calendar of Wheat: Jashore Region (Districts: Jashore, Kushtia, Chuadanga, Jhenaidah, Meherpur, Magura) Bangladesh

Region: Jashore	Wheat											Duration: 119 days					
Months	November			December				January				February				March	
Std.Week/Normal	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10
Rainfall (mm)	7.5	1.0	2.0	1.5	4.0	0.0	3.5	0.5	1.5	2.5	3.0	6.5	5.0	4.5	8.0	4.0	2.5
Max. Temp. (°C)	30.3	29.6	28.5	27.7	26.6	25.7	25.2	24.5	24.5	25.1	25.6	26.6	27.8	28.9	30.0	31.0	32.4
Min. Temp. (°C)	18.0	16.7	15.1	14.0	13.4	12.3	11.4	10.9	10.7	11.0	10.8	12.0	13.3	14.7	15.6	16.4	17.7
Mean Temp. (°C)	24.2	23.1	21.8	20.9	20.0	19.0	18.3	17.7	17.6	18.0	18.2	19.3	20.5	21.8	22.8	23.7	25.0
RHmax (%)	95.7	95.7	95.4	95.2	95.8	95.5	95.7	95.4	95.3	95.3	94.9	94.9	94.2	94.0	93.7	93.2	92.5
RHMin (%)	49.8	48.1	46.3	47.2	49.2	49.4	47.9	49.6	47.9	47.0	44.7	44.2	42.2	41.0	39.3	36.5	35.4
RHmean (%)	72.8	71.9	70.8	71.2	72.5	72.5	71.8	72.5	71.6	71.2	69.8	69.5	68.2	67.5	66.5	64.9	63.9
SShr (hrs)	49.5	47.5	48.5	47.5	43.5	42.0	42.0	41.0	42.5	44.5	48.0	47.5	49.5	50.0	54.5	55.0	54.0
WD (deg)	177	179	178	184	183	177	174	158	156	188	192	186	191	203	214	219	213
WS(Km/hr)	2.4	2.3	2.4	2.3	2.4	2.5	2.5	3.0	3.0	3.0	3.0	3.2	3.1	3.3	3.7	3.5	3.9
																	
	sowing			Germination				Vegetative Growth				Flowe ring	Grain Formation				Maturity to Harvesting

Favorable Weather Conditions					
Minimum temperature	3 to 4.5 ⁰ C				cooler nights
Optimum temperature	Around 25 ⁰ C				
Maximum Cardinal temperature	30- 32 ⁰ C				
Mean Daily Temperature		15 to 20 ⁰ C	15 to 20 ⁰ C		
Soil Moisture	High				dryness
Solar radiation					Bright sunny days
daily consumptive water use		0.17 to 0.87	0.17 to 0.87	0.17 to 0.87	
Normal Phase wise water requirement (mm)	47	128	77	137	39
Weather Warning					
Rainfall	>50 mm/day	>100mm/day	>100mm/day	>100mm/day	
Duration of wet spell	>50 mm for 3-4 days	>75 mm for 3-4 days	>50mm for 3-4 days	>50mm for 3-4 days	
Cloudy Weather		Cloudy Weather	Cloudy Weather	Cloudy Weather	
Drought	20 days	20 days	20 days	20 days	
High wind	>50 km/hr	>50 km/hr	>50 km/hr	>50 km/hr	
Maximum Temperature	>30 ⁰ C	>30 ⁰ C	>30 ⁰ C	>30 ⁰ C	
Minimum Temperature	<15 ⁰ C	<15 ⁰ C	<15 ⁰ C	<15 ⁰ C	

Congenial Weather Condition for Pests & Diseases					
Blast	Continuous rains and average temperatures between 18-20 ⁰ C during the flowering stage of the crop followed by sunny weather and humid days. Intensity increases at 30 ⁰ C temperature with high relative humidity				
Leaf rust		Temperature 15-25 ⁰ C, rain and high dew			
Loose smut			Temper ature. 22- 25 ⁰ C, Relative humidit y 60- 85%		
Black point					Rain during ripening
Stem borer		Maximum, minimum and average temperature ranged from 31.9-33.9 ⁰ C, 22.2-26.3 ⁰ C and 26.9-29.5 ⁰ C, respectively. Average relative humidity of 80 per cent and rainfall			
Aphid		Mean temperature 18.7 ⁰ C and relative humidity percentage 71.0%, mean weekly temperature 29.1 ⁰ C and relative humidity 55%			

Crop Weather Calendar of Maize: Faridpur Region (Districts: Faridpur, Rajbari, Madaripur, Shariatpur and Gopalganj) Bangladesh

Region: Faridpur	Wheat											Duration: 119 days							
Months	November			December				January				February				March			
Std.Week/Normal	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10		
Rainfall (mm)	8.0	3.0	4.5	0.5	3.5	0.5	2.0	0.5	0.5	0.5	1.5	3.5	5.5	5.0	7.5	5.0	6.5		
Max. Temp. (°C)	29.7	29.2	28.0	27.5	26.5	25.5	25.1	24.3	24.4	24.8	25.4	26.5	27.4	28.5	29.5	30.7	31.8		
Min. Temp. (°C)	19.1	18.2	16.4	15.2	14.7	13.7	12.9	12.2	12.0	12.1	12.1	13.1	13.9	15.5	16.0	17.3	18.5		
Mean Temp. (°C)	24.4	23.7	22.2	21.3	20.6	19.6	19.0	18.3	18.2	18.4	18.7	19.8	20.7	22.0	22.7	24.0	25.1		
RHmax (%)	95.5	95.8	95.6	95.6	96.1	96.2	96.0	95.7	95.4	95.5	95.2	94.7	94.7	94.1	93.8	93.4	92.7		
RHMin (%)	53.2	51.2	49.9	50.5	51.4	51.3	51.0	52.2	50.9	48.9	46.3	46.2	43.3	43.3	41.5	39.5	38.8		
RHmean (%)	74.3	73.5	72.7	73.0	73.7	73.7	73.5	73.9	73.1	72.2	70.7	70.4	69.0	68.7	67.7	66.4	65.7		
SShr (hrs)	49.5	50.5	51.0	47.0	44.5	40.5	43.0	41.5	39.5	44.5	50.0	49.0	52.0	52.0	53.0	54.5	53.0		
WD (deg)	202	201	199	201	197	196	183	191	191	210	204	205	203	214	217	222	230		
WS(Km/hr)	2.8	2.8	2.8	2.8	2.8	2.9	3.1	3.4	3.6	3.3	3.4	3.4	3.1	4.0	4.3	4.5	4.5		
																			
	sowing			Germination			Vegetative Growth				Flowe ring	Grain Formation				Maturity to Harvesting			
Favorable Weather Conditions																			
Minimum temperature				3 to 4.5°C												cooler nights			
Optimum temperature				Around 25°C															
Maximum Cardinal temperature				30- 32°C															
Mean Daily Temperature								15 to 20°C				15 to 20° C							
Soil Moisture				High												dryness			
Solar radiation																Bright sunny days			
daily consumptive water use								0.17 to 0.87				0.17 to 0.87							
Normal Phase wise water requirement (mm)				47				128				77		137				39	
Weather Warning																			
Rainfall				>50 mm/day				>100mm/day				>100mm/day							
Duration of wet spell				>50 mm for 3-4 days				>75 mm for 3-4 days				>50mm for 3-4 days							
Cloudy Weather								Cloudy Weather				Cloudy Weather							
Drought				20 days				20 days				20 days							
High wind				>50 km/hr				>50 km/hr				>50 km/hr							
Maximum Temperature				>30°C				>30°C				>30°C							
Minimum Temperature				<15°C				<15°C				<15°C							
Congenial Weather Condition for Pests & Diseases																			
Blast		Continuous rains and average temperatures between 18-20°C during the flowering stage of the crop followed by sunny weather and humid days. Intensity increases at 30°C temperature with high relative humidity																	
Leaf rust						Temperature 15-25°C, rain and high dew													
Loose smut											Temperature. 22-25°C, Relative humidity 60-85%								
Stem borer						Maximum, minimum and average temperature ranged from 31.9-33.9°C, 22.2-26.3°C and 26.9-29.5°C, respectively. Average relative humidity of 80 per cent and rainfall													
Aphid						Mean temperature 18.7°C and relative humidity percentage 71.0%, mean weekly temperature 29.1°C and relative humidity 55%													