

Crop Weather Calendar of Mustard:BarishalRegion (Districts:Jhalakati, Patuakhali, Pirujpur, Barguna, Barishal, Bhola), Bangladesh

Region:Barishal	Mustard									Time duration :80-100 days				
Months	December				January				February			March		
Std.Week/Normal	49	50	51	52	1	2	3	4	5	6	7	8	9	10
Rainfall (mm)	1.7	4.0	1.3	0.7	1.3	1.0	1.0	1.7	2.7	3.7	5.0	8.0	5.7	5.3
Max. Temp. (°C)	27.8	27.0	26.2	25.7	25.1	25.2	25.8	26.2	27.0	27.8	28.9	29.7	30.7	31.7
Min. Temp. (°C)	15.6	14.9	14.0	13.1	12.6	12.5	12.7	12.5	14.0	14.6	16.2	16.9	18.3	19.5
Mean Temp. (°C)	21.7	21.0	20.1	19.4	18.9	18.9	19.2	19.4	20.5	21.2	22.5	23.3	24.5	25.6
RHmax (%)	98.0	97.9	98.2	98.2	98.0	97.8	97.6	97.6	97.3	97.1	97.0	97.0	96.7	97.1
RHMin (%)	50.6	50.9	50.7	50.3	50.1	49.3	48.5	45.2	46.2	44.8	46.2	45.1	44.9	45.2
RHmean (%)	74.3	74.4	74.4	74.3	74.1	73.6	73.1	71.4	71.7	70.9	71.6	71.0	70.8	71.2
SShr (hrs)	48.7	46.3	44.3	43.7	46.7	44.0	47.3	52.7	50.3	52.3	51.7	52.0	53.7	54.0
WD (deg)	225	223	212	212	209	211	204	216	217	211	214	211	214	226
WS(Km/hr)	3.1	3.4	3.3	3.9	4.5	4.4	4.5	4.3	5.0	4.6	4.9	4.9	5.1	5.2
Stages														
	Germination	Vegetative				Flowering		Pod initiation				Maturity to Harvesting		

Favorable Weather Conditions	
Temperature	15-27°C
SShr (hrs)	6.0-7.5 hr with bright sunshine
RH(%)	70-75%
Soil temp.(°C)	13-25 °C

Congenial Weather Condition for Pests & Diseases				
Alternaria leaf blight		25-28°C temp with heavy dew		
Stem rot		27-35°C temp with humid condition and low pH (<7.0)		
Cut worm	Dry sandy-loam soil.			
Aphids		Temperature 16-30°C and RH 50-85% with cloudy weather		

Weather Warning				
Rainfall	>50mm/day	>50mm/day	>50mm/day	>50mm/day
Cloudy Weather			Cloudy weather	
Drought	>10days		>20days	>30days
Hail storm	Hail storm		Hail storm	Hail storm
High wind	>25-40 KMPH		>25-40 KMPH	>25-40 KMPH
Temperature	Max Temp >32°C ,min temp <10°C			

Crop Weather Calendar of Mustard:BoguraRegion (Districts:Bogura, Joypurhat, Pabna, Sirajganj)), Bangladesh

Region:Bogura	Mustard									Time duration :80-100 days				
Months	November		December				January			February				
Std.Week/Normal	47	48	49	50	51	52	1	2	3	4	5	6	7	8
Rainfall (mm)	0.0	3.0	0.0	3.0	0.0	4.0	0.0	2.0	2.0	1.0	1.0	1.0	4.0	3.0
Max. Temp. (°C)	29.7	28.9	27.7	26.3	25.7	25.0	24.1	24.0	24.3	25.4	25.9	26.9	27.7	28.6
Min. Temp. (°C)	17.3	15.7	15.0	14.1	13.4	12.4	12.0	11.4	11.4	12.0	12.9	13.6	14.6	15.4
Mean Temp. (°C)	23.5	22.3	21.4	20.2	19.6	18.7	18.1	17.7	17.9	18.7	19.4	20.3	21.2	22.0
RHmax (%)	93.9	93.9	93.7	94.6	94.3	94.6	94.1	94.3	94.3	93.9	93.1	92.1	91.4	90.4
RHMin (%)	48.3	47.0	48.1	50.6	50.6	50.0	50.9	49.0	47.7	46.0	44.9	41.4	40.3	39.1
RHmean (%)	71.1	70.5	70.9	72.6	72.5	72.3	72.5	71.7	71.0	70.0	69.0	66.8	65.9	64.8
SShr (hrs)	56.0	56.0	54.0	48.0	49.0	46.0	44.0	44.0	46.0	50.0	50.0	52.0	53.0	56.0
WD (deg)	205	217	222	232	249	248	258	247	239	252	249	233	234	229
WS(Km/hr)	3.7	3.7	3.7	3.9	3.7	3.7	4.3	5.4	4.8	5.0	5.4	5.6	5.6	6.7
Stages														
	Germination	Vegetative				Flowering			Pod initiation				Maturity to Harvesting	

Favorable Weather Conditions	
Temperature	15-27°C
SShr (hrs)	6.0-8.0 hr with bright sunshine
RH(%)	65-74-%
Soil temp.(°C)	13-25 °C

Congenial Weather Condition for Pests & Diseases				
Alternaria leaf blight		25-28°C temp with heavy dew		
Stem rot		27-35°C temp with humid condition and low pH (<7.0)		
Cut worm	Dry sandy-loam soil.			
Aphids		Temperature 16-30°C and RH 50-85% with cloudy weather		

Weather Warning				
Rainfall	>50mm/day	>50mm/day	>50mm/day	>50mm/day
Cloudy Weather			Cloudy weather	
Drought	>10days		>20days	>30days
Hail storm	Hail storm		Hail storm	Hail storm
High wind	>25-40 KMPH		>25-40 KMPH	>25-40 KMPH
Temperature	Max Temp >32°C ,min temp <10°C			

Crop Weather Calendar of Mustard:ChattogramRegion (Districts:Chattogram, Lakshmipur, Coxsbazar, Noakhali and Feni), Bangladesh

Region:Chattogram	Mustard									Time duration :80-100 days				
Months	December				January				February			March		
Std.Week/Normal	49	50	51	52	1	2	3	4	5	6	7	8	9	10
Rainfall (mm)	1.0	4.0	2.3	2.0	0.3	0.7	0.7	1.3	2.0	1.3	2.3	8.3	4.7	5.3
Max. Temp. (°C)	28.6	27.8	26.9	26.6	26.5	26.1	26.6	26.9	27.7	28.7	29.3	29.8	30.6	31.2
Min. Temp. (°C)	17.0	16.3	15.3	14.9	14.1	13.9	14.1	14.1	14.9	15.8	16.9	17.6	18.8	19.8
Mean Temp. (°C)	22.8	22.1	21.1	20.8	20.3	20.0	20.4	20.5	21.3	22.2	23.1	23.7	24.7	25.5
RHmax (%)	94.4	94.2	94.4	94.1	93.8	93.1	92.9	91.6	91.0	90.6	90.4	91.0	90.8	91.1
RHMin (%)	49.5	50.0	50.3	49.1	48.2	47.1	44.9	42.3	43.6	41.2	43.3	43.9	44.8	46.6
RHmean (%)	71.9	72.1	72.3	71.6	71.0	70.1	68.9	67.0	67.3	65.9	66.8	67.5	67.8	68.8
SShr (hrs)	54.8	52.8	50.8	51.3	53.3	50.8	53.8	56.5	56.3	57.8	57.5	58.5	60.3	59.3
WD (deg)	204	196	199	207	200	193	203	203	201	203	208	214	221	215
WS(Km/hr)	5.1	5.7	5.8	6.2	6.6	6.9	6.8	7.0	7.1	7.3	7.7	7.9	8.6	8.7
Stages														
	Germination	Vegetative				Flowering		Pod initiation				Maturity to Harvesting		

Favorable Weather Conditions	
Temperature	15-27°C
SShr (hrs)	7.0.-8.5 hr with bright sunshine
RH(%)	67-74%
Soil temp.(°C)	13-25 °C

Congenial Weather Condition for Pests & Diseases				
Alternaria leaf blight		25-28°C temp with heavy dew		
Stem rot		27-35°C temp with humid condition and low pH (<7.0)		
Cut worm	Dry sandy-loam soil.			
Aphids		Temperature 16-30°C and RH 50-85% with cloudy weather		

Weather Warning			
Rainfall	>50mm/day	>50mm/day	>50mm/day
Cloudy Weather			Cloudy weather
Drought	>10days		>30days
Hail storm	Hail storm		Hail storm
High wind	>25-40 KMPH		>25-40 KMPH
Temperature	Max Temp >32°C ,min temp <10°C		

Crop Weather Calendar of Mustard:CumillaRegion (Districts:Cumilla, Chandpur, Bramanbaria), Bangladesh

Region:Cumilla	Mustard									Time duration :80-100 days				
Months	November				December				January				February	
Std.Week/Normal	45	46	47	48	49	50	51	52	1	2	3	4	5	6
Rainfall (mm)	18.0	8.5	4.0	2.5	0.0	4.5	1.0	1.5	0.0	0.0	0.0	1.5	3.0	3.0
Max. Temp. (°C)	30.5	29.8	29.0	28.2	27.7	26.5	25.8	25.4	24.7	24.5	25.0	25.4	26.2	27.3
Min. Temp. (°C)	21.0	19.3	18.1	16.9	15.8	15.0	14.2	13.4	13.0	12.7	12.7	12.6	14.2	14.5
Mean Temp. (°C)	25.7	24.6	23.5	22.5	21.7	20.8	20.0	19.4	18.8	18.6	18.9	19.0	20.2	20.9
RHmax (%)	95.6	95.3	95.4	95.8	95.8	96.2	96.0	96.0	96.0	95.5	95.3	94.4	94.6	94.4
RHMin (%)	58.2	54.8	52.6	52.2	50.6	51.9	52.1	51.3	51.8	51.2	49.1	46.4	47.7	45.2
RHmean (%)	76.9	75.0	74.0	74.0	73.2	74.1	74.1	73.6	73.9	73.4	72.2	70.4	71.1	69.8
SShr (hrs)	49.5	50.0	50.5	48.5	47.5	42.5	40.5	40.0	40.0	37.0	43.5	47.0	47.0	50.0
WD (deg)	183	184	190	195	206	192	211	213	205	209	218	212	203	214
WS(Km/hr)	3.7	3.7	3.5	3.3	3.3	4.0	3.5	3.8	4.0	4.2	4.6	4.4	4.6	4.6
Stages														
	Germination	Vegetative					Flowering		Pod initiation				Maturity to Harvesting	

Favorable Weather Conditions	
Temperature	15-27°C
SShr (hrs)	5.0-7.0 hr with bright sunshine
RH(%)	69-77%
Soil temp.(°C)	13-25°C

Congenial Weather Condition for Pests & Diseases				
Alternaria leaf blight		25-28°C temp with heavy dew		
Stem rot		27-35°C temp with humid condition and low pH (<7.0)		
Cut worm	Dry sandy-loam soil.			
Aphids		Temperature 16-30°C and RH 50-85% with cloudy weather		

Weather Warning				
Rainfall	>50mm/day	>50mm/day	>50mm/day	>50mm/day
Cloudy Weather			Cloudy weather	
Drought	>10days		>20days	>30days
Hail storm	Hail storm		Hail storm	Hail storm
High wind	>25-40 KMPH		>25-40 KMPH	>25-40 KMPH
Temperature	Max Temp >32°C ,min temp <10°C			

Crop Weather Calendar of Mustard:DhakaRegion (Districts:Dhaka, Tangail, Gazipur, Narsingdi, Narayanganj, Munshiganj, Manikgon), Bangladesh

Region: Dhaka	Mustard									Time duration :80-100 days				
Months	November		December				January				February			
Std.Week/Normal	47	48	49	50	51	52	1	2	3	4	5	6	7	8
Rainfall (mm)	1.5	4.5	1.5	4.5	1.0	3.5	1.0	0.0	0.0	0.5	3.5	3.5	2.5	12.0
Max. Temp. (°C)	29.0	28.3	27.6	26.2	25.5	24.8	24.0	23.9	24.5	25.0	26.2	27.2	28.3	28.9
Min. Temp. (°C)	17.7	16.1	15.5	14.7	13.5	12.9	12.4	12.0	12.0	12.1	13.6	14.3	15.5	16.5
Mean Temp. (°C)	23.3	22.2	21.5	20.5	19.5	18.8	18.2	17.9	18.3	18.6	19.9	20.7	21.9	22.7
RHmax (%)	94.6	94.3	94.8	95.3	95.1	95.0	94.6	94.3	93.8	93.4	92.4	92.1	91.7	91.1
RHMin (%)	47.5	46.3	47.6	49.4	49.8	49.1	50.3	48.8	46.2	43.3	42.3	39.4	39.7	38.9
RHmean (%)	71.0	70.3	71.2	72.3	72.5	72.1	72.4	71.6	70.0	68.3	67.3	65.7	65.7	65.0
SShr (hrs)	52.0	51.5	48.5	46.5	44.5	44.5	42.5	42.5	45.0	49.0	49.5	51.5	53.0	54.5
WD (deg)	212	211	219	224	225	233	238	238	232	242	241	236	234	228
WS(Km/hr)	3.7	3.6	3.7	3.7	3.7	3.7	4.1	4.0	4.1	4.3	4.3	4.5	5.0	5.3
Stages														
	Germinati on	Vegetative					Flowering		Pod initiation				Maturity to Harvesting	

Favorable Weather Conditions	
Temperature	15-27°C
SShr (hrs)	6.0-7.5 hr with bright sunshine
RH(%)	65-74%
Soil temp.(°C)	13-25 °C

Congenial Weather Condition for Pests & Diseases				
Alternaria leaf blight		25-28°C temp with heavy dew		
Stem rot		27-35°C temp with humid condition and low pH (<7.0)		
Cut warm	Dry sandy-loam soil.			
Aphids		Temperature 16-30°C and RH 50-85% with cloudy weather		
Weather Warning				
Rainfall	>50mm/day	>50mm/day	>50mm/day	>50mm/day
Cloudy Weather			Cloudy weather	
Drought	>10days		>20days	>30days
Hail storm	Hail storm		Hail storm	Hail storm
High wind	>25-40 KMPH		>25-40 KMPH	>25-40 KMPH
Temperature	Max Temp >30°C ,min temp <10°C			

Crop Weather Calendar of Mustard:DinjpurRegion (Districts:Dinajpur, Thakurgaon and Panchaghar), Bangladesh

Region:Dinajpur	Mustard									Time duration :80-100 days				
Months	November		December				January			February				
Std.Week/Normal	47	48	49	50	51	52	1	2	3	4	5	6	7	8
Rainfall (mm)	0.0	0.0	0.0	3.0	0.0	4.0	2.0	2.0	3.0	2.0	1.0	2.0	3.0	1.0
Max. Temp. (°C)	28.7	28.0	27.0	25.4	24.9	23.9	22.6	22.4	23.0	23.7	25.0	25.9	26.7	27.7
Min. Temp. (°C)	15.6	14.0	13.3	12.9	12.0	10.9	10.7	10.3	10.0	10.6	11.1	12.1	13.6	14.1
Mean Temp. (°C)	22.2	21.0	20.2	19.2	18.5	17.4	16.7	16.4	16.5	17.2	18.1	19.0	20.2	20.9
RHmax (%)	95.3	95.6	96.1	96.4	96.3	96.6	96.7	96.3	96.4	95.9	94.7	94.0	93.4	92.0
RHMin (%)	48.1	47.6	49.0	52.9	52.7	54.0	55.1	53.7	52.4	50.4	47.7	43.1	42.4	40.9
RHmean (%)	71.7	71.6	72.6	74.7	74.5	75.3	75.9	75.0	74.4	73.2	71.2	68.6	67.9	66.5
SShr (hrs)	54.0	53.0	48.0	42.0	41.0	37.0	34.0	34.0	37.0	41.0	44.0	46.0	52.0	54.0
WD (deg)	164	177	183	193	200	213	224.6	238.4	243.3	226.6	240.9	225.3	229.9	225.0
WS(Km/hr)	3.7	3.5	2.6	3.7	3.0	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7
Stages														
	Germination	Vegetative					Flowering	Pod initiation					Maturity to Harvesting	

Favorable Weather Conditions	
Temperature	15-27°C
SShr (hrs)	5.0-8.0 hr with bright sunshine
RH(%)	66-76%
Soil temp.(°C)	13-25 °C

Congenial Weather Condition for Pests & Diseases					
Alternaria leaf blight		25-28°C temp with heavy dew			
Stem rot		27-35°C temp with humid condition and low pH (<7.0)			
Cut worm	Dry sandy-loam soil.				
Aphids		Temperature 16-30°C and RH 50-85% with cloudy weather			
Weather Warning					
Rainfall	>50mm/day	>50mm/day	>50mm/day	>50mm/day	
Cloudy Weather			Cloudy weather		
Drought	>10days		>20days	>30days	
Hail storm	Hail storm		Hail storm	Hail storm	
High wind	>25-40 KMPH		>25-40 KMPH	>25-40 KMPH	
Temperature	Max Temp >30°C ,min temp <10°C				

Crop Weather Calendar of Mustard:FaridpurRegion (Districts:Faridpur, Rajbari, Madaripur, Shariatpur and Gopalganj), Bangladesh

Region:Faridpur	Mustard									Time duration :80-100 days				
Months	October				November				December				January	
Std.Week/Normal	40	41	42	43	44	45	46	47	48	49	50	51	52	1
Rainfall (mm)	43.0	44.0	43.0	20.5	11.5	11.0	8.0	3.0	4.5	0.5	3.5	0.5	2.0	0.5
Max. Temp. (°C)	32.4	32.4	32.0	31.5	30.9	30.4	29.7	29.2	28.0	27.5	26.5	25.5	25.1	24.3
Min. Temp. (°C)	25.5	25.0	24.0	22.6	22.0	20.7	19.1	18.2	16.4	15.2	14.7	13.7	12.9	12.2
Mean Temp. (°C)	28.9	28.7	28.0	27.1	26.4	25.5	24.4	23.7	22.2	21.3	20.6	19.6	19.0	18.3
RHmax (%)	96.0	95.9	95.7	95.1	95.2	95.4	95.5	95.8	95.6	95.6	96.1	96.2	96.0	95.7
RHMin (%)	69.3	66.2	63.0	58.6	57.6	55.5	53.2	51.2	49.9	50.5	51.4	51.3	51.0	52.2
RHmean (%)	82.7	81.0	79.3	76.8	76.4	75.4	74.3	73.5	72.7	73.0	73.7	73.7	73.5	73.9
SShr (hrs)	39.5	43.0	46.0	49.5	48.5	51.0	49.5	50.5	51.0	47.0	44.5	40.5	43.0	41.5
WD (deg)	206	220	208	213	202	189	202	201	199	201	197	196	183	191
WS(Km/hr)	3.7	3.1	2.9	3.1	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.9	3.1	3.4
Stages														
	Germination	Vegetative				Flowering		Pod initiation				Maturity to Harvesting		

Favorable Weather Conditions	
Temperature	15-29°C
SShr (hrs)	5.5-7.0 hr with bright sunshine
RH(%)	72-83%
Soil temp.(°C)	13-27 °C

Congenial Weather Condition for Pests & Diseases				
Alternaria leaf blight		25-28°C temp with heavy dew		
Stem rot		27-35°C temp with humid condition and low pH (<7.0)		
Cut worm	Dry sandy-loam soil.			
Aphids		Temperature 16-30°C and RH 50-85% with cloudy weather		

Weather Warning				
Rainfall	>50mm/day	>50mm/day	>50mm/day	>50mm/day
Cloudy Weather			Cloudy weather	
Drought	>10days		>20days	>30days
Hail storm	Hail storm		Hail storm	Hail storm
High wind	>25-40 KMPH		>25-40 KMPH	>25-40 KMPH
Temperature	Max Temp >32°C ,min temp <10°C			

Crop Weather Calendar of Mustard:JashoreRegion (Districts:Jashore, Kushtia, Chuadanga, Jhenaidah, Meherpur, Magura), Bangladesh

Region:Jashore	Mustard								Time duration :80-100 days					
Months	November				December				January				February	
Std.Week/Normal	45	46	47	48	49	50	51	52	1	2	3	4	5	6
Rainfall (mm)	8.0	7.5	1.0	2.0	1.5	4.0	0.0	3.5	0.5	1.5	2.5	3.0	6.5	5.0
Max. Temp. (°C)	31.1	30.3	29.6	28.5	27.7	26.6	25.7	25.2	24.5	24.5	25.1	25.6	26.6	27.8
Min. Temp. (°C)	19.4	18.0	16.7	15.1	14.0	13.4	12.3	11.4	10.9	10.7	11.0	10.8	12.0	13.3
Mean Temp. (°C)	25.3	24.2	23.1	21.8	20.9	20.0	19.0	18.3	17.7	17.6	18.0	18.2	19.3	20.5
RHmax (%)	95.9	95.7	95.7	95.4	95.2	95.8	95.5	95.7	95.4	95.3	95.3	94.9	94.9	94.2
RHMin (%)	52.0	49.8	48.1	46.3	47.2	49.2	49.4	47.9	49.6	47.9	47.0	44.7	44.2	42.2
RHmean (%)	74.0	72.8	71.9	70.8	71.2	72.5	72.5	71.8	72.5	71.6	71.2	69.8	69.5	68.2
SShr (hrs)	48.5	49.5	47.5	48.5	47.5	43.5	42.0	42.0	41.0	42.5	44.5	48.0	47.5	49.5
WD (deg)	175	177	179	178	184	183	177	174	158	156	188	192	186	191
WS(Km/hr)	2.3	2.4	2.3	2.4	2.3	2.4	2.5	2.5	3.0	3.0	3.0	3.0	3.2	3.1
Stages														
	Germination	Vegetative				Flowering		Pod initiation					Maturity to Harvesting	

Favorable Weather Conditions	
Temperature	15-27°C
SShr (hrs)	6.0-7.0 hr with bright sunshine
RH(%)	68-74%
Soil temp.(°C)	13-25 °C

Congenial Weather Condition for Pests & Diseases				
Alternaria leaf blight		25-28°C temp with heavy dew		
Stem rot		27-35°C temp with humid condition and low pH (<7.0)		
Cut worm	Dry sandy-loam soil.			
Aphids		Temperature 16-30°C and RH 50-85% with cloudy weather		

Weather Warning				
Rainfall	>50mm/day	>50mm/day	>50mm/day	>50mm/day
Cloudy Weather			Cloudy weather	
Drought	>10days		>20days	>30days
Hail storm	Hail storm		Hail storm	Hail storm
High wind	>25-40 KMPH		>25-40 KMPH	>25-40 KMPH
Temperature	Max Temp >32°C ,min temp <10°C			

Crop Weather Calendar of Mustard:KhulnaRegion (Districts:Khulna, Satkhira, Bagerhat and Narail), Bangladesh

Region:Khulna	Mustard									Time duration :80-100 days				
Months	October				November				December				January	
Std.Week/Normal	40	41	42	43	44	45	46	47	48	49	50	51	52	1
Rainfall (mm)	41.0	38.5	31.5	26.5	9.5	13.0	8.0	3.0	3.5	1.0	4.0	0.0	1.0	3.0
Max. Temp. (°C)	32.7	32.7	32.4	31.7	31.0	31.0	30.1	29.5	28.5	27.7	27.0	26.0	25.6	25.0
Min. Temp. (°C)	25.5	25.0	24.2	22.5	21.5	20.6	19.3	18.0	16.3	15.3	14.5	13.4	12.6	12.2
Mean Temp. (°C)	29.1	28.9	28.3	27.1	26.3	25.8	24.7	23.7	22.4	21.5	20.7	19.7	19.1	18.6
RHmax (%)	96.8	96.5	96.2	96.3	96.0	95.6	95.9	95.8	95.5	94.7	95.7	95.8	95.7	95.4
RHMin (%)	69.2	65.6	63.3	59.2	57.4	53.9	51.3	49.0	46.7	47.3	48.8	49.2	47.8	48.7
RHmean (%)	83.0	81.1	79.8	77.8	76.7	74.7	73.6	72.4	71.1	71.0	72.2	72.5	71.7	72.0
SShr (hrs)	41.5	47.5	49.5	52.5	48.5	53.5	52.5	53.5	53.0	52.0	49.5	48.0	48.5	47.0
WD (deg)	189	203	193	184	173	176	189	197	197	194	189	181	177	175
WS(Km/hr)	4.3	3.7	4.1	3.8	3.4	4.1	3.8	4.3	4.3	4.0	4.5	4.1	4.6	4.6
Stages														
	Germination	Vegetative				Flowering		Pod initiation				Maturity to Harvesting		

Favorable Weather Conditions	
Temperature	15-29°C
SShr (hrs)	6.0-7.5 hr with bright sunshine
RH(%)	72-83%
Soil temp.(°C)	13-27 °C

Congenial Weather Condition for Pests & Diseases				
Alternaria leaf blight		25-28°C temp with heavy dew		
Stem rot		27-35°C temp with humid condition and low pH (<7.0)		
Cut worm	Dry sandy-loam soil.			
Aphids		Temperature 16-30°C and RH 50-85% with cloudy weather		

Weather Warning			
Rainfall	>50mm/day	>50mm/day	>50mm/day
Cloudy Weather			Cloudy weather
Drought	>10days		>20days
Hail storm	Hail storm		Hail storm
High wind	>25-40 KMPH		>25-40 KMPH
Temperature	Max Temp >32°C ,min temp <10°C		

Crop Weather Calendar of Mustard:Mymensingh Region (Districts:Mymensingh, Kishoregonj, Jamalpur, Netrokona, Sherpur), Bangladesh

Region:Mymensingh	Mustard									Time duration :80-100 days				
Months	November		December				January			February				
Std.Week/Normal	47	48	49	50	51	52	1	2	3	4	5	6	7	8
Rainfall (mm)	0.0	4.0	1.0	3.0	0.0	2.0	0.0	3.0	1.0	0.0	2.0	1.0	5.0	7.0
Max. Temp. (°C)	28.9	28.3	27.6	26.3	25.4	25.0	24.4	24.0	24.0	25.1	25.9	26.6	27.4	28.1
Min. Temp. (°C)	17.0	15.4	15.0	14.0	13.3	12.4	12.0	11.6	11.9	12.0	13.0	13.7	15.0	15.9
Mean Temp. (°C)	23.0	21.9	21.3	20.2	19.4	18.7	18.2	17.8	18.0	18.6	19.5	20.2	21.2	22.0
RHmax (%)	95.0	95.1	95.3	95.6	95.6	95.3	95.1	94.4	94.4	93.4	92.6	92.1	91.4	90.6
RHMin (%)	53.0	51.6	52.3	54.1	53.6	53.7	53.6	53.1	51.4	47	47.9	45.3	45	45.1
RHmean (%)	74.0	73.4	73.8	74.9	74.6	74.5	74.4	73.8	72.9	70.2	70.3	68.7	68.2	67.9
SShr (hrs)	53.0	50.0	49.0	43.0	40.0	42.0	41.0	39.0	41.0	45.0	44.0	48.0	50.0	50.0
WD (deg)	186	193	191	206	199	221	230	236	216	238	228	218	222	210
WS(Km/hr)	3.7	3.7	3.0	3.5	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.9	4.4	5.4
Stages														
	Germination	Vegetative					Flowering		Pod initiation				Maturity to Harvesting	

Favorable Weather Conditions	
Temperature	15-27°C
SShr (hrs)	5.5-7.5.0 hr with bright sunshine
RH(%)	68-75%
Soil temp.(°C)	13-25 °C

Congenial Weather Condition for Pests & Diseases				
Alternaria leaf blight		25-28°C temp with heavy dew		
Stem rot		27-35°C temp with humid condition and low pH (<7.0)		
Cut warm	Dry sandy-loam soil.			
Aphids		Temperature 16-30°C and RH 50-85% with cloudy weather		

Weather Warning				
Rainfall	>50mm/ day	>50mm/day	>50mm/day	>50mm/day
Cloudy Weather			Cloudy weather	
Drought	>10days		>20days	>30days
Hail storm	Hail storm		Hail storm	Hail storm
High wind	>25-40 KMPH		>25-40 KMPH	>25-40 KMPH
Temperature	Max Temp >32°C ,min temp <10°C			

Crop Weather Calendar of Mustard:RajshahiRegion (Districts:Rajshahi, Chapainawabganj, Naogaon and Natore)), Bangladesh

Region:Rajshahi	Mustard									Time duration :80-100 days				
Months	November		December				January			February				
Std.Week/Normal	47	48	49	50	51	52	1	2	3	4	5	6	7	8
Rainfall (mm)	0.0	2.0	1.0	3.0	0.0	4.0	1.0	1.0	2.0	1.0	4.0	3.0	2.0	3.0
Max. Temp. (°C)	28.9	28.3	27.0	26.0	25.4	24.4	24.0	23.9	24.0	24.9	25.6	26.7	28.1	29.3
Min. Temp. (°C)	16.6	15.0	14.0	13.1	12.4	11.6	11.0	10.9	10.9	10.9	12.0	12.3	13.6	14.1
Mean Temp. (°C)	22.8	21.7	20.5	19.6	18.9	18.0	17.5	17.4	17.5	17.9	18.8	19.5	20.9	21.7
RHmax (%)	95.3	94.7	94.7	95.9	95.3	95.7	95.6	95.1	95.3	95.3	95.3	94.0	93.9	92.0
RHMin (%)	47.4	45.6	46.9	50.1	50.0	50.0	50.1	48.4	47.9	45.7	44.7	42.0	40.3	36.6
RHmean (%)	71.4	70.2	70.8	73.0	72.7	72.9	72.9	71.8	71.6	70.5	70.0	68.0	67.1	64.3
SShr (hrs)	55.0	55.0	51.0	47.0	46.0	44.0	42.0	42.0	46.0	52.0	51.0	55.0	56.0	58.0
WD (deg)	146	145	143	146	144	167	146	161	174	196	198	195	197	215
WS(Km/hr)	3.7	3.7	3.7	3.7	3.7	3.7	3.9	3.7	3.7	4.4	3.9	5.0	3.9	5.0
Stages														
	Germination	Vegetative					Flowering	Pod initiation					Maturity to Harvesting	

Favorable Weather Conditions	
Temperature	15-27°C
SShr (hrs)	6.0-8.0 hr with bright sunshine
RH(%)	64-73%
Soil temp.(°C)	13-25 °C

Congenial Weather Condition for Pests & Diseases					
Alternaria leaf blight		25-28°C temp with heavy dew			
Stem rot		27-35°C temp with humid condition and low pH (<7.0)			
Cut worm	Dry sandy-loam soil.				
Aphids		Temperature 16-30°C and RH 50-85% with cloudy weather			
Weather Warning					
Rainfall	>50mm/day	>50mm/day	>50mm/day		>50mm/day
Cloudy Weather			Cloudy weather		
Drought	>10days		>20days		>30days
Hail storm	Hail storm		Hail storm		Hail storm
High wind	>25-40 KMPH		>25-40 KMPH		>25-40 KMPH
Temperature	Max Temp >30°C ,min temp <10°C				

Crop Weather Calendar of Mustard:RangpurRegion (Districts:Rangpur, Kurigram, Gaibandha, Nilphamari, Lalmonirhat), Bangladesh

Region: Rangpur	Mustard									Time duration :80-100 days				
Months	November		December				January			February				
Std.Week/Normal	47	48	49	50	51	52	1	2	3	4	5	6	7	8
Rainfall (mm)	0.0	1.0	0.0	2.5	0.0	2.5	1.0	2.5	2.0	1.0	1.0	1.5	3.5	1.5
Max. Temp. (°C)	28.3	27.7	26.7	25.1	24.7	24.1	22.7	22.4	23.2	23.4	24.7	25.9	26.7	27.5
Min. Temp. (°C)	16.4	15.0	14.2	13.5	12.5	11.5	10.9	10.4	10.8	10.8	11.8	12.7	13.7	14.4
Mean Temp. (°C)	22.3	21.3	20.4	19.3	18.6	17.8	16.8	16.4	17.0	17.1	18.3	19.3	20.2	21.0
RHmax (%)	94.9	94.9	95.0	95.4	95.8	96.1	96.0	96.0	95.8	95.7	95.5	94.3	93.7	92.9
RHMin (%)	50.9	50.6	53.5	56.2	56.2	55.2	58.5	57.8	56.2	54.2	51.6	48.0	47.1	45.3
RHmean (%)	72.9	72.7	74.2	75.8	76.0	75.6	77.3	76.9	76.0	74.9	73.5	71.2	70.4	69.1
SShr (hrs)	54.0	53.0	49.5	41.5	42.5	40.0	36.0	36.5	39.5	41.0	44.0	48.5	50.0	51.5
WD (deg)	134	150	129	158	160	187	199	214	199	210	208	192	201	201
WS(Km/hr)	6.4	5.6	6.0	5.7	5.6	5.6	5.7	5.7	5.7	5.6	6.2	6.6	7.5	7.2
Stages														
	Germination	Vegetative					Flowering		Pod initiation				Maturity to Harvesting	

Favorable Weather Conditions	
Temperature	15-27°C
SShr (hrs)	5.0-7.5 hr with bright sunshine
RH(%)	69-77%
Soil temp.(°C)	13-25°C

Congenial Weather Condition for Pests & Diseases				
Alternaria leaf blight		25-28°C temp with heavy dew		
Stem rot		27-35°C temp with humid condition and low pH (<7.0)		
Cut worm	Dry sandy-loam soil.			
Aphids		Temperature 16-30°C and RH 50-85% with cloudy weather		

Weather Warning				
Rainfall	>50mm/day	>50mm/day	>50mm/day	>50mm/day
Cloudy Weather			Cloudy weather	
Drought	>10days		>20days	>30days
Hail storm	Hail storm		Hail storm	Hail storm
High wind	>25-40 KMPH		>25-40 KMPH	>25-40 KMPH
Temperature	Max Temp >32°C ,min temp <10°C			

Crop Weather Calendar of Mustard:SylhetRegion (Districts:Sylhet, Moulvibazar, Sunamganj, Habiganj), Bangladesh

Region: Sylhet	Mustard									Time duration :80-100 days				
Months	December				January				February			March		
Std.Week/Normal	49	50	51	52	1	2	3	4	5	6	7	8	9	10
Rainfall (mm)	0.5	4.5	1.0	4.0	0.0	0.5	0.5	1.0	2.5	4.0	8.0	11.5	11.0	10.5
Max. Temp. (°C)	27.8	26.9	26.1	25.7	25.3	24.7	25.1	25.8	26.5	27.2	28.2	28.9	30.0	31.0
Min. Temp. (°C)	14.3	13.7	12.6	12.0	11.4	11.3	11.3	11.1	12.1	12.6	13.7	14.4	15.4	16.7
Mean Temp. (°C)	21.1	20.3	19.3	18.8	18.3	18.0	18.2	18.4	19.3	19.9	21.0	21.6	22.7	23.8
RHmax (%)	94.7	95.7	95.3	96.1	95.8	96.1	95.5	94.9	94.3	92.9	92.8	92.5	91.7	90.9
RHMin (%)	51.4	53.6	53.0	52.7	53.5	53.9	50.7	48.1	45.8	42.3	42.5	41.7	40.8	41.1
RHmean (%)	73.0	74.6	74.2	74.4	74.6	75.0	73.1	71.5	70.1	67.6	67.7	67.1	66.2	66.0
SShr (hrs)	55.5	50.5	51.5	50.5	51.0	45.0	48.0	51.0	50.5	55.0	53.5	55.5	56.0	55.0
WD (deg)	177	186	191	203	200	211	213	219	213	218	217	208	219	203
WS(Km/hr)	4.2	4.5	4.5	4.3	4.6	4.9	5.1	4.8	6.1	6.5	6.9	7.1	6.8	6.8
Stages														
	Germination	Vegetative				Flowering		Pod initiation				Maturity to Harvesting		

Favorable Weather Conditions	
Temperature	15-27°C
SShr (hrs)	6.5-8.0 hr with bright sunshine
RH(%)	66-75%
Soil temp.(°C)	13-25 °C

Congenial Weather Condition for Pests & Diseases				
Alternaria leaf blight		25-28°C temp with heavy dew		
Stem rot		27-35°C temp with humid condition and low pH (<7.0)		
Cut worm	Dry sandy-loam soil.			
Aphids		Temperature 16-30°C and RH 50-85% with cloudy weather		

Weather Warning				
Rainfall	>50mm/day	>50mm/day	>50mm/day	>50mm/day
Cloudy Weather			Cloudy weather	
Drought	>10days		>20days	>30days
Hail storm	Hail storm		Hail storm	Hail storm
High wind	>25-40 KMPH		>25-40 KMPH	>25-40 KMPH
Temperature	Max Temp >30°C ,min temp <10°C			