

Crop Weather Calendar of Pineapple: Chattogram Region (Districts: Chattagram) Bangladesh

Region: Chattogram	Pineapple																								Duration: 252-255 days							
Months	December				January				February				March					April				May- June					July-August					
Std. Week/Normal	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	25	26	27	28	31	32		
Rainfall (mm)	1	4	2	2	0	1	1	1	2	1	2	8	5	5	6	13	21	21	27	34	36	63	61	70	181	197	202	156	149	128		
Max. Temp. (°C)	28.6	27.8	26.9	26.6	26.5	26.1	26.6	26.9	27.7	28.7	29.3	29.8	30.6	31.2	32.0	32.0	31.8	32.1	32.6	32.7	32.9	32.8	32.9	32.8	31.3	30.9	30.7	31.1	31.1	31.2		
Min. Temp. (°C)	17.0	16.3	15.3	14.9	14.1	13.9	14.1	14.1	14.9	15.8	16.9	17.6	18.8	19.8	20.7	21.8	22.7	23.5	24.0	24.4	24.5	24.5	24.8	25.2	25.4	25.2	25.4	25.3	25.3	25.4		
Mean Temp. (°C)	22.8	22.1	21.1	20.8	20.3	20.0	20.4	20.5	21.3	22.2	23.1	23.7	24.7	25.5	26.3	26.9	27.2	27.8	28.3	28.6	28.7	28.9	29.0	28.3	28.1	28.0	28.2	28.2	28.3			
RHmax (%)	94.4	94.2	94.4	94.1	93.8	93.1	92.9	91.6	91.0	90.6	90.4	91.0	90.8	91.1	91.3	93.0	93.0	93.3	92.9	92.6	92.8	92.9	93.3	93.5	95.1	95.9	96.0	95.7	95.5	95.8		
RHMin (%)	49.5	50.0	50.3	49.1	48.2	47.1	44.9	42.3	43.6	41.2	43.3	43.9	44.8	46.6	47.4	54.0	58.2	60.1	60.5	61.6	62.0	62.3	64.1	66.1	75.3	77.3	77.7	76.4	75.2	75.4		
RHmean (%)	71.9	72.1	72.3	71.6	71.0	70.1	68.9	67.0	67.3	65.9	66.8	67.5	67.8	68.8	69.4	73.5	75.6	76.7	76.7	77.1	77.4	77.6	78.7	79.8	85.2	86.6	86.9	86.0	85.3	85.6		
SShr (hrs)	54.8	52.8	50.8	51.3	53.3	50.8	53.8	56.5	56.3	57.8	57.5	58.5	60.3	59.3	56.8	57.0	52.8	56.0	56.0	54.8	55.3	52.8	55.0	48.0	28.0	25.3	24.0	29.0	32.8	30.0		
WD (deg)	204	196	199	207	200	193	203	203	201	203	208	214	221	215	223	218	207	209	205	205	202	199	203	199	174	173	173	173	172	175		
WS(Km/hr)	5.1	5.7	5.8	6.2	6.6	6.9	6.8	7.0	7.1	7.3	7.7	7.9	8.6	8.7	8.9	9.4	9.7	10.0	11.1	10.6	10.6	10.1	10.0	10.1	11.0	10.9	10.7	10.8	10.0	9.9		
Phenological stages																																
	Inflorescence emergence								Flowering								Fruit development								Fruit ripening & harvesting							

Congenial Weather Condition for Diseases	
Heart rot	Temperature 31.0°C to 34.0°C, hot, humid weather and relative humidity >90%.
Root rot	Temperature 28-34°C; relative humidity below 80% with cloudy weather
Base rot	Temperature (28.0 to 34°C), relative humidity >90% with dry weather
Fusariosis	Temp 31.0°C to 33.0°C; with warm weather
Pink disease	Temp 31.0°C to 33.0°C; with warm weather

Congenial weather for insect-pests	
Mealy bugs	Temp. 28.0 – 34.0°C, RH: 67-80%
Scale insects	Temp. 28.0 – 34.0°C, RH: 70 –82%
Thrips	Temp. 27.0 – 34.0°C, RH: 70 - 80%
Fruit borer	Temp. 31.0 – 33.5°C, RH:- 70-90%
Fruit fly	Temp. 31.0 - 34°C, RH:- 70-89%

Weather Warning		
Rainfall		> 15 mm
Cloudy Weather		Cloudy Weather
Relative Humidity		Maximum Humidity > 90% Minimum Humidity < 75%
Hail storm		Hail storm
High wind		> 20 km/hr
Temperature		Max. Temp. > 33 °C and Min. Temp. < 26 °C

Crop Weather Calendar of Pineapple: Dhaka Region (Districts: Tangail, Gazipur, Narsingdi) Bangladesh

Region: Dhaka	Pineapple																							Duration: 252-255 days								
Months	December				January				February				March					April				May- June					July-August					
Std. Week/Normal	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	25	26	27	28	31	32		
Rainfall (mm)	2	5	1	4	1	0	0	1	4	4	3	12	4	4	10	14	21	25	21	32	43	46	56	55	81	78	83	74	67	60		
Max. Temp. (°C)	27.6	26.2	25.5	24.8	24.0	23.9	24.5	25.0	26.2	27.2	28.3	28.9	30.0	31.5	32.3	33.4	33.2	33.9	34.6	34.1	33.8	33.6	33.7	33.7	32.2	32.2	32.1	32.0	32.2	32.2		
Min. Temp. (°C)	15.5	14.7	13.5	12.9	12.4	12.0	12.0	12.1	13.6	14.3	15.5	16.5	17.5	18.6	19.8	21.3	21.8	22.9	23.5	23.7	23.6	23.7	24.2	24.6	26.2	26.2	26.1	26.2	26.2	26.7		
Mean Temp. (°C)	21.5	20.5	19.5	18.8	18.2	17.9	18.3	18.6	19.9	20.7	21.9	22.7	23.7	25.0	26.1	27.3	27.5	28.4	29.0	28.9	28.7	28.6	28.9	29.2	29.2	29.2	29.1	29.1	29.2	29.4		
RHmax (%)	94.8	95.3	95.1	95.0	94.6	94.3	93.8	93.4	92.4	92.1	91.7	91.1	90.0	89.9	89.2	89.6	90.3	91.3	91.4	91.4	91.7	92.3	92.8	92.9	94.4	94.7	94.7	94.1	94.0	94.1		
RHMin (%)	47.6	49.4	49.8	49.1	50.3	48.8	46.2	43.3	42.3	39.4	39.7	38.9	36.0	35.5	35.9	38.9	44.5	45.9	47.1	52.0	55.1	56.7	58.6	60.4	71.5	72.9	73.5	73.1	71.0	71.6		
RHmean (%)	71.2	72.3	72.5	72.1	72.4	71.6	70.0	68.3	67.3	65.7	65.7	65.0	63.0	62.7	62.5	64.3	67.4	68.6	69.2	71.7	73.4	74.5	75.7	76.7	83.0	83.8	84.1	83.6	82.5	82.8		
SShr (hrs)	47.6	49.4	49.8	49.1	50.3	48.8	46.2	43.3	42.3	39.4	39.7	38.9	36.0	35.5	35.9	38.9	44.5	45.9	47.1	52.0	55.1	56.7	58.6	60.4	71.5	72.9	73.5	73.1	71.0	71.6		
WD (deg)	219	224	225	233	238	238	232	242	241	236	234	228	234	230	223	206	188	181	175	167	156	159	164	156	157	158	162	157	156	165		
WS(Km/hr)	3.7	3.7	3.7	3.7	4.1	4.0	4.1	4.3	4.3	4.5	5.0	5.3	5.0	5.4	5.7	6.2	6.5	6.5	6.6	6.6	6.7	6.8	6.5	6.4	6.5	6.5	5.8	5.9	6.1	5.8		
Phenological stages																																
	Inflorescence emergence								Flowering								Fruit development								Fruit ripening & harvesting							

Congenial Weather Condition for Diseases	
Heart rot	Temperature 31.0°C to 34.0°C, hot, humid weather and relative humidity >90%.
Root rot	Temperature 28-34°C; relative humidity below 70% with cloudy weather
Base rot	Temperature (28.0 to 34°C), relative humidity >90% with dry weather
Fusariosis	Temp 31.0°C to 33.0°C; with warm weather
Pink disease	Temp 31.0°C to 33.0°C; with warm weather

Congenial weather for insect-pests	
Mealy bugs	Temp. 28.0 – 34.0°C, RH: 67-84%
Scale insects	Temp. 28.0 – 34.0°C, RH: 70 –85%
Thrips	Temp. 27.0 – 34.0°C, RH: 70 - 84%
Fruit borer	Temp. 31.0 – 33.5°C, RH:- 70-85%
Fruit fly	Temp. 31.0 - 34°C, RH:- 70-85%

Weather Warning	
Rainfall	> 20 mm
Cloudy Weather	Cloudy Weather
Relative Humidity	Maximum Humidity > 90% Minimum Humidity < 72%
Hail storm	Hail storm
High wind	> 20 km/hr
Temperature	Max. Temp. > 33 °C and Min. Temp. < 26 °C

Crop Weather Calendar of Pineapple: Mymensingh Region (Districts: Mymensingh) Bangladesh

Region: Mymensingh	Pineapple																								Duration: 252-255 days							
Months	December				January				February				March					April				May- June						July-August				
Std. Week/Normal	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	25	26	27	28	31	32		
Rainfall (mm)	1	3	0	2	0	3	1	0	2	1	5	7	1	4	6	11	17	20	30	40	36	55	62	69	98	85	109	99	72	74		
Max. Temp. (°C)	27.6	26.3	25.4	25.0	24.4	24.0	24.0	25.1	25.9	26.6	27.4	28.1	29.1	30.3	31.0	31.9	31.3	32.1	32.7	32.0	31.7	31.6	31.9	32.3	31.4	31.0	31.1	31.3	32.0	32.0		
Min. Temp. (°C)	15.0	14.0	13.3	12.4	12.0	11.6	11.9	12.0	13.0	13.7	15.0	15.9	16.6	17.4	18.6	19.9	20.9	21.9	22.4	22.9	22.9	22.9	23.6	24.0	26.0	26.0	26.0	26.0	26.1	26.3		
Mean Temp. (°C)	21.3	20.2	19.4	18.7	18.2	17.8	18.0	18.6	19.5	20.2	21.2	22.0	22.9	23.9	24.8	25.9	26.1	27.0	27.6	27.5	27.3	27.3	27.8	28.2	28.7	28.5	28.6	28.7	29.1	29.2		
RHmax (%)	95.3	95.6	95.6	95.3	95.1	94.4	94.4	93.4	92.6	92.1	91.4	90.6	90.9	90.6	90.1	89.7	90.4	89.9	90.9	91.1	91.3	92.4	92.6	92.7	95	94.7	95	94.6	94.7	93.9		
RHMin (%)	52.3	54.1	53.6	53.7	53.6	53.1	51.4	47	47.9	45.3	45	45.1	44.3	43.6	44.6	48.3	54.7	55	56.6	61.1	62.6	64.6	66	66.4	76.6	77.7	77.6	77.0	74.6	74.6		
RHmean (%)	73.8	74.9	74.6	74.5	74.4	73.8	72.9	70.2	70.3	68.7	68.2	67.9	67.6	67.1	67.4	69.0	72.6	72.5	73.8	76.1	77.0	78.5	79.3	79.6	85.8	86.2	86.3	85.8	84.7	84.3		
SShr (hrs)	49.0	43.0	40.0	42.0	41.0	39.0	41.0	45.0	44.0	48.0	50.0	50.0	51.0	53.0	53.0	48.0	44.0	49.0	49.0	49.0	46.0	44.0	44.0	45.0	25.0	23.0	24.0	24.0	33.0	31.0		
WD (deg)	191	206	199	221	230	236	216	238	228	218	222	210	214	202	208	179	165	149	146	143	128	126	134	131	143	144	156	152	153	149		
WS(Km/hr)	3.0	3.5	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.9	4.4	5.4	5.0	5.4	5.6	6.3	6.1	7.2	6.8	7.2	7.6	7.4	6.8	7.4	6.8	7.2	7.2	6.8	6.1	6.1		
Phenological stages																																
	Inflorescence emergence								Flowering								Fruit development								Fruit ripening & harvesting							

Congenial Weather Condition for Diseases	
Heart rot	Temperature 31.0°C to 34.0°C, hot, humid weather and relative humidity >90%.
Root rot	Temperature 27-34°C; relative humidity below 70% with cloudy weather
Base rot	Temperature (27.0 to 34°C), relative humidity >90% with dry weather
Fusariosis	Temp 31.0°C to 33.0°C; with warm weather
Pink disease	Temp 31.0°C to 33.0°C; with warm weather

Congenial weather for insect-pests	
Mealy bugs	Temp. 27.0 – 34.0°C, RH: 67-84%
Scale insects	Temp. 27.0 – 34.0°C, RH: 70 –85%
Thrips	Temp. 27.0 – 34.0°C, RH: 70 - 84%
Fruit borer	Temp. 31.0 – 33.5°C, RH:- 70-85%
Fruit fly	Temp. 31.0 - 34°C, RH:- 70-85%

Weather Warning		
Rainfall		> 20 mm
Cloudy Weather		Cloudy Weather
Relative Humidity		Maximum Humidity > 90% Minimum Humidity < 77%
Hail storm		Hail storm
High wind		> 20 km/hr
Temperature		Max. Temp. > 33 °C and Min. Temp. < 26 °C

Crop Weather Calendar of Pineapple: Rangamati Region (Districts: Rangamati, Khagrachari and Bandarban) Bangladesh

Region: Rangamati	Pineapple																								Duration: 252-255 days							
Months	December				January				February				March					April				May- June						July-August				
Std. Week/Normal	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	25	26	27	28	31	32		
Rainfall (mm)	0	0	0	3	0	0	3	0	0	2	0	10	5	8	4	4	4	21	49	29	26	67	72	63	125	101	90	110	116	86		
Max. Temp. (°C)	27.6	27.0	26.0	26.0	25.7	25.6	26.0	26.6	27.0	28.3	29.3	29.9	30.9	31.7	32.9	33.1	33.0	33.0	33.4	33.7	33.7	33.1	33.0	33.3	31.3	31.0	31.0	31.4	31.7	31.9		
Min. Temp. (°C)	16.9	16.1	15.1	14.7	14.0	13.6	13.1	13.0	14.1	14.4	16.0	16.3	17.6	18.4	19.9	20.9	21.7	22.3	22.9	23.6	23.4	23.6	23.9	24.1	25.0	25.0	25.0	25.0	25.0	25.0		
Mean Temp. (°C)	22.3	21.6	20.6	20.4	19.9	19.6	19.6	19.8	20.6	21.4	22.7	23.1	24.3	25.1	26.4	27.0	27.4	27.7	28.2	28.7	28.6	28.4	28.5	28.7	28.2	28.0	28.0	28.2	28.4	28.5		
RHmax (%)	95.0	95.0	95.4	95.4	95.0	94.7	94.3	94.3	93.4	92.9	91.7	91.0	90.4	89.3	89.3	90.3	90.4	89.9	89.7	90.6	91.4	91.6	91.6	92.0	93.7	93.7	93.4	93.4	94.3	93.9		
RHMin (%)	56.6	55.1	55.3	53.0	51.6	50.1	46.1	43.9	44.9	41.7	42.1	39.4	40.0	38.9	39.7	43.7	48.0	49.7	51.1	52.9	54.9	56.4	59.4	61.1	73.6	74.4	74.9	73.9	73.3	73.1		
RHmean (%)	75.8	75.1	75.4	74.2	73.3	72.4	70.2	69.1	69.2	67.3	66.9	65.2	65.2	64.1	64.5	67.0	69.2	69.8	70.4	71.8	73.2	74.0	75.5	76.6	83.7	84.1	84.2	83.7	83.8	83.5		
SShr (hrs)	53.0	53.0	50.0	53.0	52.0	50.0	53.0	56.0	53.0	57.0	56.0	56.0	59.0	58.0	56.0	52.0	50.0	55.0	54.0	55.0	54.0	50.0	50.0	44.0	29.0	28.0	24.0	26.0	32.0	32.0		
WD (deg)	169	173	161	161	165	152	162	173	160	176	170	178	193	197	193	201	204	205	205	210	202	207	199	193	179	184	179	184	189	190		
WS(Km/hr)	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	4.3	3.7	4.44	4.81	5.4	5.6	5.6	6.1	6.1	5.6	5.6	5.6	5.7	6.1	5.7	5.6	5.6	5.4	5.4	5.6		
Phenological stages																																
	Inflorescence emergence								Flowering								Fruit development								Fruit ripening & harvesting							

Congenial Weather Condition for Diseases	
Heart rot	Temperature 31.0°C to 34.0°C, hot, humid weather and relative humidity >90%.
Root rot	Temperature 28-34°C; relative humidity below 80% with cloudy weather
Base rot	Temperature (28.0 to 34°C), relative humidity >90% with dry weather
Fusariosis	Temp 31.0°C to 33.0°C; with warm weather
Pink disease	Temp 31.0°C to 33.0°C; with warm weather

Congenial weather for insect-pests	
Mealy bugs	Temp. 28.0 – 34.0°C, RH: 67-80%
Scale insects	Temp. 28.0 – 34.0°C, RH: 70 –82%
Thrips	Temp. 27.0 – 34.0°C, RH: 70 - 80%
Fruit borer	Temp. 31.0 – 33.5°C, RH:- 70-90%
Fruit fly	Temp. 31.0 - 34°C, RH:- 70-89%

Weather Warning		
Rainfall		> 20 mm
Cloudy Weather		Cloudy Weather
Relative Humidity		Maximum Humidity > 90% Minimum Humidity < 75%
Hail storm		Hail storm
High wind		> 20 km/hr
Temperature		Max. Temp. > 33 °C and Min. Temp. < 26 °C

Crop Weather Calendar of Pineapple: Sylhet Region (Districts: Sylhet, Moulvibazar) Bangladesh

Region: Sylhet	Pineapple																						Duration: 252-255 days									
Months	December				January				February				March					April				May- June					July-August					
Std. Week/Normal	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	25	26	27	28	31	32		
Rainfall (mm)	1	5	1	4	0	1	1	1	3	4	8	12	11	11	18	34	49	66	59	79	86	103	108	122	130	138	130	110	124	103		
Max. Temp. (°C)	27.8	26.9	26.1	25.7	25.3	24.7	25.1	25.8	26.5	27.2	28.2	28.9	30.0	31.0	31.6	32.1	31.8	32.1	32.5	32.0	31.7	31.5	31.6	31.9	31.9	31.9	31.7	32.0	32.3	32.8		
Min. Temp. (°C)	14.3	13.7	12.6	12.0	11.4	11.3	11.3	11.1	12.1	12.6	13.7	14.4	15.4	16.7	18.0	19.2	20.0	20.8	21.4	21.8	21.8	22.0	22.7	23.2	25.0	25.0	25.0	25.2	25.1	25.3		
Mean Temp. (°C)	21.1	20.3	19.3	18.8	18.3	18.0	18.2	18.4	19.3	19.9	21.0	21.6	22.7	23.8	24.8	25.6	25.9	26.5	26.9	26.9	26.7	26.7	27.1	27.5	28.4	28.5	28.4	28.6	28.7	29.0		
RHmax (%)	94.7	95.7	95.3	96.1	95.8	96.1	95.5	94.9	94.3	92.9	92.8	92.5	91.7	90.9	90.7	90.2	91.7	92.3	92.2	93.1	93.2	94.0	94.6	94.7	96.2	96.0	95.9	96.0	96.4	96.2		
RHMin (%)	51.4	53.6	53.0	52.7	53.5	53.9	50.7	48.1	45.8	42.3	42.5	41.7	40.8	41.1	41.0	45.0	50.9	53.5	54.7	58.2	59.7	63.1	64.2	65.6	73.7	74.0	73.9	73.4	72.4	70.9		
RHmean (%)	73.0	74.6	74.2	74.4	74.6	75.0	73.1	71.5	70.1	67.6	67.7	67.1	66.2	66.0	65.8	67.6	71.3	72.9	73.5	75.6	76.5	78.5	79.4	80.2	84.9	85.0	84.9	84.7	84.4	83.5		
SShr (hrs)	55.5	50.5	51.5	50.5	51.0	45.0	48.0	51.0	50.5	55.0	53.5	55.5	56.0	55.0	56.0	51.0	47.0	50.5	51.0	48.5	46.5	45.0	43.5	43.5	27.5	23.5	25.0	27.0	33.0	33.5		
WD (deg)	177	186	191	203	200	211	213	219	213	218	217	208	219	203	214	194	177	178	170	166	155	153	163	160	157	161	166	166	173	171		
WS(Km/hr)	4.2	4.5	4.5	4.3	4.6	4.9	5.1	4.8	6.1	6.5	6.9	7.1	6.8	6.8	7.3	8.5	7.6	7.0	7.1	6.9	8.2	7.1	6.8	6.2	6.3	6.6	6.0	5.9	6.4	5.9		
Phenological stages																																
	Inflorescence emergence								Flowering								Fruit development								Fruit ripening & harvesting							

Congenial Weather Condition for Diseases		
Heart rot		Temperature 31.0°C to 34.0°C, hot, humid weather and relative humidity >90%.
Root rot	Temperature 21-34°C; relative humidity below 80% with cloudy weather	
Base rot	Temperature (21.0 to 34°C), relative humidity >90% with dry weather	
Fusariosis		Temp 31.0°C to 33.0°C; with warm weather
Pink disease		Temp 31.0°C to 33.0°C; with warm weather

Congenial weather for insect-pests		
Mealy bugs	Temp. 21.0 – 34.0°C, RH: 67-80%	
Scale insects	Temp. 20.0 – 34.0°C, RH: 70 –82%	
Thrips		Temp. 20.0 – 34.0°C, RH: 70 - 80%
Fruit borer		Temp. 31.0 – 33.5°C, RH:- 70-90%
Fruit fly		Temp. 31.0 - 34°C, RH:- 70-89%

Weather Warning		
Rainfall		> 45 mm
Cloudy Weather		Cloudy Weather
Relative Humidity		Maximum Humidity > 90% Minimum Humidity < 70%
Hail storm		Hail storm
High wind		> 20 km/hr
Temperature		Max. Temp. > 34 °C and Min. Temp. < 26 °C