



Crop Weather Calendar of Aman Rice: Barishal Region (Districts: Jhalakati, Patuakhali, Pirujpur, Barguna, Barishal, Bhola) Bangladesh

Region: Barishal	Aman Rice															Duration: 133 days			
Months	June	July				August				September				October			November		
Std.Week/Normal	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
Rainfall (mm)	126.3	129.0	91.7	111.7	115.0	100.0	92.7	95.7	82.3	81.0	73.0	77.7	72.3	75.0	55.3	57.3	41.0	25.0	19.3
Max. Temp. (°C)	31.0	31.0	31.1	30.08	31.0	31.2	31.2	31.2	31.5	31.5	31.2	31.5	32.0	32.0	31.9	32.1	32.0	31.7	31.0
Min. Temp. (°C)	26.0	26.0	26.0	26.0	25.9	26.0	26.0	26.0	26.0	26.0	25.9	25.9	26.0	25.5	25.2	25.2	24.3	22.9	22.1
Mean Temp. (°C)	28.5	28.5	28.6	28.6	28.5	28.6	28.6	28.5	28.8	28.8	28.6	28.7	29.0	28.7	28.6	28.6	28.1	27.3	26.5
RHmax (%)	97.3	97.4	97.4	97.4	97.6	97.4	97.3	97.2	97.3	97.3	97.4	97.7	97.6	98.0	97.9	98.0	97.8	97.8	97.8
RHMin (%)	80.6	80.7	79.4	81.0	80.0	78.9	78.6	79.0	77.6	77.4	77.6	76.4	74.6	73.9	72.3	70.4	68.0	63.7	63.2
RHmean (%)	89.0	89.0	88.4	89.2	88.8	88.2	88.0	88.1	87.5	87.4	87.5	87.1	86.1	85.9	85.1	84.2	82.9	80.7	80.5
SShr (hrs)	20.3	20.3	23.3	21.0	25.3	26.0	25.7	26.0	27.3	29.0	28.3	29.3	29.7	33.0	36.7	41.3	44.7	48.7	47.0
WD (deg)	175	180	175	177	175	173	180	176	184	182	185	191	209	212	220	229	228	212	214
WS(Km/hr)	6.5	6.5	6.5	6.5	6.5	6.4	5.6	6.5	5.7	5.6	5.0	5.0	4.5	4.5	4.0	3.2	3.6	3.1	3.5
																			
	Seedbed		Transplanting		Tillering				Heading		Flowe ring	Grain Formation	Maturity to Harvesting						


Favorable Weather Conditions						
Temperature	At least 10 ⁰ C for germination				22-25° C	23-27° C
Light Intensity			≤200% of normal			
Relative Humidity			High			
Soil Temperature			Above 16 ⁰ C			
Normal phase wise water requirement (mm)	76	120		190	145	100

Congenial Weather Condition for Pests & Diseases						
Blast	Night temperature 16-20 ⁰ C, for 07 hours day temperature 25-30 ⁰ C, for 07 hours day night temperature >10 ⁰ C, Relative Humidity >90%, Cloudy					
Sheath rot				Temperatu re 25- 28 ⁰ C, Cloudy weather, high Relative Humidity> 90%		
Stem borer			Minimum Temperature > 20.3 ⁰ C, Maximum Temperature: 29.5-34.7 ⁰ C, Optimum temperature: 24-29 ⁰ C, Higher morning Relative Humidity > 84%, Afternoon Relative Humidity >38.7%, Dry weather			
Leaf roller			Maximum Temperature: 32-33 ⁰ C, Relative Humidity 92-95%			
Brown plant hopper			High temperature >32 ⁰ C, , high Relative Humidity:80-90%, drizzle, wet spell, rainfall less than 75 mm			
Rice bug					Higher maximum temperature >31.9 ⁰ C, Morning Relative Humidity > 93.9%, Bright Sunshine Hours> 5.9 hrs Lower Minimum temperature less than 22.1 ⁰ C, Afternoon Relative Humidity less than 66.4%, Dry, or intermittent rain Weekly total rainfall less than 40.9 mm	
Weather Warning						
Rain	>50 mm/day		>100 mm/day			>50 mm/day
Duration of wet spell	>25 mm for 3 days		>50 mm for 4 days			20 mm for 4 days
Cloudy weather			Cloudy weather			Cloudy weather
High wind	>50 km/hr		>40 km/hr			>30 km/hr
Temperature	Minimum Temperature <10 ⁰ C		Minimum Temperature <10 ⁰ C			Minimum Temperature <10 ⁰ C

Crop Weather Calendar of Aman Rice: Bogura Region (Districts: Bogura, Joypurhat, Pabna, Sirajganj) Bangladesh


Region: Bogura	Aman Rice															Duration: 133 days					
Months	July			August				September				October				November					
Std.Week/Normal	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46		
Rainfall (mm)	80.0	91.0	76.0	63.0	61.0	72.0	67.0	56.0	60.0	60.0	76.0	74.0	51.0	42.0	25.0	18.0	5.0	5.0	0.0		
Max. Temp. (°C)	31.9	32.0	32.1	32.3	32.6	32.1	32.3	32.6	32.3	32.0	32.1	32.0	32.1	32.3	32.0	31.6	31.0	30.7	30.1		
Min. Temp. (°C)	26.1	26.0	26.1	26.3	26.9	26.3	26.4	26.1	26.0	26.0	26.0	25.1	25.0	24.0	23.4	21.7	21.0	19.9	18.3		
Mean Temp. (°C)	29.0	29.0	29.1	29.3	29.8	29.2	29.4	29.4	29.2	29.0	29.1	28.6	28.6	28.2	27.7	26.7	26.0	25.3	24.2		
RHmax (%)	95.9	95.9	95.9	95.1	95.3	95.6	95.9	95.7	95.9	96.3	96.1	96.4	96.0	96.0	95.7	95.1	94.3	94.6	94.1		
RHMin (%)	74.1	74.4	73.3	72.0	71.9	73.3	72.7	71.7	72.0	72.3	70.7	71.0	68.7	66.0	62.1	57.9	55.6	52.4	49.9		
RHmean (%)	85.0	85.2	84.6	83.6	83.6	84.5	84.3	83.7	84.0	84.3	83.4	83.7	82.4	81.0	78.9	76.5	75.0	73.5	72.0		
SShr (hrs)	31.0	29.0	28.0	35.0	37.0	36.0	31.0	35.0	35.0	35.0	37.0	37.0	44.0	48.0	54.0	57.0	52.0	55.0	55.0		
WD (deg)	135	138	143	137	136	141	147	142	147	152	160	174	170	184	199	198	186	200	202		
WS(Km/hr)	5.6	6.8	6.1	6.3	5.7	6.1	5.6	5.6	5.6	5.6	5.6	5.4	5.0	5.0	5.0	4.4	4.4	3.7	3.7		
																					
	Seedbed			Transplanting			Tillering						Heading		Flowe ring	Grain Formation		Maturity to Harvesting			
Favorable Weather Conditions																					
Temperature	At least 10 ^o C for germination															22-25 ^o C		23-27 ^o C			
Light Intensity							≤200% of normal														
Relative Humidity							High														
Soil Temperature							Above 16 ^o C														
Normal phase wise water requirement (mm)	76			120						190						145		100			
Congenial Weather Condition for Pests & Diseases																					
Bacterial Leaf Blight	Temperature 28-30 ^o C, Relative Humidity 80-90%, Cloudiness, Rainfall >30mm																				
Sheath Blight								Temperature 28-32 ^o C, high Relative Humidity, Cloudy weather													
Blast	Night temperature 16-20 ^o C, for 07 hours day temperature 25-30 ^o C, for 07 hours day night temperature >10 ^o C, Relative Humidity >90%, Cloudy																				
Sheath rot													Temperature 25-28 ^o C, Cloudy weather, high Relative Humidity>90 %								
Stem borer							Minimum Temperature > 20.3 ^o C, Maximum Temperature: 29.5-34.7 ^o C, Optimum temperature: 24-29 ^o C, Higher morning Relative Humidity > 84%, Afternoon Relative Humidity >38.7%, Dry weather														
Leaf roller							Maximum Temperature: 32-33 ^o C, Relative Humidity 92-95%														
Brown plant hopper							High temperature >32 ^o C, , high Relative Humidity:80-90%, drizzle, wet spell, rainfall less than 75 mm														
Rice bug															Higher maximum temperature >31.9 ^o C, Morning Relative Humidity > 93.9%, Bright Sunshine Hours> 5.9 hrs Lower Minimum temperature less than 22.1 ^o C, Afternoon Relative Humidity less than 66.4%, Dry, or intermittent rain Weekly total rainfall less than 40.9 mm						
Weather Warning																					
Rain				>50 mm/day			>100 mm/day						>50 mm/day								
Duration of wet spell				>25 mm for 3 days			>50 mm for 4 days						20 mm for 4 days								
Cloudy weather							Cloudy weather						Cloudy weather								
High wind				>50 km/hr			>40 km/hr						>30 km/hr								
Temperature				Minimum Temperature <10 ^o C			Minimum Temperature <10 ^o C						Minimum Temperature <10 ^o C								

Crop Weather Calendar of Aman Rice: Chattogram Region (Districts: Chattogram, Lakshmipur, Coxsbazar, Noakhali and Feni) Bangladesh


Region: Chattogram	Aman Rice															Duration: 133 days								
Months	June			July				August				September				October								
Std.Week/Normal	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42					
Rainfall (mm)	161.0	180.7	197.3	201.7	156.0	189.0	173.3	148.7	128.3	137.3	117.0	118.3	92.7	73.3	73.7	60.3	66.7	75.7	43.7					
Max. Temp. (°C)	31.5	31.3	30.9	30.7	31.1	30.7	30.9	31.1	31.2	31.0	31.3	31.3	31.4	31.9	31.9	32.1	32.2	31.9	32.1					
Min. Temp. (°C)	25.4	25.4	25.2	25.4	25.3	25.2	25.3	25.3	25.4	25.2	25.3	25.3	25.2	25.1	25.2	25.1	25.0	24.8	24.5					
Mean Temp. (°C)	28.5	28.3	28.1	28.0	28.2	27.9	28.1	28.2	28.3	28.1	28.3	28.3	28.3	28.5	28.5	28.6	28.6	28.3	28.3					
RHmax (%)	95.3	95.1	95.9	96.0	95.7	96.1	95.8	95.5	95.8	95.8	96.0	95.9	95.6	95.7	95.7	95.7	96.0	96.1	95.8					
RHMin (%)	74.8	75.3	77.3	77.7	76.4	77.6	76.3	75.2	75.4	75.9	74.3	74.2	73.4	72.2	71.5	70.2	69.9	68.8	66.7					
RHmean (%)	85.1	85.2	86.6	86.9	86.0	86.9	86.1	85.3	85.6	85.9	85.1	85.0	84.5	83.9	83.6	82.9	82.9	82.4	81.2					
SShr (hrs)	28.0	28.0	25.3	24.0	29.0	25.5	30.0	32.8	30.0	27.8	35.8	36.8	35.8	39.3	39.5	42.5	42.8	45.8	49.8					
WD (deg)	177	174	173	173	173	174	174	172	175	172	182	179	185	190	194	202	209	203	215					
WS(Km/hr)	10.5	11.0	10.9	10.7	10.8	10.9	10.3	10.0	9.9	9.7	9.3	9.1	8.6	8.3	7.6	7.4	6.8	6.7	6.9					
																								
	Seedbed			Transplanting			Tillering					Heading		Flowe ring	Grain Formation		Maturity to Harvesting							
Favorable Weather Conditions																								
Temperature	At least 10° C for germination															22-25° C		23-27° C						
Light Intensity							≤200% of normal																	
Relative Humidity							High																	
Soil Temperature							Above 16° C																	
Normal phase wise water requirement (mm)	76			120												190		145		100				
Congenial Weather Condition for Pests & Diseases																								
Bacterial Leaf Blight	Temperature 28-30°C, Relative Humidity 80-90%, Cloudiness, Rainfall >30mm																							
Sheath Blight									Temperature 28-32°C, high Relative Humidity, Cloudy weather															
Blast	Night temperature 16-20°C, for 07 hours day temperature 25-30°C, for 07 hours day night temperature >10°C, Relative Humidity >90%, Cloudy																							
Sheath rot												Temperature 25-28°C, Cloudy weather, high Relative Humidity>90 %												
Stem borer							Minimum Temperature > 20.3 °C, Maximum Temperature: 29.5-34.7°C, Optimum temperature: 24-29°C, Higher morning Relative Humidity > 84%, Afternoon Relative Humidity >38.7%, Dry weather																	
Leaf roller							Maximum Temperature: 32-33°C, Relative Humidity 92-95%																	
Brown plant hopper							High temperature >32°C, , high Relative Humidity:80-90%, drizzle, wet spell, rainfall less than 75 mm																	
Rice bug														Higher maximum temperature >31.9°C, Morning Relative Humidity > 93.9%, Bright Sunshine Hours> 5.9 hrs Lower Minimum temperature less than 22.1°C, Afternoon Relative Humidity less than 66.4%, Dry, or intermittent rain Weekly total rainfall less than 40.9 mm										
Weather Warning																								
Rain				>50 mm/day			>100 mm/day										>50 mm/day							
Duration of wet spell				>25 mm for 3 days			>50 mm for 4 days										20 mm for 4 days							
Cloudy weather							Cloudy weather										Cloudy weather							
High wind				>50 km/hr			>40 km/hr										>30 km/hr							
Temperature				Minimum Temperature <10 °C			Minimum Temperature <10° C										Minimum Temperature <10 °C							

Crop Weather Calendar of Aman Rice: Cumilla Region (Districts: Cumilla, Chandpur, Bramanbaria) Bangladesh

Region: Cumilla	Aman Rice															Duration: 133 days					
Months	June	July				August				September				October				November			
Std.Week/Normal	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44		
Rainfall (mm)	97.5	96.0	88.0	107.0	95.0	84.0	66.5	82.5	73.0	66.0	53.0	66.5	68.0	53.0	51.0	46.5	30.5	16.0	11.5		
Max. Temp. (°C)	31.4	31.2	31.5	31.3	31.5	32.0	32.0	31.9	32.0	32.0	31.8	32.0	32.0	32.0	32.3	31.9	31.8	31.2	31.0		
Min. Temp. (°C)	26.0	26.0	26.0	25.7	26.0	25.9	26.0	26.0	26.0	25.9	25.7	25.6	25.6	25.6	25.4	24.7	24.3	22.8	21.8		
Mean Temp. (°C)	28.7	28.6	28.7	28.5	28.7	28.9	29.0	28.9	29.0	28.9	28.8	28.8	28.8	28.8	28.8	28.3	28.0	27.0	26.4		
RHmax (%)	95.2	95.4	95.0	95.5	95.3	94.9	94.8	94.9	95.3	95.0	95.2	95.5	95.4	95.6	95.6	95.7	95.5	95.2	95.3		
RHMin (%)	76.8	76.8	75.9	76.6	75.2	74.2	73.9	74.8	74.0	73.4	73.5	73.1	72.2	71.1	70.2	68.1	65.8	61.9	60.6		
RHmean (%)	86.0	86.1	85.4	86.0	85.2	84.5	84.3	84.9	84.6	84.2	84.3	84.3	83.8	83.3	82.9	81.9	80.6	78.5	77.9		
SShr (hrs)	26.0	23.5	30.0	26.5	31.0	30.0	31.5	32.0	30.5	34.5	32.0	33.0	33.5	35.0	39.0	43.0	44.5	50.5	47.0		
WD (deg)	174	179	174	174	179	178	182	177	182	179	186	191	197	201	203	214	201	187	202		
WS(Km/hr)	7.4	7.3	7.0	7.5	6.7	6.7	6.2	6.6	5.8	5.6	5.3	5.7	4.7	4.7	4.6	4.3	4.3	4.0	3.5		
																					
	Seedbed		Transplanting		Tillering				Heading		Flowe ring	Grain Formation		Maturity to Harvesting							
Favorable Weather Conditions																					
Temperature	At least 10 ⁰ C for germination																22-25 ⁰ C		23-27 ⁰ C		
Light Intensity									≤200% of normal												
Relative Humidity									High												
Soil Temperature									Above 16 ⁰ C												
Normal phase wise water requirement (mm)	76				120				190				145				100				
Congenial Weather Condition for Pests & Diseases																					
Bacterial Leaf Blight	Temperature 28-30 ⁰ C, Relative Humidity 80-90%, Cloudiness, Rainfall >30mm																				
Sheath Blight								Temperature 28-32 ⁰ C, high Relative Humidity, Cloudy weather													
Blast	Night temperature 16-20 ⁰ C, for 07 hours day temperature 25-30 ⁰ C, for 07 hours day night temperature >10 ⁰ C, Relative Humidity >90%, Cloudy																				
Brown spot					Temperature 28-30 ⁰ C, high Relative Humidity, Cloudy weather																
Stem borer									Minimum Temperature > 20.3 ⁰ C, Maximum Temperature: 29.5-34.7 ⁰ C, Optimum temperature: 24-29 ⁰ C, Higher morning Relative Humidity > 84%, Afternoon Relative Humidity >38.7%, Dry weather												
Leaf roller									Maximum Temperature: 32-33 ⁰ C, Relative Humidity 92-95%												
Brown plant hopper									High temperature >32 ⁰ C, , high Relative Humidity:80-90%, drizzle, wet spell, rainfall less than 75 mm												
Rice bug															Higher maximum temperature >31.9 ⁰ C, Morning Relative Humidity > 93.9%, Bright Sunshine Hours> 5.9 hrs Lower Minimum temperature less than 22.1 ⁰ C, Afternoon Relative Humidity less than 66.4%, Dry, or intermittent rain Weekly total rainfall less than 40.9 mm						
Weather Warning																					
Rain				>50 mm/day				>100 mm/day								>50 mm/day					
Duration of wet spell				>25 mm for 3 days				>50 mm for 4 days								20 mm for 4 days					
Cloudy weather								Cloudy weather								Cloudy weather					
High wind				>50 km/hr				>40 km/hr								>30 km/hr					
Temperature				Minimum Temperature <10 ^o C				Minimum Temperature <10 ^o C								Minimum Temperature <10 ^o C					

Region:Dhaka		Aman Rice														Duration: 133 days					
Months	June		July				August				September				October				Nov		
Std.Week/Normal	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43		
Rainfall (mm)	81.0	77.5	82.5	73.5	91.0	81.5	67.0	59.5	77.0	62.5	60.5	60.5	68.5	70.0	69.0	47.0	42.0	40.5	26.0		
Max. Temp. (°C)	32.2	32.2	32.1	32.0	31.7	32.2	32.2	32.2	31.9	32.3	32.5	32.3	32.2	32.3	32.3	32.5	32.3	32.0	31.5		
Min. Temp. (°C)	26.2	26.2	26.1	26.2	26.0	26.0	26.2	26.7	26.2	26.2	26.1	26.0	26.0	26.0	25.7	25.3	24.8	23.8	22.3		
Mean Temp. (°C)	29.2	29.2	29.1	29.1	28.9	29.1	29.2	29.4	29.0	29.3	29.3	29.2	29.1	29.1	29.0	28.9	28.5	27.9	26.9		
RHmax (%)	94.4	94.7	94.7	94.1	94.5	94.3	94.0	94.1	94.4	94.8	94.4	94.8	95.2	95.0	95.5	95.4	95.4	95.0	94.8		
RHMin (%)	71.5	72.9	73.5	73.1	73.5	71.1	71.0	71.6	72.2	71.2	70.0	70.2	69.4	69.7	68.0	65.7	63.0	60.2	55.5		
RHmean (%)	83.0	83.8	84.1	83.6	84.0	82.7	82.5	82.8	83.3	83.0	82.2	82.5	82.3	82.3	81.8	80.6	79.2	77.6	75.2		
SShr (hrs)	26.0	26.0	27.0	27.5	28.5	32.0	33.5	32.5	31.5	31.5	35.0	33.5	32.0	32.0	34.0	40.0	44.0	47.5	54.0		
WD (deg)	157	158	162	157	161	159	156	165	157	165	164	163	177	176	195	194	198	192	190		
WS(Km/hr)	6.5	6.5	5.8	5.9	6.1	5.9	6.1	5.8	5.6	5.4	5.5	5.5	5.3	4.3	4.6	4.0	3.9	4.1	3.8		
																					
	Seedbed		Transplanting				Tillering						Heading		Floweri ng	Grain Formation		Maturity to Harvesting			
Favorable Weather Conditions																					
Temperature	At least 10° C for germination																22-25° C		23-27° C		
Light Intensity									≤200% of normal												
Relative Humidity									High												
Soil Temperature									Above 16° C												
Normal phase wise water requirement (mm)	76				120				120				190				145		100		
Congenial Weather Condition for Pests & Diseases																					
Bacterial Leaf Blight	Temperature 28-30°C, Relative Humidity 80-90%, Cloudiness, Rainfall >30mm																				
Sheath Blight							Temperature 28-32°C, high Relative Humidity, Cloudy weather														
Blast		Night temperature 16-20°C, for 07 hours day temperature 25-30°C, for 07 hours day night temperature >10°C, Relative Humidity >90%, Cloudy																			
Sheath rot														Temperatu re 25-28°C, Cloudy weather, high Relative Humidity> 90%							
Stem borer								Minimum Temperature > 20.3 °C, Maximum Temperature: 29.5-34.7°C, Optimum temperature: 24-29°C, Higher morning Relative Humidity > 84%, Afternoon Relative Humidity >38.7%, Dry weather													
Leaf roller								Maximum Temperature: 32-33°C, Relative Humidity 92-95%													
Rice bug																Higher maximum temperature >31.9°C, Morning Relative Humidity > 93.9%, Bright Sunshine Hours> 5.9 hrs Lower Minimum temperature less than 22.1°C, Afternoon Relative Humidity less than 66.4%, Dry, or intermittent rain Weekly total rainfall less than 40.9 mm					
Weather Warning																					
Rain				>50 mm/day				>100 mm/day								>50 mm/day					
Duration of wet spell				>25 mm for 3 days				>50 mm for 4 days								20 mm for 4 days					
Cloudy weather								Cloudy weather								Cloudy weather					
High wind				>50 km/hr				>40 km/hr								>30 km/hr					
Temperature				Minimum Temperature <10 ° C				Minimum Temperature <10° C								Minimum Temperature <10 ° C					


Crop Weather Calendar of Aman Rice: Dinajpur Region (Districts: Dinajpur, Thakurgaon and Panchaghar) Bangladesh

Region: Dinajpur	Aman Rice																Duration: 133 days			
Months	June				July				August				September				October			
Std.Week/Normal	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	
Rainfall (mm)	57.0	77.0	111.0	96.0	109.0	105.0	81.0	84.0	70.0	60.0	93.0	103.0	71.0	66.0	61.0	73.0	119.0	62.0	42.0	
Max. Temp. (°C)	33.3	33.0	32.3	32.4	32.0	32.1	32.1	32.3	32.9	32.6	32.4	32.1	32.4	32.3	32.4	32.0	31.9	32.0	31.6	
Min. Temp. (°C)	25.0	25.1	25.6	26.0	26.0	26.0	26.0	26.0	26.3	26.7	26.1	26.0	26.0	26.0	25.7	25.1	24.9	24.7	23.9	
Mean Temp. (°C)	29.2	29.1	29.0	29.2	29.0	29.1	29.1	29.2	29.6	29.7	29.3	29.1	29.2	29.2	29.1	28.6	28.4	28.4	27.8	
RHmax (%)	93.4	93.9	94.7	94.4	95.1	94.6	94.4	94.7	94.1	94.0	95.0	95.7	95.6	95.6	96.1	96.0	96.1	96.0	96.1	
RHMin (%)	65.4	67.7	71.4	71.6	73.3	72.7	71.9	71.6	70.1	70.9	72.6	73.1	71.6	72.4	71.3	71.6	70.9	68.3	66.3	
RHmean (%)	79.4	80.8	83.1	83.0	84.2	83.7	83.2	83.2	82.1	82.5	83.8	84.4	83.6	84.0	83.7	83.8	83.5	82.2	81.2	
SShr (hrs)	40.0	35.0	27.0	31.0	27.0	29.0	31.0	36.0	36.0	37.0	34.0	34.0	37.0	37.0	36.0	33.0	38.0	42.0	45.0	
WD (deg)	111	118	120	121	127	121	126	134	132	132	134	139	141	133	143	146	148	151	146	
WS(Km/hr)	3.7	3.7	3.7	3.7	3.7	3.7	3.9	3.7	3.9	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.9	3.7	3.7	
																				
	Seedbed			Transplanting			Tillering						Heading		Flowe ring	Grain Formation		Maturity to Harvesting		
Favorable Weather Conditions																				
Temperature	At least 10° C for germination																22-25° C		23-27° C	
Light Intensity									≤200% of normal											
Relative Humidity									High											
Soil Temperature									Above 16° C											
Normal phase wise water requirement (mm)	76				120								190				145		100	

Congenial Weather Condition for Pests & Diseases							
Bacterial Leaf Blight	Temperature 28-30 ^o C, Relative Humidity 80-90%, Cloudiness, Rainfall >30mm						
Blast	Night temperature 16-20 ^o C, for 07 hours day temperature 25-30 ^o C, for 07 hours day night temperature >10 ^o C, Relative Humidity >90%, Cloudy						
Sheath rot						Temperature 25-28 ^o C, Cloudy weather, high Relative Humidity>90%	
Stem borer				Minimum Temperature > 20.3 ^o C, Maximum Temperature: 29.5-34.7 ^o C, Optimum temperature: 24-29 ^o C, Higher morning Relative Humidity > 84%, Afternoon Relative Humidity >38.7%, Dry weather			
Leaf roller				Maximum Temperature: 32-33 ^o C, Relative Humidity 92-95%			
Brown plant hopper				High temperature >32 ^o C, , high Relative Humidity:80-90%, drizzle, wet spell, rainfall less than 75 mm			
Rice bug						Higher maximum temperature >31.9 ^o C, Morning Relative Humidity > 93.9%, Bright Sunshine Hours> 5.9 hrs Lower Minimum temperature less than 22.1 ^o C, Afternoon Relative Humidity less than 66.4%, Dry, or intermittent rain Weekly total rainfall less than 40.9 mm	

Weather Warning				
Rain	>50 mm/day	>100 mm/day		>50 mm/day
Duration of wet spell	>25 mm for 3 days	>50 mm for 4 days		20 mm for 4 days
Cloudy weather		Cloudy weather		Cloudy weather
High wind	>50 km/hr	>40 km/hr		>30 km/hr
Temperature	Minimum Temperature <10 ^o C	Minimum Temperature <10 ^o C		Minimum Temperature <10 ^o C


Crop Weather Calendar of Aman Rice: Faridpur Region (Districts: Faridpur, Rajbari, Madaripur, Shariatpur and Gopalganj) Bangladesh

Region: Faridpur	Aman Rice															Duration: 133 days				
Months	July				August				September				October				November			
Std.Week/Normal	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	
Rainfall (mm)	95.0	77.5	79.5	84.5	84.0	65.5	76.5	74.5	50.0	56.5	59.5	61.5	68.0	43.0	44.0	43.0	20.5	11.5	11.0	
Max. Temp. (°C)	31.9	32.0	31.7	32.0	32.0	32.1	32.0	32.1	32.2	32.2	32.1	32.4	32.2	32.4	32.4	32.0	31.5	30.9	30.4	
Min. Temp. (°C)	26.0	26.0	26.0	26.0	26.1	26.1	26.0	26.1	26.2	26.0	26.0	26.0	25.8	25.5	25.0	24.0	22.6	22.0	20.7	
Mean Temp. (°C)	29.0	29.0	28.8	29.0	29.0	29.1	29.0	29.1	29.2	29.1	29.0	29.2	29.0	28.9	28.7	28.0	27.1	26.4	25.5	
RHmax (%)	95.5	95.3	95.3	95.3	95.0	95.0	95.0	95.0	94.8	95.1	95.2	95.1	95.7	96.0	95.9	95.7	95.1	95.2	95.4	
RHMin (%)	76.8	76.3	77.0	75.7	75.3	74.7	75.1	74.9	73.3	74.0	72.9	72.0	71.0	69.3	66.2	63.0	58.6	57.6	55.5	
RHmean (%)	86.1	85.8	86.2	85.5	85.1	84.8	85.0	84.9	84.0	84.6	84.1	83.5	83.4	82.7	81.0	79.3	76.8	76.4	75.4	
SShr (hrs)	23.0	28.0	24.5	32.0	33.0	30.0	30.5	31.0	35.0	32.5	34.0	34.0	35.0	39.5	43.0	46.0	49.5	48.5	51.0	
WD (deg)	183	180	185	180	177	179	183	187	185	192	189	198	210	206	220	208	213	202	189	
WS(Km/hr)	5.5	4.7	5.6	5.6	5.6	4.6	4.9	5.1	4.7	4.6	4.6	4.0	4.2	3.7	3.1	2.9	3.1	2.8	2.8	
																				
	Seedbed			Transplanting			Tillering						Heading		Flowe ring	Grain Formation				Maturity to Harvesting
Favorable Weather Conditions																				
Temperature	At least 10 ⁰ C for germination																22-25 ⁰ C		23-27 ⁰ C	
Light Intensity							≤200% of normal													
Relative Humidity							High													
Soil Temperature							Above 16 ⁰ C													
Normal phase wise water requirement (mm)	76			120									190				145		100	


Congenial Weather Condition for Pests & Diseases							
Bacterial Leaf Blight	Temperature 28-30 ⁰ C, Relative Humidity 80-90%, Cloudiness, Rainfall >30mm						
Blast	Night temperature 16-20 ⁰ C, for 07 hours day temperature 25-30 ⁰ C, for 07 hours day night temperature >10 ⁰ C, Relative Humidity >90%, Cloudy						
Sheath rot						Temperatur e 25-28 ⁰ C, Cloudy weather, high Relative Humidity>90%	
Stem borer				Minimum Temperature > 20.3 ⁰ C, Maximum Temperature: 29.5-34.7 ⁰ C, Optimum temperature: 24-29 ⁰ C, Higher morning Relative Humidity > 84%, Afternoon Relative Humidity >38.7%, Dry weather			
Leaf roller				Maximum Temperature: 32-33 ⁰ C, Relative Humidity 92-95%			
Brown plant hopper				High temperature >32 ⁰ C, , high Relative Humidity:80-90%, drizzle, wet spell, rainfall less than 75 mm			
Rice bug						Higher maximum temperature >31.9 ⁰ C, Morning Relative Humidity > 93.9%, Bright Sunshine Hours> 5.9 hrs Lower Minimum temperature less than 22.1 ⁰ C, Afternoon Relative Humidity less than 66.4%, Dry, or intermittent rain Weekly total rainfall less than 40.9 mm	

Weather Warning				
Rain	>50 mm/day	>100 mm/day		>50 mm/day
Duration of wet spell	>25 mm for 3 days	>50 mm for 4 days		20 mm for 4 days
Cloudy weather		Cloudy weather		Cloudy weather
High wind	>50 km/hr	>40 km/hr		>30 km/hr
Temperature	Minimum Temperature <10 ° C	Minimum Temperature <10° C		Minimum Temperature <10 ° C


Crop Weather Calendar of Aman Rice: Jashore Region (Districts: Jashore, Kushtia, Chuadanga, Jhenaidah, Meherpur, Magura) Bangladesh

Region: Jashore		Aman Rice														Duration: 133 days							
Months	July		August				September				October				November				Dec				
Std.Week/Normal	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47				
Rainfall (mm)	83.5	73.0	63.5	56.0	68.0	48.5	50.5	52.5	68.0	59.0	69.5	44.5	33.0	26.5	20.0	9.0	8.0	7.5	1.0				
Max. Temp. (°C)	32.7	32.7	33.0	32.8	32.7	33.1	33.3	32.9	32.9	33.0	33.2	33.2	33.0	32.7	31.9	31.1	31.1	30.3	29.6				
Min. Temp. (°C)	26.2	26.2	26.0	26.2	26.0	26.1	26.0	26.0	26.0	26.0	25.3	25.1	24.4	23.4	21.6	20.7	19.4	18.0	16.7				
Mean Temp. (°C)	29.5	29.4	29.5	29.5	29.3	29.6	29.6	29.5	29.5	29.5	29.2	29.1	28.7	28.0	26.7	25.9	25.3	24.2	23.1				
RHmax (%)	96.1	96.1	96.0	96.2	96.5	96.2	96.2	96.4	96.6	96.3	96.6	96.5	96.5	96.5	96.1	95.9	95.9	95.7	95.7				
RHMin (%)	74.6	73.4	72.6	73.0	73.0	71.7	71.0	71.5	70.8	69.7	67.7	67.0	64.4	61.5	57.1	56.2	52.0	49.8	48.1				
RHmean (%)	85.3	84.7	84.3	84.6	84.7	83.9	83.6	83.9	83.7	83.0	82.1	81.7	80.4	79.0	76.6	76.0	74.0	72.8	71.9				
SShr (hrs)	25.0	29.5	32.5	30.0	28.0	30.5	32.5	31.5	33.0	32.5	38.5	40.0	43.5	47.0	49.0	45.5	48.5	49.5	47.5				
WD (deg)	180	177	172	175	175	185	171	180	186	187	195	195	198	187	182	153	175	177	179				
WS(Km/hr)	4.4	4.7	4.3	4.4	4.3	3.9	4.1	4.1	4.1	3.8	3.7	3.1	3.0	2.9	2.5	2.5	2.3	2.4	2.3				
																							
	Seedbed		Transplanting				Tillering						Heading		Flowe ring	Grain Formation		Maturity to Harvesting					
Favorable Weather Conditions																							
Temperature	At least 10 ⁰ C for germination															22-25 ⁰ C		23-27 ⁰ C					
Light Intensity								≤200% of normal															
Relative Humidity								High															
Soil Temperature								Above 16 ⁰ C															
Normal phase wise water requirement (mm)	76				120												190			145		100	
Congenial Weather Condition for Pests & Diseases																							
Bacterial Leaf Blight	Temperature 28-30 ⁰ C, Relative Humidity 80-90%, Cloudiness, Rainfall >30mm																						
Sheath Blight							Temperature 28-32 ⁰ C, high Relative Humidity, Cloudy weather																
Blast		Night temperature 16-20 ⁰ C, for 07 hours day temperature 25-30 ⁰ C, for 07 hours day night temperature >10 ⁰ C, Relative Humidity >90%, Cloudy																					
Sheath rot												Temperature 25-28 ⁰ C, Cloudy weather, high Relative Humidity>90%											
Stem borer							Minimum Temperature > 20.3 ⁰ C, Maximum Temperature: 29.5-34.7 ⁰ C, Optimum temperature: 24-29 ⁰ C, Higher morning Relative Humidity > 84%, Afternoon Relative Humidity >38.7%, Dry weather																
Leaf roller							Maximum Temperature: 32-33 ⁰ C, Relative Humidity 92-95%																
Brown plant hopper							High temperature >32 ⁰ C, , high Relative Humidity:80-90%, drizzle, wet spell, rainfall less than 75 mm																
Rice bug														Higher maximum temperature >31.9 ⁰ C, Morning Relative Humidity > 93.9%, Bright Sunshine Hours> 5.9 hrs Lower Minimum temperature less than 22.1 ⁰ C, Afternoon Relative Humidity less than 66.4%, Dry, or intermittent rain Weekly total rainfall less than 40.9 mm									
Gall midge							Higher maximum temperature >33.0 ⁰ C, Lower afternoon Relative Humidity less than 71%, Higher Sunshine hours >7.4 hours																
Weather Warning																							
Rain				>50 mm/day			>100 mm/day					>50 mm/day											
Duration of wet spell				>25 mm for 3 days			>50 mm for 4 days					20 mm for 4 days											
Cloudy weather							Cloudy weather					Cloudy weather											
High wind				>50 km/hr			>40 km/hr					>30 km/hr											
Temperature				Minimum Temperature <10 ⁰ C			Minimum Temperature <10 ⁰ C					Minimum Temperature <10 ⁰ C											

Crop Weather Calendar of Aman Rice: Khulna Region (Districts: Khulna, Satkhira, Bagerhat and Narail) Bangladesh

Region: Khulna	Aman Rice														Duration: 133 days						
Months	July	August				September				October				November				December			
Std.Week/Normal	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48		
Rainfall (mm)	76.5	79.5	69.0	76.5	63.0	60.5	66.0	65.0	59.5	76.5	41.0	38.5	31.5	26.5	9.5	13.0	8.0	3.0	3.5		
Max. Temp. (°C)	32.1	32.1	32.1	32.0	32.4	32.5	32.1	32.3	32.8	32.8	32.7	32.7	32.4	31.7	31.0	31.0	30.1	29.5	28.5		
Min. Temp. (°C)	26.1	26.0	26.4	26.1	26.4	26.2	26.0	26.0	26.0	25.8	25.5	25.0	24.2	22.5	21.5	20.6	19.3	18.0	16.3		
Mean Temp. (°C)	29.1	29.0	29.2	29.0	29.4	29.3	29.1	29.1	29.4	29.3	29.1	28.9	28.3	27.1	26.3	25.8	24.7	23.7	22.4		
RHmax (%)	95.8	95.6	95.6	96.1	96.0	95.9	96.2	96.5	96.7	96.7	96.8	96.5	96.2	96.3	96.0	95.6	95.9	95.8	95.5		
RHMin (%)	75.5	74.8	74.5	75.1	73.7	73.7	74.0	73.7	71.6	70.2	69.2	65.6	63.3	59.2	57.4	53.9	51.3	49.0	46.7		
RHmean (%)	85.6	85.2	85.0	85.6	84.8	84.8	85.1	85.1	84.1	83.4	83.0	81.1	79.8	77.8	76.7	74.7	73.6	72.4	71.1		
SShr (hrs)	29.0	30.0	29.5	31.0	32.5	31.5	32.0	34.5	36.0	38.0	41.5	47.5	49.5	52.5	48.5	53.5	52.5	53.5	53.0		
WD (deg)	179	170	172	170	178	172	173	181	188	190	189	203	193	184	173	176	189	197	197		
WS(Km/hr)	6.2	6.5	5.9	6.5	5.6	5.6	5.5	5.5	4.6	4.8	4.3	3.7	4.1	3.8	3.4	4.1	3.8	4.3	4.3		
																					
	Seedbed			Transplanting			Tillering						Heading		Flowe ring	Grain Formation		Maturity to Harvesting			
Favorable Weather Conditions																					
Temperature	At least 10 ⁰ C for germination															22-25 ⁰ C		23-27 ⁰ C			
Light Intensity							≤200% of normal														
Relative Humidity							High														
Soil Temperature							Above 16 ⁰ C														
Normal phase wise water requirement (mm)	76			120						190						145		100			
Congenial Weather Condition for Pests & Diseases																					
Bacterial Leaf Blight	Temperature 28-30 ⁰ C, Relative Humidity 80-90%, Cloudiness, Rainfall >30mm																				
Sheath Blight								Temperature 28-32 ⁰ C, high Relative Humidity, Cloudy weather													
Blast	Night temperature 16-20 ⁰ C, for 07 hours day temperature 25-30 ⁰ C, for 07 hours day night temperature >10 ⁰ C, Relative Humidity >90%, Cloudy																				
Sheath rot													Temperature 25-28 ⁰ C, Cloudy weather, high Relative Humidity>90%								
Brown spot				Temperature 28-30 ⁰ C, high Relative Humidity, Cloudy weather																	
Stem borer							Minimum Temperature > 20.3 ⁰ C, Maximum Temperature: 29.5-34.7 ⁰ C, Optimum temperature: 24-29 ⁰ C, Higher morning Relative Humidity > 84%, Afternoon Relative Humidity >38.7%, Dry weather														
Leaf roller							Maximum Temperature: 32-33 ⁰ C, Relative Humidity 92-95%														
Brown plant hopper							High temperature >32 ⁰ C, , high Relative Humidity:80-90%, drizzle, wet spell, rainfall less than 75 mm														
Rice bug															Higher maximum temperature >31.9 ⁰ C, Morning Relative Humidity > 93.9%, Bright Sunshine Hours> 5.9 hrs Lower Minimum temperature less than 22.1 ⁰ C, Afternoon Relative Humidity less than 66.4%, Dry, or intermittent rain Weekly total rainfall less than 40.9 mm						
Weather Warning																					
Rain				>50 mm/day			>100 mm/day						>50 mm/day								
Duration of wet spell				>25 mm for 3 days			>50 mm for 4 days						20 mm for 4 days								
Cloudy weather							Cloudy weather						Cloudy weather								
High wind				>50 km/hr			>40 km/hr						>30 km/hr								
Temperature				Minimum Temperature <10 ⁰ C			Minimum Temperature <10 ⁰ C						Minimum Temperature <10 ⁰ C								

Crop Weather Calendar of Aus Rice: Mymensingh Region (Districts: Mymensingh, Kishoregonj, Jamalpur, Netrokona, Sherpur) Bangladesh

Region: Mymensingh	Aman Rice															Duration: 133 days					
Months	July		August				September				October				November				Dec		
Std.Week/Normal	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47		
Rainfall (mm)	89.0	100.0	72.0	74.0	67.0	81.0	75.0	63.0	65.0	79.0	87.0	71.0	52.0	45.0	15.0	7.0	5.0	5.0	0.0		
Max. Temp. (°C)	31.3	31.1	32.0	32.0	32.0	32.0	32.0	31.4	31.7	31.9	31.7	32.0	31.7	31.6	31.1	30.9	30.3	30.0	28.9		
Min. Temp. (°C)	26.0	26.0	26.1	26.3	26.3	26.0	26.0	26.0	26.0	26.0	25.1	25.0	24.3	23.4	21.7	20.9	19.7	18.3	17.0		
Mean Temp. (°C)	28.7	28.6	29.1	29.2	29.2	29.0	29.0	28.7	28.9	29.0	28.4	28.5	28.0	27.5	26.4	25.9	25.0	24.2	23.0		
RHmax (%)	94.6	94.9	94.7	93.9	94.0	94.9	94.7	94.9	95.3	95.0	95.4	95.6	95.3	95.3	95.4	95.0	95.0	94.6	95.0		
RHMin (%)	76.6	76.4	74.6	74.6	74.9	75.9	75.0	75.9	74.1	74.1	74.0	72.6	70.3	66.7	62.7	61.0	58.4	55.9	53.0		
RHmean (%)	85.6	85.7	84.7	84.3	84.5	85.4	84.9	85.4	84.7	84.6	84.7	84.1	82.8	81.0	79.1	78.0	76.7	75.3	74.0		
SShr (hrs)	25.0	30.0	33.0	31.0	30.0	26.0	31.0	28.0	30.0	31.0	31.0	40.0	41.0	47.0	53.0	51.0	53.0	52.0	53.0		
WD (deg)	152	151	153	149	148	157	155	151	157	156	167	181	174	193	197	186	181	186	186		
WS(Km/hr)	7.2	6.1	6.1	6.1	6.1	5.7	6.1	5.6	5.6	5.4	4.4	4.3	3.9	3.7	3.7	3.7	3.9	3.7	3.7		
																					
	Seedbed		Transplanting				Tillering						Heading		Flowe ring	Grain Formation		Maturity to Harvesting			
Favorable Weather Conditions																					
Temperature	At least 10° C for germination																22-25° C		23-27° C		
Light Intensity							≤200% of normal														
Relative Humidity							High														
Soil Temperature							Above 16° C														
Normal phase wise water requirement (mm)	76						120						190				145		100		
Congenial Weather Condition for Pests & Diseases																					
Bacterial Leaf Blight	Temperature 28-30°C, Relative Humidity 80-90%, Cloudiness, Rainfall >30mm																				
Sheath Blight								Temperature 28-32°C, high Relative Humidity, Cloudy weather													
Blast	Night temperature 16-20°C, for 07 hours day temperature 25-30°C, for 07 hours day night temperature >10°C, Relative Humidity >90%, Cloudy																				
Sheath rot													Temperatur e 25-28°C, Cloudy weather, high Relative Humidity>90%								
Stem borer							Minimum Temperature > 20.3 °C, Maximum Temperature: 29.5-34.7°C, Optimum temperature: 24-29°C, Higher morning Relative Humidity > 84%, Afternoon Relative Humidity >38.7%, Dry weather														
Leaf roller							Maximum Temperature: 32-33°C, Relative Humidity 92-95%														
Rice bug															Higher maximum temperature >31.9°C, Morning Relative Humidity > 93.9%, Bright Sunshine Hours> 5.9 hrs Lower Minimum temperature less than 22.1°C, Afternoon Relative Humidity less than 66.4%, Dry, or intermittent rain Weekly total rainfall less than 40.9 mm						
Weather Warning																					
Rain				>50 mm/day			>100 mm/day						>50 mm/day								
Duration of wet spell				>25 mm for 3 days			>50 mm for 4 days						20 mm for 4 days								
Cloudy weather							Cloudy weather						Cloudy weather								
High wind				>50 km/hr			>40 km/hr						>30 km/hr								
Temperature				Minimum Temperature <10 ° C			Minimum Temperature <10° C						Minimum Temperature <10 ° C								


Crop Weather Calendar of Aman Rice: Rajshahi Region (Districts: Rajshahi, Chapainawabganj, Naogaon and Natore) Bangladesh

Region: Rajshahi	Aman Rice															Duration: 133 days			
Months	June			July				August				September				October			
Std.Week/Normal	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Rainfall (mm)	51.0	78.0	72.0	66.0	71.0	75.0	72.0	52.0	57.0	64.0	53.0	57.0	54.0	59.0	52.0	83.0	44.0	35.0	23.0
Max. Temp. (°C)	33.9	33.1	33.0	32.7	32.9	32.3	32.6	32.9	32.9	32.7	33.0	33.0	32.9	33.0	33.0	32.9	32.7	32.3	31.7
Min. Temp. (°C)	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.1	26.0	26.1	26.0	26.0	26.0	26.0	25.3	25.0	24.1	23.1
Mean Temp. (°C)	30.0	29.6	29.5	29.4	29.5	29.2	29.3	29.5	29.5	29.4	29.6	29.5	29.5	29.5	29.5	29.1	28.9	28.2	27.4
RHmax (%)	95.4	96.1	96.6	96.6	96.9	97.0	96.9	96.7	96.6	96.7	96.1	96.4	96.3	96.7	96.3	96.7	96.3	96.4	96.1
RHMin (%)	67.9	71.1	73.4	73.7	74.3	75.3	73.9	72.6	72.6	74.1	72.0	70.9	71.3	71.0	69.6	68.9	67.4	64.3	60.9
RHmean (%)	81.7	83.6	85.0	85.2	85.6	86.2	85.4	84.7	84.6	85.4	84.1	83.7	83.8	83.9	83.0	82.8	81.9	80.4	78.5
SShr (hrs)	35.0	31.0	31.0	30.0	30.0	30.0	34.0	34.0	36.0	33.0	34.0	40.0	35.0	38.0	40.0	43.0	46.0	47.0	53.0
WD (deg)	129	127	132	141	134	138	140	131	131	141	143	133	142	143	143	153	145	154	146
WS(Km/hr)	6.7	6.8	6.8	5.7	6.1	6.3	6.7	6.3	5.6	5.7	5.6	5.6	5.6	5.6	5.6	5.4	4.8	3.9	3.9
																			
	Seedbed			Transplanting				Tillering				Heading		Flowe ring	Grain Formation	Maturity to Harvesting			
Favorable Weather Conditions																			
Temperature	At least 10 ^o C for germination															22-25 ^o C		23-27 ^o C	
Light Intensity								≤200% of normal											
Relative Humidity								High											
Soil Temperature								Above 16 ^o C											
Normal phase wise water requirement (mm)	76			120								190				145		100	
Congenial Weather Condition for Pests & Diseases																			
Bacterial Leaf Blight	Temperature 28-30 ^o C, Relative Humidity 80-90%, Cloudiness, Rainfall >30mm																		
Sheath Blight							Temperature 28-32 ^o C, high Relative Humidity, Cloudy weather												
Blast		Night temperature 16-20 ^o C, for 07 hours day temperature 25-30 ^o C, for 07 hours day night temperature >10 ^o C, Relative Humidity >90%, Cloudy																	
Sheath rot												Temperature 25-28 ^o C, Cloudy weather, high Relative Humidity>90%							
Stem borer								Minimum Temperature > 20.3 ^o C, Maximum Temperature: 29.5-34.7 ^o C, Optimum temperature: 24-29 ^o C, Higher morning Relative Humidity > 84%, Afternoon Relative Humidity >38.7%, Dry weather											
Leaf roller								Maximum Temperature: 32-33 ^o C, Relative Humidity 92-95%											
Brown plant hopper								High temperature >32 ^o C, , high Relative Humidity:80-90%, drizzle, wet spell, rainfall less than 75 mm											
Rice bug														Higher maximum temperature >31.9 ^o C, Morning Relative Humidity > 93.9%, Bright Sunshine Hours> 5.9 hrs Lower Minimum temperature less than 22.1 ^o C, Afternoon Relative Humidity less than 66.4%, Dry, or intermittent rain Weekly total rainfall less than 40.9 mm					
Weather Warning																			
Rain				>50 mm/day				>100 mm/day				>50 mm/day							
Duration of wet spell				>25 mm for 3 days				>50 mm for 4 days				20 mm for 4 days							
Cloudy weather								Cloudy weather				Cloudy weather							
High wind				>50 km/hr				>40 km/hr				>30 km/hr							
Temperature				Minimum Temperature <10 ^o C				Minimum Temperature <10 ^o C				Minimum Temperature <10 ^o C							

Crop Weather Calendar of Aman Rice: Rangamati Region (Districts: Rangamati, Khagrachari and Bandarban) Bangladesh

Region: Rangamati	Aman Rice															Duration: 133 days					
Months	June			July				August				September				October					
Std.Week/Normal	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42		
Rainfall (mm)	134.0	125.0	101.0	90.0	110.0	144.0	124.0	116.0	86.0	87.0	106.0	100.0	71.0	58.0	53.0	50.0	53.0	30.0	39.0		
Max. Temp. (°C)	31.7	31.3	31.0	31.0	31.4	31.3	31.3	31.7	31.9	31.3	31.4	32.0	31.9	32.0	32.3	32.1	32.3	31.7	31.7		
Min. Temp. (°C)	25.0	25.0	25.0	25.0	25.0	25.0	24.9	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	24.9	24.3	24.0	23.9		
Mean Temp. (°C)	28.4	28.2	28.0	28.0	28.2	28.2	28.1	28.4	28.5	28.2	28.2	28.5	28.5	28.5	28.7	28.5	28.3	27.9	27.8		
RHmax (%)	94.0	93.7	93.7	93.4	93.4	93.9	93.9	94.3	93.9	93.4	94.3	94.0	93.7	94.0	94.6	94.0	94.0	94.4	94.3		
RHMin (%)	72.7	73.6	74.4	74.9	73.9	75.4	74.6	73.3	73.1	74.0	73.4	73.1	72.4	71.3	71.3	69.4	69.3	68.7	67.0		
RHmean (%)	83.4	83.7	84.1	84.2	83.7	84.7	84.3	83.8	83.5	83.7	83.9	83.6	83.1	82.7	83.0	81.7	81.7	81.6	80.7		
SShr (hrs)	30.0	29.0	28.0	24.0	26.0	24.0	30.0	32.0	32.0	31.0	34.0	36.0	34.0	38.0	36.0	41.0	44.0	42.0	49.0		
WD (deg)	186	179	184	179	184	185	186	189	190	187	187	187	192	188	193	195	195	211	204		
WS(Km/hr)	5.6	5.7	5.6	5.6	5.4	5.6	5.4	5.4	5.6	5.6	4.8	4.8	4.8	3.9	3.7	4.3	3.7	3.7	3.7		
																					
	Seedbed			Transplanting			Tillering						Heading		Flowe ring	Grain Formation	Maturity to Harvesting				
Favorable Weather Conditions																					
Temperature	At least 10° C for germination																22-25° C		23-27° C		
Light Intensity							≤200% of normal														
Relative Humidity							High														
Soil Temperature							Above 16° C														
Normal phase wise water requirement (mm)	76			120						190						145		100			
Congenial Weather Condition for Pests & Diseases																					
Bacterial Leaf Blight	Temperature 28-30°C, Relative Humidity 80-90%, Cloudiness, Rainfall >30mm																				
Sheath Blight									Temperature 28-32°C, high Relative Humidity, Cloudy weather												
Blast		Night temperature 16-20°C, for 07 hours day temperature 25-30°C, for 07 hours day night temperature >10°C, Relative Humidity >90%, Cloudy																			
Sheath rot												Temperature 25-28°C, Cloudy weather, high Relative Humidity>90%									
Stem borer							Minimum Temperature > 20.3 °C, Maximum Temperature: 29.5-34.7°C, Optimum temperature: 24-29°C, Higher morning Relative Humidity > 84%, Afternoon Relative Humidity >38.7%, Dry weather														
Leaf roller							Maximum Temperature: 32-33°C, Relative Humidity 92-95%														
Rice bug														Higher maximum temperature >31.9°C, Morning Relative Humidity > 93.9%, Bright Sunshine Hours> 5.9 hrs Lower Minimum temperature less than 22.1°C, Afternoon Relative Humidity less than 66.4%, Dry, or intermittent rain Weekly total rainfall less than 40.9 mm							
Weather Warning																					
Rain				>50 mm/day			>100 mm/day						>50 mm/day								
Duration of wet spell				>25 mm for 3 days			>50 mm for 4 days						20 mm for 4 days								
Cloudy weather							Cloudy weather						Cloudy weather								
High wind				>50 km/hr			>40 km/hr						>30 km/hr								
Temperature				Minimum Temperature <10 ° C			Minimum Temperature <10° C						Minimum Temperature <10 ° C								


Crop Weather Calendar of Aman Rice: Rangpur Region (Districts: Rangpur, Kurigram, Gaibandha, Nilphamari, Lalmonirhat) Bangladesh

Region: Rangpur	Aman Rice															Duration: 133 days			
Months	June			July				August				September				October			
Std.Week/Normal	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Rainfall (mm)	90.5	109.5	91.0	106.0	116.0	83.0	92.0	63.0	67.5	105.5	85.0	80.0	70.5	81.5	91.5	101.0	58.0	53.0	35.5
Max. Temp. (°C)	32.4	32.0	32.2	32.3	31.9	32.2	32.4	33.1	32.8	32.2	32.3	32.3	32.2	32.3	32.0	31.6	32.1	31.5	31.2
Min. Temp. (°C)	25.2	25.8	26.0	26.0	26.0	26.0	26.1	26.6	26.7	26.1	26.0	26.0	26.0	25.9	25.3	25.0	24.9	24.0	22.5
Mean Temp. (°C)	28.8	28.9	29.1	29.2	29.0	29.1	29.2	29.8	29.7	29.1	29.2	29.2	29.1	29.1	28.7	28.3	28.5	27.8	26.8
RHmax (%)	94.2	94.9	94.7	95.0	94.8	94.5	94.5	94.1	94.4	95.0	95.1	95.0	94.9	95.2	95.5	95.9	95.5	95.4	95.2
RHMin (%)	70.7	73.7	73.6	73.8	74.6	73.3	71.9	69.9	70.9	73.1	73.2	72.4	72.3	72.0	72.3	71.5	69.3	67.9	64.5
RHmean (%)	82.4	84.3	84.1	84.4	84.7	83.9	83.2	82.0	82.7	84.1	84.2	83.7	83.6	83.6	83.9	83.7	82.4	81.7	79.9
SShr (hrs)	31.5	27.0	28.0	27.0	30.5	30.0	34.0	39.0	36.5	32.5	32.0	35.5	35.5	35.5	33.5	36.5	42.5	46.0	51.5
WD (deg)	125	127	131	143	137	138	138	142	141	137	143	142	140	143	142	152	147	143	134
WS(Km/hr)	7.4	7.1	7.1	6.8	6.8	7.8	6.8	7.3	6.8	7.1	6.6	6.6	6.8	6.5	6.8	6.8	6.0	6.4	6.3
																			
	Seedbed			Transplanting				Tillering				Heading		Flowe ring	Grain Formation		Maturity to Harvesting		

Favorable Weather Conditions						
Temperature	At least 10 ^o C for germination				22-25 ^o C	23-27 ^o C
Light Intensity			≤200% of normal			
Relative Humidity			High			
Soil Temperature			Above 16 ^o C			
Normal phase wise water requirement (mm)	76	120		190	145	100

Congenial Weather Condition for Pests & Diseases						
Bacterial Leaf Blight	Temperature 28-30 ^o C, Relative Humidity 80-90%, Cloudiness, Rainfall >30mm					
Sheath Blight				Temperature 28-32 ^o C, high Relative Humidity, Cloudy weather		
Blast	Night temperature 16-20 ^o C, for 07 hours day temperature 25-30 ^o C, for 07 hours day night temperature >10 ^o C, Relative Humidity >90%, Cloudy					
Sheath rot				Temperature 25-28 ^o C, Cloudy weather, high Relative Humidity>90%		
Stem borer			Minimum Temperature > 20.3 ^o C, Maximum Temperature: 29.5-34.7 ^o C, Optimum temperature: 24-29 ^o C, Higher morning Relative Humidity > 84%, Afternoon Relative Humidity >38.7%, Dry weather			
Leaf roller			Maximum Temperature: 32-33 ^o C, Relative Humidity 92-95%			
Brown plant hopper			High temperature >32 ^o C, , high Relative Humidity:80-90%, drizzle, wet spell, rainfall less than 75 mm			
Rice bug					Higher maximum temperature >31.9 ^o C, Morning Relative Humidity > 93.9%, Bright Sunshine Hours> 5.9 hrs Lower Minimum temperature less than 22.1 ^o C, Afternoon Relative Humidity less than 66.4%, Dry, or intermittent rain Weekly total rainfall less than 40.9 mm	
Weather Warning						
Rain	>50 mm/day		>100 mm/day		>50 mm/day	
Duration of wet spell	>25 mm for 3 days		>50 mm for 4 days		20 mm for 4 days	
Cloudy weather			Cloudy weather		Cloudy weather	
High wind	>50 km/hr		>40 km/hr		>30 km/hr	
Temperature	Minimum Temperature <10 ^o C		Minimum Temperature <10 ^o C		Minimum Temperature <10 ^o C	

Crop Weather Calendar of Aman Rice: Sylhet Region (Districts: Sylhet, Moulvibazar, Sunamganj, Habiganj) Bangladesh

Region: Sylhet	Aman Rice															Duration: 133 days						
Months	July		August				September				October				November				Dec			
Std.Week/Normal	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47			
Rainfall (mm)	129.5	129.0	123.5	103.0	118.5	105.0	96.0	107.0	94.0	82.0	81.5	63.0	60.0	36.5	24.5	12.0	14.5	8.5	0.5			
Max. Temp. (°C)	31.8	32.2	32.3	32.8	32.2	32.2	32.5	32.2	32.2	32.2	31.7	31.9	31.7	31.6	31.4	30.9	30.1	29.6	29.0			
Min. Temp. (°C)	25.0	25.0	25.1	25.3	25.2	25.0	25.0	25.0	25.0	25.0	24.2	24.0	23.4	22.7	21.2	20.4	19.1	17.3	16.6			
Mean Temp. (°C)	28.4	28.6	28.7	29.0	28.7	28.6	28.8	28.6	28.6	28.6	27.9	27.9	27.5	27.2	26.3	25.7	24.6	23.5	22.8			
RHmax (%)	96.1	96.2	96.4	96.2	96.4	96.3	96.3	96.4	96.4	96.1	96.5	96.4	96.1	96.0	95.6	95.4	95.2	95.2	95.3			
RHMin (%)	74.2	72.6	72.4	70.9	72.8	73.0	72.4	72.3	71.7	71.4	71.8	71.2	68.7	66.5	63.1	61.9	59.2	56.2	54.4			
RHmean (%)	85.1	84.4	84.4	83.5	84.6	84.6	84.4	84.3	84.0	83.7	84.1	83.8	82.4	81.3	79.3	78.6	77.2	75.7	74.9			
SShr (hrs)	26.0	30.0	33.0	33.5	29.5	32.5	33.5	32.5	33.0	34.0	34.5	40.5	43.5	49.5	54.5	52.5	55.5	55.5	56.5			
WD (deg)	160	165	173	171	169	182	176	176	187	182	184	190	191	187	191	173	179	180	184			
WS(Km/hr)	6.2	6.7	6.4	5.9	5.6	5.6	5.3	5.2	4.7	5.0	4.8	4.6	4.7	4.6	4.5	4.7	4.5	4.3	4.6			
																						
	Seedbed		Transplanting				Tillering						Heading		Floweri ng	Grain Formation		Maturity to Harvesting				
Favorable Weather Conditions																						
Temperature	At least 10 ^o C for germination															22-25 ^o C		23-27 ^o C				
Light Intensity								≤200% of normal														
Relative Humidity								High														
Soil Temperature								Above 16 ^o C														
Normal phase wise water requirement (mm)	76				120						190				145		100					
Congenial Weather Condition for Pests & Diseases																						
Bacterial Leaf Blight	Temperature 28-30 ^o C, Relative Humidity 80-90%, Cloudiness, Rainfall >30mm																					
Sheath Blight							Temperature 28-32 ^o C, high Relative Humidity, Cloudy weather															
Blast	Night temperature 16-20 ^o C, for 07 hours day temperature 25-30 ^o C, for 07 hours day night temperature >10 ^o C, Relative Humidity >90%, Cloudy																					
Sheath rot													Temperature 25-28 ^o C, Cloudy weather, high Relative Humidity>90 %									
Stem borer							Minimum Temperature > 20.3 ^o C, Maximum Temperature: 29.5-34.7 ^o C, Optimum temperature: 24-29 ^o C, Higher morning Relative Humidity > 84%, Afternoon Relative Humidity >38.7%, Dry weather															
Leaf roller							Maximum Temperature: 32-33 ^o C, Relative Humidity 92-95%															
Rice bug															Higher maximum temperature >31.9 ^o C, Morning Relative Humidity > 93.9%, Bright Sunshine Hours> 5.9 hrs Lower Minimum temperature less than 22.1 ^o C, Afternoon Relative Humidity less than 66.4%, Dry, or intermittent rain Weekly total rainfall less than 40.9 mm							
Weather Warning																						
Rain				>50 mm/day			>100 mm/day						>50 mm/day									
Duration of wet spell				>25 mm for 3 days			>50 mm for 4 days						20 mm for 4 days									
Cloudy weather							Cloudy weather						Cloudy weather									
High wind				>50 km/hr			>40 km/hr						>30 km/hr									
Temperature				Minimum Temperature <10 ^o C			Minimum Temperature <10 ^o C						Minimum Temperature <10 ^o C									