


Crop Weather Calendar of Boro Rice: Barishal Region (Districts: Jhalakati, Patuakhali, Pirujpur, Barguna, Barishal, Bhola) Bangladesh

Region: Barishal	Boro Rice																			Duration: 150-155 days			
Months	November			December				January				February				March				April			
Std.Week/Normal	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Rainfall (mm)	9.0	6.0	7.0	1.7	4.0	1.3	0.7	1.3	1.0	1.0	1.7	2.7	3.7	5.0	8.0	5.7	5.3	6.0	14.3	18.0	18.0	21.7	25.0
Max. Temp. (°C)	29.6	29.3	28.3	27.8	27.0	26.2	25.7	25.1	25.2	25.8	26.2	27.0	27.8	28.9	29.7	30.7	31.7	32.7	33.0	32.9	33.3	33.7	33.5
Min. Temp. (°C)	19.6	18.4	16.7	15.6	14.9	14.0	13.1	12.6	12.5	12.7	12.5	14.0	14.6	16.2	16.9	18.3	19.5	20.5	22.1	22.8	23.7	24.0	24.6
Mean Temp. (°C)	24.8	23.9	22.5	21.7	21.0	20.1	19.4	18.9	18.9	19.2	19.4	20.5	21.2	22.5	23.3	24.5	25.6	26.6	27.6	27.9	28.5	28.8	29.1
RHmax (%)	97.8	97.8	97.8	98.0	97.9	98.2	98.2	98.0	97.8	97.6	97.6	97.3	97.1	97.0	97.0	96.7	97.1	96.7	96.5	96.5	96.6	96.4	96.0
RHMin (%)	56.6	53.7	51.8	50.6	50.9	50.7	50.3	50.1	49.3	48.5	45.2	46.2	44.8	46.2	45.1	44.9	45.2	45.3	50.7	54.4	58.0	59.8	61.9
RHmean (%)	77.2	75.8	74.8	74.3	74.4	74.4	74.3	74.1	73.6	73.1	71.4	71.7	70.9	71.6	71.0	70.8	71.2	71.0	73.6	75.4	77.3	78.1	78.9
SShr (hrs)	49.0	50.0	51.3	48.7	46.3	44.3	43.7	46.7	44.0	47.3	52.7	50.3	52.3	51.7	52.0	53.7	54.0	54.3	52.3	50.7	53.0	51.3	54.7
WD (deg)	232	217	212	225	223	212	212	209	211	204	216	217	211	214	211	214	226	218	210	198	200	198	197
WS(Km/hr)	2.7	3.3	3.6	3.1	3.4	3.3	3.9	4.5	4.4	4.5	4.3	5.0	4.6	4.9	4.9	5.1	5.2	5.4	6.3	6.7	6.9	7.0	7.5
																							
	Seedbed					Transplanting					Tillering					Heading		Flo wer ing		Grain filling		Maturity to Harvesting	

Favorable Weather Conditions						
Temperature	At least 10 ^o C for germination				22-25 ^o C	23-27 ^o C
Light Intensity			≤200% of normal			
Relative Humidity			High			
Soil Temperature			Above 16 ^o C			
Normal phase wise water requirement (mm)	76	120		190	145	100

Congenial Weather Condition for Pests & Diseases					
Bacterial Leaf Blight	Temperature 28-30° C, Relative Humidity 80-90%, Cloudiness, Rainfall >30 mm				
Sheath Blight			Temperature 28-32°C, high Relative Humidity, Cloudy weather		
Blast	Night temperature 16-20°C, for 7.30 hours day temperature 25-30°C, for 7.30 hours day night temperature >10°C Relative Humidity >90%, Cloudy				
Weather Warning					
Rain		>50 mm/day	>100 mm/day	>50 mm/day	
Duration of wet spell		>25 mm for 3 days	>50 mm for 4 days	20 mm for 4 days	
Cloudy weather			Cloudy weather	Cloudy weather	
High wind		>50 km/hr	>40 km/hr	>30 km/hr	
Temperature		Minimum Temperature <10° C	Minimum Temperature <10° C	Minimum Temperature <10° C	

Crop Weather Calendar of Boro Rice: Bogura Region (Districts: Bogura, Joypurhat, Pabna, Siraiganj) **Bangladesh**

Region: Bogura	Boro Rice																		Duration: 150-155 days				
Months	December		January				February				March				April				May				
Std.Week/Normal	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Rainfall (mm)	0.0	4.0	0.0	2.0	2.0	1.0	1.0	1.0	4.0	3.0	5.0	2.0	4.0	3.0	8.0	8.0	12.0	26.0	28.0	37.0	42.0	45.0	58.0
Max. Temp. (°C)	25.0	25.7	24.0	24.0	24.3	25.4	25.9	26.9	27.7	28.6	29.3	30.9	31.9	32.9	32.9	33.9	34.3	34.0	33.6	33.1	33.6	33.4	33.3
Min. Temp. (°C)	12.0	13.4	12.0	11.4	11.4	12.0	12.9	13.6	14.6	15.4	16.4	17.4	18.3	20.0	21.1	22.3	23.0	23.0	23.1	23.3	23.9	24.3	24.6
Mean Temp. (°C)	18.7	19.6	18.1	17.7	17.9	18.7	19.4	20.3	21.2	22.0	22.9	24.2	25.1	26.5	27.0	28.1	28.7	28.5	28.4	28.2	28.8	28.9	29.0
RHmax (%)	94.3	94.6	94.1	94.3	94.3	93.9	93.1	92.1	91.4	90.4	88.7	89.1	86.4	86.3	87.7	88.0	88.3	90.6	90.9	92.4	92.4	92.7	93.0
RHMin (%)	50.6	50.0	50.9	49.0	47.7	46.0	44.9	41.4	40.3	39.1	38.0	36.9	37.1	39.1	45.3	44.4	45.9	50.7	54.9	57.3	58.7	60.0	63.4
RHmean (%)	72.5	72.3	72.5	71.7	71.0	70.0	69.0	66.8	65.9	64.8	63.4	63.0	61.8	62.7	66.5	66.2	67.1	70.7	72.9	74.9	75.6	76.4	78.2
SShr (hrs)	49.0	46.0	44.0	44.0	46.0	50.0	50.0	52.0	53.0	56.0	60.0	59.0	61.0	58.0	56.0	56.0	56.0	55.0	52.0	48.0	50.0	49.0	46.0
WD (deg)	249	248	258	247	239	252	249	233	234	229	235	230	225	205	176	173	164	149	134	127	126	126	121
WS(Km/hr)	3.7	3.7	4.3	5.4	4.8	5.0	5.4	5.6	5.6	6.7	5.7	6.3	6.7	6.7	6.8	6.7	6.3	6.8	7.4	7.2	7.4	6.7	6.3
																							
	Seedbed					Transplanting				Tillering						Heading		Flow erin g	Grain filling		Maturity to Harvesting		

Favorable Weather Conditions						
Temperature	At least 10° C for germination				22-25° C	23-27° C
Light Intensity			≤200% of normal			
Relative Humidity			High			
Soil Temperature			Above 16°C			
Normal phase wise water requirement (mm)	76	120		190	145	100

Congential Weather Condition for Pests & Diseases					
Bacterial Leaf Blight	Temperature 28-30° C, Relative Humidity 80-90%, Cloudiness, Rainfall >30mm				
Sheath Blight			Temperature 28-32° C, high Relative Humidity, Cloudy weather		
Blast	Night temperature 16-20°C, for 8.30 hours day temperature 25-30°C, for 8.30 hours day night temperature >10°C Relative Humidity >90%, Cloudy				
Weather Warning					
Rain		>50 mm/day	>100 mm/day	>50 mm/day	
Duration of wet spell		>25 mm for 3 days	>50 mm for 4 days	20 mm for 4 days	
Cloudy weather			Cloudy weather	Cloudy weather	
High wind		>50 km/hr	>40 km/hr	>30 km/hr	
Temperature		Minimum Temperature <10° C	Minimum Temperature <10° C	Minimum Temperature <10° C	

Crop Weather Calendar of Boro Rice: Chattogram Region (Districts: Chattogram, Lakshmipur, Coxsbazar, Noakhali and Feni) Bangladesh

Region: Chattogram	Boro Rice																			Duration: 150-155 days			
Months	November			December				January				February				March				April			
Std.Week/Normal	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Rainfall (mm)	14.3	9.0	11.7	1.0	4.0	2.3	2.0	0.3	0.7	0.7	1.3	2.0	1.3	2.3	8.3	4.7	5.3	6.3	13.3	21.3	21.3	27.0	34.3
Max. Temp. (°C)	30.5	29.9	29.0	28.6	27.8	26.9	26.6	26.5	26.1	26.6	26.9	27.7	28.7	29.3	29.8	30.6	31.2	32.0	32.0	31.8	32.1	32.6	32.7
Min. Temp. (°C)	20.2	19.2	18.0	17.0	16.3	15.3	14.9	14.1	13.9	14.1	14.1	14.9	15.8	16.9	17.6	18.8	19.8	20.7	21.8	22.7	23.5	24.0	24.4
Mean Temp. (°C)	25.3	24.6	23.5	22.8	22.1	21.1	20.8	20.3	20.0	20.4	20.5	21.3	22.2	23.1	23.7	24.7	25.5	26.3	26.9	27.2	27.8	28.3	28.6
RHmax (%)	94.4	94.1	94.5	94.4	94.2	94.4	94.1	93.8	93.1	92.9	91.6	91.0	90.6	90.4	91.0	90.8	91.1	91.3	93.0	93.0	93.3	92.9	93.6
RHMin (%)	55.4	52.0	50.8	49.5	50.0	50.3	49.1	48.2	47.1	44.9	42.3	43.6	41.2	43.3	43.9	44.8	46.6	47.4	54.0	58.2	60.1	60.5	61.6
RHmean (%)	74.9	73.1	72.6	71.9	72.1	72.3	71.6	71.0	70.1	68.9	67.0	67.3	65.9	66.8	67.5	67.8	68.8	69.4	73.5	75.6	76.7	76.7	77.1
SShr (hrs)	55.5	56.5	55.5	54.8	52.8	50.8	51.3	53.3	50.8	53.8	56.5	56.3	57.8	57.5	58.5	60.3	59.3	56.8	57.0	52.8	56.0	56.0	54.8
WD (deg)	199	203	196	204	196	199	207	200	193	203	203	201	203	208	214	221	215	223	218	207	209	205	205
WS(Km/hr)	5.6	6.1	5.9	5.1	5.7	5.8	6.2	6.6	6.9	6.8	7.0	7.1	7.3	7.7	7.9	8.6	8.7	8.9	9.4	9.7	10.0	11.1	10.6
																							
	Seedbed					Transplanting			Tillering						Heading		Flo wer ing		Grain filling		Maturity to Harvesting		

Favorable Weather Conditions						
Temperature	At least 10 ^o C for germination				22-25 ^o C	23-27 ^o C
Light Intensity				≤200% of normal		
Relative Humidity				High		
Soil Temperature				Above 16 ^o C		
Normal phase wise water requirement (mm)	76	120			190	145
						100

Congenial Weather Condition for Pests & Diseases			
Bacterial Leaf Blight	Temperature 28-30° C, Relative Humidity 80-90%, Cloudiness, Rainfall >30mm		
Sheath Blight		Temperature 28-32° C, high Relative Humidity, Cloudy weather	
Blast	Night temperature 16-20°C, for 8.30 hours day temperature 25-30° C, for 8.30 hours day night temperature >10°C Relative Humidity >90%, Cloudy		

Weather Warning				
Rain		>50 mm/day	>100 mm/day	>50 mm/day
Duration of wet spell		>25 mm for 3 days	>50 mm for 4 days	20 mm for 4 days
Cloudy weather			Cloudy weather	Cloudy weather
High wind		>50 km/hr	>40 km/hr	>30 km/hr
Temperature		Minimum Temperature <10° C	Minimum Temperature <10° C	Minimum Temperature <10° C

Crop Weather Calendar of Boro Rice: Cumilla Region (Districts: Cumilla, Chandpur, Bramanbaria) Bangladesh


Region: Cumilla	Boro Rice																			Duration: 150-155 days			
Months	October			November				December				January				February				March			
Std.Week/Normal	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12
Rainfall (mm)	30.5	16.0	11.5	18.0	8.5	4.0	2.5	0.0	4.5	1.0	1.5	0.0	0.0	0.0	1.5	3.0	3.0	6.0	7.5	4.5	7.0	9.0	19.0
Max. Temp. (°C)	31.8	31.2	31.0	30.5	29.8	29.0	28.2	27.7	26.5	25.8	25.4	24.7	24.5	25.0	25.4	16.2	27.3	28.1	29.1	29.8	30.9	32.0	32.2
Min. Temp. (°C)	24.3	22.8	21.8	21.0	19.3	18.1	16.9	15.8	15.0	14.2	13.4	13.0	12.7	12.7	12.6	14.2	14.5	16.2	16.7	18.1	19.2	19.9	21.5
Mean Temp. (°C)	28.0	27.0	26.4	25.7	24.6	23.5	22.5	21.7	20.8	20.0	19.4	18.8	18.6	18.9	19.0	20.2	20.9	22.1	22.9	23.9	25.0	25.9	26.8
RHmax (%)	95.5	95.2	95.3	95.6	95.3	95.4	95.8	95.8	96.2	96.0	96.0	96.0	95.5	95.3	94.4	94.6	94.4	93.9	94.1	93.9	93.9	93.5	93.7
RHMin (%)	65.8	61.9	60.6	58.2	54.8	52.6	52.2	50.6	51.9	52.1	51.3	51.8	51.2	49.1	46.4	47.7	45.2	46.8	46.1	46.8	47.4	47.7	52.6
RHmean (%)	80.6	78.5	77.9	76.9	75.0	74.0	74.0	73.2	74.1	74.1	73.6	73.9	73.4	72.2	70.4	71.1	69.8	70.3	70.1	70.3	70.6	70.6	73.1
SShr (hrs)	44.5	50.5	47.0	49.5	50.0	50.5	48.5	47.5	42.5	40.5	40.0	40.0	37.0	43.5	47.0	47.0	50.0	49.5	50.5	52.5	52.5	52.5	51.0
WD (deg)	201	187	202	183	184	190	195	206	192	211	213	205	209	218	212	203	214	206	214	215	216	211	199
WS(Km/hr)	4.3	4.0	3.5	3.7	3.7	3.5	3.3	3.3	4.0	3.5	3.8	4.0	4.2	4.6	4.4	4.6	4.6	4.6	4.6	4.6	4.8	5.5	5.6
																							
	Seedbed					Transplanting			Tillering						Heading		Flow erin g		Grain filling		Maturity to Harvesting		

Favorable Weather Conditions						
Temperature	At least 10° C for germination					
Light Intensity					22-25° C	
Relative Humidity					23-27° C	
Soil Temperature						
Normal phase wise water requirement (mm)	76		120		190	
					145	
					100	

Congenial Weather Condition for Pests & Diseases			
Bacterial Leaf Blight	Temperature 28-30° C, Relative Humidity 80-90%, Cloudiness, Rainfall >30mm		
Sheath Blight	Temperature 28-32° C, high Relative Humidity, Cloudy weather		
Blast	Night temperature 16-20°C, for 8.30 hours day temperature 25-30°C, for 8.30 hours day night temperature >10°C Relative Humidity >90%, Cloudy		

Weather Warning					
Rain	>50 mm/day		>100 mm/day		>50 mm/day
Duration of wet spell	>25 mm for 3 days		>50 mm for 4 days		20 mm for 4 days
Cloudy weather			Cloudy weather		Cloudy weather
High wind	>50 km/hr		>40 km/hr		>30 km/hr
Temperature	Minimum Temperature <10° C		Minimum Temperature <10° C		Minimum Temperature <10° C

Crop Weather Calendar of Boro Rice: Dhaka Region (Districts: Dhaka, Tangail, Gazipur, Narsingdi, Narayanganj, Munshiganj, Manikgonj) Bangladesh

Region: Dhaka	Boro Rice																			Duration: 150-155 days				
Months	October		November				December				January				February				March					
Std.Week/Normal	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	
Rainfall (mm)	26.0	12.5	10.0	6.0	1.5	4.5	1.5	4.5	1.0	3.5	1.0	0.0	0.0	0.5	3.5	3.5	2.5	12.0	3.5	4.0	9.5	13.5	20.5	
Max. Temp. (°C)	31.5	30.9	30.6	29.8	29.0	28.3	27.6	26.2	25.5	24.8	24.0	23.9	24.5	25.0	26.2	27.2	28.3	28.9	30.0	31.5	32.3	33.4	33.2	
Min. Temp. (°C)	22.3	21.5	20.5	18.7	17.7	16.1	15.5	14.7	13.5	12.9	12.4	12.0	12.0	12.1	13.6	14.3	15.5	16.5	17.5	18.6	19.8	19.8	21.8	
Mean Temp. (°C)	26.9	26.2	25.5	24.3	23.3	22.2	21.5	20.5	19.5	18.8	18.2	17.9	18.3	18.6	19.9	20.7	21.9	22.7	23.7	25.0	26.1	26.1	27.5	
RHmax (%)	94.8	94.5	95.0	94.7	94.6	94.3	94.8	95.3	95.1	95.0	94.6	94.3	93.8	93.4	92.4	92.1	91.7	91.1	90.0	89.9	89.2	89.6	90.3	
RHMin (%)	55.5	54.6	51.5	49.3	47.5	46.3	47.6	49.4	49.8	49.1	50.3	48.8	46.2	43.3	42.3	39.4	39.7	38.9	36.0	35.5	35.9	38.9	44.5	
RHmean (%)	75.2	74.6	73.2	72.0	71.0	70.3	71.2	72.3	72.5	72.1	72.4	71.6	70.0	68.3	67.3	65.7	65.7	65.0	63.0	62.7	62.5	64.3	67.4	
SShr (hrs)	54.0	49.5	51.5	51.5	52.0	51.5	48.5	46.5	44.5	44.5	42.5	42.5	45.0	49.0	49.5	51.5	53.0	54.5	56.0	55.0	58.0	55.5	52.5	
WD (deg)	190	190	189	199	212	211	219	224	225	233	238	238	232	242	241	236	234	228	234	230	223	206	188	
WS(Km/hr)	3.8	3.7	3.7	3.7	3.7	3.6	3.7	3.7	3.7	3.7	4.1	4.0	4.1	4.3	4.3	4.5	5.0	5.3	5.0	5.4	5.7	6.2	6.5	
																								
	Seedbed					Transplanting				Tillering					Heading		Flow erin g	Grain filling		Maturity to Harvesting				

Favorable Weather Conditions						
Temperature	At least 10 ⁰ C for germination				22-25° C	23-27° C
Light Intensity			≤200% of normal			
Relative Humidity			High			
Soil Temperature			Above 16 ⁰ C			
Normal phase wise water requirement (mm)	76	120		190	145	100

Congenial Weather Condition for Pests & Diseases			
Bacterial Leaf Blight	Temperature 28-30° C, Relative Humidity 80-90%, Cloudiness, Rainfall >30mm		
Sheath Blight	Temperature 28-32° C, high Relative Humidity, Cloudy weather		
Blast	Night temperature 16-20°C, for 8.30 hours day temperature 25-30°C, for 8.30 hours day night temperature >10°C Relative Humidity >90%, Cloudy		

Weather Warning					
Rain	>50 mm/day		>100 mm/day		>50 mm/day
Duration of wet spell	>25 mm for 3 days		>50 mm for 4 days		20 mm for 4 days
Cloudy weather			Cloudy weather		Cloudy weather
High wind	>50 km/hr		>40 km/hr		>30 km/hr
Temperature	Minimum Temperature <10° C		Minimum Temperature <10° C		Minimum Temperature <10° C

Crop Weather Calendar of Boro Rice: Dinajpur Region (Districts: Dinajpur, Thakurgaon and Panchaghar) Bangladesh


Region: Dinajpur	Boro Rice																		Duration: 150-155 days				
Months	November			December				January				February				March				April			
Std.Week/Normal	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Rainfall (mm)	0.0	0.0	0.0	0.0	3.0	0.0	4.0	2.0	2.0	3.0	2.0	1.0	2.0	3.0	1.0	1.0	1.0	4.0	2.0	7.0	8.0	8.0	25.0
Max. Temp. (°C)	29.0	28.7	28.0	27.0	25.4	24.9	23.9	22.6	22.4	23.0	23.7	25.0	25.9	26.7	27.7	28.6	30.1	31.1	32.0	32.1	33.0	33.4	33.0
Min. Temp. (°C)	16.9	15.6	14.0	13.3	12.9	12.0	10.9	10.7	10.3	10.0	10.6	11.1	12.1	13.6	14.1	15.0	16.1	17.1	18.6	19.7	20.4	21.1	22.0
Mean Temp. (°C)	23.0	22.2	21.0	20.2	19.2	18.5	17.4	16.7	16.4	16.5	17.2	18.1	19.0	20.2	20.9	21.8	23.1	24.1	25.3	25.9	26.7	27.3	27.5
RHmax (%)	95.9	95.3	95.6	96.1	96.4	96.3	96.6	96.7	96.3	96.4	95.9	94.7	94.0	93.4	92.0	90.6	88.9	87.6	86.0	87.1	86.6	87.4	89.4
RHMin (%)	51.6	48.1	47.6	49.0	52.9	52.7	54.0	55.1	53.7	52.4	50.4	47.7	43.1	42.4	40.9	38.4	35.3	35.1	36.4	43.3	40.9	43.4	50.9
RHmean (%)	73.7	71.7	71.6	72.5	74.6	74.5	75.3	75.9	75.0	74.4	73.1	71.2	68.5	67.9	66.4	64.5	62.1	61.3	61.2	65.2	63.7	65.4	70.1
SShr (hrs)	52.0	54.0	53.0	48.0	42.0	41.0	37.0	34.0	34.0	37.0	41.0	44.0	46.0	52.0	54.0	57.0	59.0	59.0	55.0	49.0	52.0	55.0	49.0
WD (deg)	154	164	177	183	193	200	213	225	238	243	227	241	225	230	225	228	230	212	192	170	171	150	142
WS(Km/hr)	3.7	3.7	3.5	2.6	3.7	2.9	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.8	4.2	5.3	5.5	4.9	5.5	4.8	4.8
																							
	Seedbed			Transplanting				Tillering				Heading		Flow erin g	Grain filling		Maturity to Harvesting						

Favorable Weather Conditions						
Temperature	At least 10 ⁰ C for germination					
Light Intensity					≤200% of normal	
Relative Humidity					High	
Soil Temperature					Above 16 ⁰ C	
Normal phase wise water requirement (mm)	76		120		190	145
					100	

Congenial Weather Condition for Pests & Diseases			
Bacterial Leaf Blight	Temperature 28-30° C, Relative Humidity 80-90%, Cloudiness, Rainfall >30mm		
Sheath Blight	Temperature 28-32° C, high Relative Humidity, Cloudy weather		
Blast	Night temperature 16-20°C, for 8.30 hours day temperature 25-30°C, for 8.30 hours day night temperature >10°C Relative Humidity >90%, Cloudy		

Weather Warning				
Rain	>50 mm/day		>100 mm/day	>50 mm/day
Duration of wet spell	>25 mm for 3 days		>50 mm for 4 days	20 mm for 4 days
Cloudy weather			Cloudy weather	Cloudy weather
High wind	>50 km/hr		>40 km/hr	>30 km/hr
Temperature	Minimum Temperature <10° C		Minimum Temperature <10° C	Minimum Temperature <10° C

Crop Weather Calendar of Boro Rice: Faridpur Region (Districts: Faridpur, Rajbari, Madaripur, Shariatpur and Gopalganj) Bangladesh


Region: Faripur	Boro Rice																			Duration: 150-155 days			
Months	October			November				December				January				February				March			
Std.Week/Normal	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11
Rainfall (mm)	44.0	43.0	20.5	11.5	11.0	8.0	3.0	4.5	0.5	3.5	0.5	2.0	0.5	0.5	0.5	1.5	3.5	5.5	5.0	7.5	5.0	6.5	7.0
Max. Temp. (°C)	32.4	32.0	31.5	30.9	30.4	29.7	29.2	28.0	27.5	26.5	25.5	25.1	24.3	24.4	24.8	25.4	26.5	27.4	28.5	29.5	30.7	31.8	32.9
Min. Temp. (°C)	25.0	24.0	22.6	22.0	20.7	19.1	18.2	16.4	15.2	14.7	13.7	12.9	12.2	12.0	12.1	12.1	13.1	13.9	15.5	16.0	17.3	18.5	19.5
Mean Temp. (°C)	28.7	28.0	27.1	26.4	25.5	24.4	23.7	22.2	21.3	20.6	19.6	19.0	18.3	18.2	18.4	18.7	19.8	20.7	22.0	22.7	24.0	25.1	26.2
RHmax (%)	95.9	95.7	95.1	95.2	95.4	95.5	95.8	95.6	95.6	96.1	96.2	96.0	95.7	95.4	95.5	95.2	94.7	94.7	64.1	93.8	93.4	92.7	92.4
RHMin (%)	66.2	63.0	58.6	57.6	55.5	53.2	51.2	49.9	50.5	51.4	51.3	51.0	52.2	50.9	48.9	46.3	46.2	43.3	43.3	41.5	39.5	38.8	38.4
RHmean (%)	81.0	79.3	76.8	76.4	75.4	74.3	73.5	72.7	73.0	73.7	73.7	73.5	73.9	73.1	72.2	70.7	70.4	69.0	68.7	67.7	66.4	65.7	65.4
SShr (hrs)	43.0	46.0	49.5	48.5	51.0	49.5	50.5	51.0	47.0	44.5	40.5	43.0	41.5	39.5	44.5	50.0	49.0	52.0	52.0	53.0	54.5	53.0	54.5
WD (deg)	220	208	213	202	189	202	201	199	201	197	196	183	191	191	210	204	205	203	214	217	222	230	230
WS(Km/hr)	3.1	2.9	3.1	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.9	3.1	3.4	3.6	3.3	3.4	3.4	3.1	4.0	4.3	4.5	4.5	4.5
																							
	Seedbed					Transplanting					Tillering					Heading		Flo wer ing		Grain filling		Maturity to Harvesting	

Favorable Weather Conditions						
Temperature	At least 10° C for germination					
Light Intensity						
Relative Humidity						
Soil Temperature						
Normal phase wise water requirement (mm)	76		120		190	
					145	
					100	

Congenial Weather Condition for Pests & Diseases			
Bacterial Leaf Blight	Temperature 28-30° C, Relative Humidity 80-90%, Cloudiness, Rainfall >30 mm		
Sheath Blight	Temperature 28-32° C, high Relative Humidity, Cloudy weather		
Blast	Night temperature 16-20° C, for 7.30 hours day temperature 25-30° C, for 7.30 hours day night temperature >10° C Relative Humidity >90%, Cloudy		

Weather Warning				
Rain	>50 mm/day		>100 mm/day	
Duration of wet spell	>25 mm for 3 days		>50 mm for 4 days	
Cloudy weather			Cloudy weather	
High wind	>50 km/hr		>40 km/hr	
Temperature	Minimum Temperature <10° C		Minimum Temperature <10° C	

Crop Weather Calendar of Boro Rice: Jashore Region (Districts: Jashore, Kushtia, Chuadanga, Jhenaidah, Meherpur, Magura) Bangladesh

Region: Jashore	Boro Rice																			Duration: 150-155 days			
Months	January			February				March				April				May				June			
Std.Week/Normal	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
Rainfall (mm)	2.5	3.0	6.5	5.0	4.5	8.0	4.0	2.5	4.5	11.5	12.0	11.5	7.0	12.5	21.5	28.5	30.5	36.0	44.5	38.5	49.5	54.5	81.0
Max. Temp. (°C)	25.1	25.6	26.6	27.8	28.9	30.0	31.0	32.4	33.6	34.7	34.6	35.5	36.1	36.5	36.3	36.0	36.0	35.9	35.5	35.6	35.3	34.0	33.3
Min. Temp. (°C)	11.0	10.8	12.0	13.3	14.7	15.6	16.4	17.7	19.0	20.8	21.8	22.8	23.5	24.1	24.2	24.2	25.2	25.0	25.5	26.0	26.2	26.2	26.1
Mean Temp. (°C)	18.0	18.2	19.3	20.5	21.8	22.8	23.7	25.0	26.3	27.7	28.2	29.2	29.8	30.3	30.3	30.1	30.6	30.4	30.5	30.8	30.7	30.1	29.7
RHmax (%)	95.3	94.9	94.9	94.2	94.0	93.7	93.2	92.5	92.1	92.1	92.4	92.4	92.9	92.4	92.3	92.8	92.7	93.1	93.6	94.0	94.1	94.8	95.7
RHMin (%)	47.0	44.7	44.2	42.2	41.0	39.3	36.5	35.4	34.9	36.7	42.0	41.5	41.6	44.3	46.9	49.9	51.7	54.8	58.7	60.0	62.1	67.5	71.7
RHmean (%)	71.2	69.8	69.5	68.2	67.5	66.5	64.9	63.9	63.9	64.4	67.2	66.9	67.2	68.3	69.6	71.3	72.2	74.0	76.1	77.0	78.1	81.1	83.7
SShr (hrs)	44.5	48.0	48.5	49.5	50.0	54.5	55.0	54.0	55.0	53.0	51.5	55.5	54.5	54.5	55.5	54.0	51.5	52.5	46.5	45.5	41.5	32.0	26.5
WD (deg)	188	192	186	191	203	214	219	213	230	212	208	209	204	193	188	186	186	180	181	180	183	174	175
WS(Km/hr)	3.0	3.0	3.2	3.1	3.3	3.7	3.5	3.9	4.1	4.4	4.7	5.1	5.2	5.7	5.6	5.6	5.8	5.2	5.2	5.0	4.6	4.9	4.6
																							
	Seedbed			Transplanting				Tillering				Heading		Flow erin g		Grain filling						Maturity to Harvesting	

Favorable Weather Conditions						
Temperature	At least 10 ^o C for germination					22-25 ^o C
Light Intensity					≤200% of normal	
Relative Humidity					High	
Soil Temperature					Above 16 ^o C	
Normal phase wise water requirement (mm)	76		120			190
						145
						100

Congenial Weather Condition for Pests & Diseases						
Bacterial Leaf Blight	Temperature 28-30°C, Relative Humidity 80-90%, Cloudiness, Rainfall >30mm					
Sheath Blight			Temperature 28-32° C, high Relative Humidity, Cloudy weather			
Blast	Night temperature 16-20°C, for 8.30 hours day temperature 25-30°C, for 8.30 hours day night temperature >10°C Relative Humidity >90%, Cloudy					
Weather Warning						
Rain		>50 mm/day	>100 mm/day	>50 mm/day		
Duration of wet spell		>25 mm for 3 days	>50 mm for 4 days	20 mm for 4 days		
Cloudy weather			Cloudy weather	Cloudy weather		
High wind		>50 km/hr	>40 km/hr	>30 km/hr		
Temperature		Minimum Temperature <10° C	Minimum Temperature <10° C	Minimum Temperature <10° C		

Crop Weather Calendar of Boro Rice: Khulna Region (Districts: Khulna, Satkhira, Bagerhat and Narail) Bangladesh

Region: Khulna	Boro Rice																			Duration: 150-155 days			
Months	January			February				March				April				May				June			
Std.Week/Normal	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
Rainfall (mm)	0.0	3.5	5.5	6.5	5.0	13.5	6.5	2.5	6.5	13.5	16.0	12.5	12.5	17.5	25.0	31.5	32.5	37.0	47.5	50.0	52.0	77.5	79.0
Max. Temp. (°C)	25.8	26.2	27.0	27.7	29.0	30.1	31.0	32.4	33.4	34.1	34.0	35.0	35.2	35.2	35.2	35.1	35.2	35.3	35.1	35.0	34.7	33.4	32.7
Min. Temp. (°C)	12.7	12.4	13.9	14.5	16.2	17.0	18.1	19.4	20.4	22.0	22.7	24.0	24.3	24.9	25.0	25.0	25.3	25.8	26.0	26.4	26.8	26.2	26.3
Mean Temp. (°C)	19.2	19.3	20.4	21.1	22.6	23.6	24.5	25.9	26.9	28.1	28.4	29.5	29.8	30.1	30.1	30.0	30.2	30.6	30.5	30.7	30.7	29.8	29.5
RHmax (%)	94.9	94.9	95.1	94.5	94.3	94.3	93.7	93.7	93.5	94.5	94.1	94.3	93.7	93.3	93.2	93.0	93.1	93.4	93.7	93.9	94.2	95.1	95.7
RHMin (%)	46.8	44.3	44.9	43.4	43.9	41.8	40.7	40.7	40.2	44.2	47.3	48.8	49.2	52.4	53.7	55.3	57.4	57.9	60.7	62.0	64.9	70.2	73.3
RHmean (%)	70.8	69.6	70.0	69.0	69.1	68.0	67.2	67.2	66.8	69.3	70.7	71.5	71.4	72.8	73.4	74.1	75.2	75.7	77.2	77.9	79.5	82.6	84.5
SShr (hrs)	49.5	53.0	52.5	53.5	55.5	55.5	57.5	57.5	59.0	57.0	56.5	59.0	60.0	61.5	58.0	59.5	56.5	55.0	47.0	50.0	41.5	29.5	23.5
WD (deg)	198	198	190	193	209	218	222	227	233	204	203	202	196	192	186	186	183	177	180	184	178	170	175
WS(Km/hr)	4.3	4.6	4.9	5.0	4.8	5.0	4.9	5.2	5.6	6.3	7.2	7.1	7.6	7.6	8.0	7.5	7.5	7.1	7.2	7.3	6.7	6.8	6.8
																							
	Seedbed					Transplanting			Tillering						Heading		Flow ering		Grain filling		Maturity to Harvesting		

Favorable Weather Conditions						
Temperature	At least 10° C for germination					
Light Intensity					22-25° C	
Relative Humidity					23-27° C	
Soil Temperature						
Normal phase wise water requirement (mm)	76		120		190	

Congenial Weather Condition for Pests & Diseases						
Bacterial Leaf Blight	Temperature 28-30°C, Relative Humidity 80-90%, Cloudiness, Rainfall >30mm					
Sheath Blight			Temperature 28-32° C, high Relative Humidity, Cloudy weather			
Blast	Night temperature 16-20°C, for 8.30 hours day temperature 25-30°C, for 8.30 hours day night temperature >10°C Relative Humidity >90%, Cloudy					
Weather Warning						
Rain		>50 mm/day	>100 mm/day	>50 mm/day		
Duration of wet spell		>25 mm for 3 days	>50 mm for 4 days	20 mm for 4 days		
Cloudy weather			Cloudy weather	Cloudy weather		
High wind		>50 km/hr	>40 km/hr	>30 km/hr		
Temperature		Minimum Temperature <10° C	Minimum Temperature <10° C	Minimum Temperature <10° C		

Crop Weather Calendar of Boro Rice: Mymensingh Region (Districts: Mymensingh, Kishoregonj, Jamalpur, Netrokona, Sherpur) Bangladesh

Region: Mymensingh	Boro Rice																			Duration: 150-155 days			
Months	November			December				January				February				March				April			
Std.Week/Normal	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Rainfall (mm)	5.0	0.0	4.0	1.0	3.0	0.0	2.0	0.0	3.0	1.0	0.0	2.0	1.0	5.0	7.0	1.0	4.0	6.0	11.0	17.0	20.0	30.0	40.0
Max. Temp. (°C)	30.0	28.9	28.3	27.6	26.3	25.4	25.0	24.4	24.0	24.0	25.1	25.9	26.6	27.4	28.1	29.1	30.3	31.0	31.9	31.3	32.1	32.7	32.0
Min. Temp. (°C)	18.3	17.0	15.4	15.0	14.0	13.3	12.4	12.0	11.6	11.9	12.0	13.0	13.7	15.0	15.9	16.6	17.4	18.6	19.9	20.9	21.9	22.4	22.9
Mean Temp. (°C)	24.2	23.0	21.9	21.3	20.2	19.4	18.7	18.2	17.8	18.0	18.6	19.5	20.2	21.2	22.0	22.9	23.9	24.8	25.9	26.1	27.0	27.6	27.5
RHmax (%)	94.6	95.0	95.1	95.3	95.6	95.6	95.3	95.1	94.4	94.4	93.4	92.6	92.1	91.4	90.6	90.6	90.6	90.1	89.7	90.4	89.9	90.9	91.1
RHMin (%)	55.9	53.0	51.6	52.3	54.1	53.6	53.7	53.6	53.1	51.4	47.0	47.9	45.3	45.0	45.1	44.3	43.6	44.6	48.3	54.7	55.0	56.6	61.1
RHmean (%)	75.3	74.0	73.4	73.8	74.9	74.9	74.5	74.4	73.8	72.9	70.2	70.3	68.7	68.2	67.9	67.6	67.1	67.4	69.0	72.6	72.5	73.8	76.1
SShr (hrs)	52.0	53.0	50.0	49.0	43.0	40.0	42.0	41.0	39.0	41.0	45.0	44.0	48.0	50.0	50.0	51.0	53.0	53.0	4.8	44.0	49.0	49.0	49.0
WD (deg)	186	186	193	191	206	199	221	230	236	216	238	228	218	222	210	214	202	208	179	165	149	146	143
WS(Km/hr)	3.7	3.7	3.7	3.0	3.5	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.9	4.4	5.4	5.0	5.4	5.6	6.3	6.1	7.2	6.8	7.2
																							
	Seedbed					Transplanting				Tillering					Heading		Flow erin g	Grain filling		Maturity to Harvesting			

Favorable Weather Conditions						
Temperature	At least 10° C for germination					
Light Intensity					22-25° C	
Relative Humidity					23-27° C	
Soil Temperature						
Normal phase wise water requirement (mm)	76		120		190	
					145	
					100	

Congenial Weather Condition for Pests & Diseases			
Bacterial Leaf Blight	Temperature 28-30° C, Relative Humidity 80-90%, Cloudiness, Rainfall >30mm		
Sheath Blight	Temperature 28-32° C, high Relative Humidity, Cloudy weather		
Blast	Night temperature 16-20°C, for 8.30 hours day temperature 25-30°C, for 8.30 hours day night temperature >10°C Relative Humidity >90%, Cloudy		

Weather Warning				
Rain	>50 mm/day		>100 mm/day	
Duration of wet spell	>25 mm for 3 days		>50 mm for 4 days	
Cloudy weather			Cloudy weather	
High wind	>50 km/hr		>40 km/hr	
Temperature	Minimum Temperature <10° C		Minimum Temperature <10° C	
			Minimum Temperature <10° C	

Crop Weather Calendar of Boro Rice: Rajshahi Region (Districts: Rajshahi, Chapainawabganj, Naogaon and Natore) Bangladesh

Region: Rajshahi	Boro Rice																			Duration: 150-155 days				
Months	December				January				February				March				April				May			
Std.Week/Normal	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
Rainfall (mm)	1.0	3.0	0.0	4.0	1.0	1.0	2.0	1.0	4.0	3.0	2.0	3.0	5.0	4.0	3.0	4.0	14.0	13.0	10.0	19.0	17.0	24.0	29.0	
Max. Temp. (°C)	27.0	26.0	25.4	24.4	24.0	23.9	24.0	24.9	25.6	26.7	28.1	29.3	30.4	32.1	33.1	34.6	35.0	36.1	36.7	36.4	35.9	35.4	35.3	
Min. Temp. (°C)	14.0	13.1	12.4	11.6	11.0	10.9	10.9	10.9	12.0	12.3	13.6	14.1	15.1	16.4	17.6	19.4	20.6	22.1	23.0	23.4	23.9	23.7	24.3	
Mean Temp. (°C)	20.5	19.6	18.9	18.0	17.5	17.4	17.5	17.9	18.8	19.5	20.9	21.7	22.8	24.3	25.4	27.0	27.8	29.1	29.9	29.9	29.9	29.6	29.8	
RHmax (%)	94.7	95.9	95.3	95.7	95.6	95.1	95.3	95.3	95.3	94.0	93.9	92.0	91.6	90.3	88.7	88.3	89.1	88.9	89.0	90.1	90.7	92.1	92.7	
RHMin (%)	46.9	50.1	50.0	50.0	50.1	48.4	47.9	45.7	44.7	42.0	40.3	36.6	34.6	32.7	30.4	30.4	35.9	34.3	34.6	41.4	45.1	50.0	51.9	
RHmean (%)	70.8	73.0	72.7	72.9	72.9	71.8	71.6	70.5	70.0	68.0	67.1	64.3	63.1	61.5	59.4	59.4	62.5	61.6	61.8	65.8	67.9	71.1	72.3	
SShr (hrs)	51.0	47.0	46.0	44.0	42.0	42.0	46.0	52.0	51.0	55.0	56.0	58.0	59.0	59.0	59.0	59.0	52.0	57.0	57.0	57.0	56.0	52.0	53.0	
WD (deg)	143	146	144	167	146	161	174	196	198	195	197	215	209	220	214	208	186	185	185	267	147	136	136	
WS(Km/hr)	3.7	3.7	3.7	3.7	3.9	3.7	3.7	4.4	3.9	5.0	3.9	5.0	5.0	5.4	5.4	5.6	5.6	6.1	6.1	8.2	7.4	7.4	7.2	
																								
	Seedbed				Transplanting				Tillering				Heading		Flowering		Grain filling		Maturity to Harvesting					
Favorable Weather Conditions																								
Temperature	At least 10 ^o C for germination																	22-25 ^o C				23-27 ^o C		
Light Intensity										≤200% of normal														
Relative Humidity										High														
Soil Temperature										Above 16 ^o C														
Normal phase wise water requirement (mm)	76					120									190				145		100			

Congenial Weather Condition for Pests & Diseases			
Bacterial Leaf Blight	Temperature 28-30° C, Relative Humidity 80-90%, Cloudiness, Rainfall >30mm		
Sheath Blight			Temperature 28-32° C, high Relative Humidity, Cloudy weather
Blast	Night temperature 16-20°C, for 8.30 hours day temperature 25-30°C, for 8.30 hours day night temperature >10°C Relative Humidity >90%, Cloudy		

Weather Warning				
Rain		>50 mm/day	>100 mm/day	>50 mm/day
Duration of wet spell		>25 mm for 3 days	>50 mm for 4 days	20 mm for 4 days
Cloudy weather			Cloudy weather	Cloudy weather
High wind		>50 km/hr	>40 km/hr	>30 km/hr
Temperature		Minimum Temperature <10° C	Minimum Temperature <10° C	Minimum Temperature <10° C

Crop Weather Calendar of Boro Rice: Rangamati Region (Districts: Rangamati, Khagrachari and Bandarban) Bangladesh

Region: Rangamati	Boro Rice																		Duration: 150-155 days				
Months	November			December				January				February				March				April			
Std.Week/Normal	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Rainfall (mm)	6.0	6.0	19.0	0.0	0.0	0.0	3.0	0.0	0.0	3.0	0.0	0.0	2.0	0.0	10.0	5.0	8.0	4.0	4.0	4.0	21.0	49.0	29.0
Max. Temp. (°C)	29.7	29.0	28.1	27.6	27.0	26.0	26.0	25.7	25.6	26.0	26.6	27.0	28.3	29.3	29.9	30.9	31.7	32.9	33.1	33.0	33.0	33.4	33.7
Min. Temp. (°C)	20.0	19.1	17.7	16.9	16.1	15.1	14.7	14.0	13.6	13.1	13.0	14.1	14.4	16.0	16.3	17.6	18.4	19.9	20.9	21.7	22.3	22.9	23.6
Mean Temp. (°C)	24.9	24.1	22.9	22.3	21.6	20.6	20.4	19.9	19.6	19.6	19.8	20.6	21.4	22.7	23.1	24.3	25.1	26.4	27.0	27.4	27.7	28.2	28.7
RHmax (%)	94.9	94.9	94.9	95.0	95.0	95.4	95.4	95.0	94.7	94.3	94.3	93.4	92.9	91.7	91.0	90.4	89.3	89.3	90.3	90.4	89.9	89.7	90.6
RHMin (%)	61.1	58.6	57.6	56.6	55.1	55.3	53.0	51.6	50.1	46.1	43.9	44.9	41.7	42.1	39.4	40.0	38.9	39.7	43.7	48.0	49.7	51.1	52.6
RHmean (%)	78.0	76.8	76.3	75.8	75.1	75.4	74.2	73.3	72.4	70.2	69.1	69.2	67.3	66.9	65.2	65.2	64.1	64.5	67.0	69.2	69.8	70.4	71.8
SShr (hrs)	52.0	55.0	55.0	53.0	53.0	50.0	53.0	52.0	50.0	53.0	56.0	53.0	57.0	56.0	56.0	59.0	58.0	56.0	52.0	50.0	55.0	54.0	55.0
WD (deg)	185	186	174	169	173	161	161	165	152	162	173	160	176	170	178	193	197	193	201	204	205	205	210
WS(Km/hr)	3.7	3.5	3.5	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	4.2	3.7	4.4	4.8	5.3	5.5	5.5	6.1	6.1	5.5
																							
	Seedbed			Transplanting				Tillering				Heading				Flow erin g		Grain filling		Maturity to Harvesting			

Favorable Weather Conditions						
Temperature	At least 10° C for germination					
Light Intensity					≤200% of normal	
Relative Humidity					High	
Soil Temperature					Above 16° C	
Normal phase wise water requirement (mm)	76		120		190	145
					100	

Congenial Weather Condition for Pests & Diseases						
Bacterial Leaf Blight	Temperature 28-30° C, Relative Humidity 80-90%, Cloudiness, Rainfall >30mm					
Sheath Blight			Temperature 28-32° C, high Relative Humidity, Cloudy weather			
Blast	Night temperature 16-20°C, for 8.30 hours day temperature 25-30°C, for 8.30 hours day night temperature >10°C Relative Humidity >90%, Cloudy					
Weather Warning						
Rain		>50 mm/day	>100 mm/day	>50 mm/day		
Duration of wet spell		>25 mm for 3 days	>50 mm for 4 days	20 mm for 4 days		
Cloudy weather			Cloudy weather	Cloudy weather		
High wind		>50 km/hr	>40 km/hr	>30 km/hr		
Temperature		Minimum Temperature <10° C	Minimum Temperature <10° C	Minimum Temperature <10° C		

Crop Weather Calendar of Boro Rice: Rangpur Region (Districts: Rangpur, Kurigram, Gaibandha, Nilphamari, Lalmonirhat) Bangladesh

Region: Rangpur	Boro Rice																		Duration: 150-155 days						
Months	November			December				January				February				March				April					
Std.Week/Normal	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
Rainfall (mm)	2.0	0.0	1.0	0.0	2.5	0.0	2.5	1.0	2.5	2.0	1.0	1.0	1.5	3.5	1.5	2.5	1.0	2.5	5.5	18.5	11.0	19.5	28.5		
Max. Temp. (°C)	29.0	28.3	27.7	26.7	25.1	24.7	24.1	22.7	22.4	23.2	23.4	24.7	25.9	26.7	27.5	28.5	29.9	30.8	31.6	31.4	32.1	32.5	32.3		
Min. Temp. (°C)	17.5	16.4	15.0	14.2	13.5	12.5	11.5	10.9	10.4	10.8	10.8	11.8	12.7	13.7	14.4	15.3	16.1	17.3	18.4	19.5	20.3	21.1	21.9		
Mean Temp. (°C)	23.3	22.3	21.3	20.4	19.3	18.6	17.8	16.8	16.4	17.0	17.0	18.3	19.3	20.2	21.0	21.9	23.0	24.0	25.0	25.4	26.2	26.8	27.1		
RHmax (%)	94.6	94.9	94.9	95.0	95.4	95.8	96.1	96.0	96.0	95.8	95.7	95.5	94.3	93.7	92.9	91.4	89.8	88.7	88.1	87.7	88.5	88.4	89.9		
RHMin (%)	54.0	50.9	50.6	53.5	56.2	56.2	55.2	58.5	57.8	56.2	54.2	51.6	48.0	47.1	45.3	42.8	39.6	40.8	42.5	48.8	49.7	50.7	56.7		
RHmean (%)	74.3	72.9	72.7	74.2	75.8	76.0	75.6	77.3	76.9	76.0	74.9	73.5	71.2	70.4	69.1	67.1	64.7	64.7	65.3	68.3	69.1	69.5	73.3		
SShr (hrs)	52.0	54.0	53.0	49.5	41.5	42.5	40.0	36.0	36.5	39.5	41.0	44.0	48.5	50.0	51.5	56.5	57.5	57.0	54.0	49.0	51.5	51.0	47.5		
WD (deg)	126	134	150	129	158	160	187	199	214	199	210	208	192	201	201	201	207	196	179	152	148	141	135		
WS(Km/hr)	6.3	6.4	5.6	6.0	5.7	5.6	5.6	5.7	5.7	5.7	5.6	6.2	6.6	7.5	7.2	7.7	7.8	8.2	8.7	8.7	8.3	8.4	8.3		
																									
	Seedbed						Transplanting				Tillering						Heading		Flow erin g		Grain filling		Maturity to Harvesting		

Favorable Weather Conditions						
Temperature	At least 10° C for germination					
Light Intensity						
Relative Humidity						
Soil Temperature						
Normal phase wise water requirement (mm)	76		120		190	
					145	
					100	

Congenial Weather Condition for Pests & Diseases			
Bacterial Leaf Blight	Temperature 28-30° C, Relative Humidity 80-90%, Cloudiness, Rainfall >30mm		
Sheath Blight			Temperature 28-32° C, high Relative Humidity, Cloudy weather
Blast	Night temperature 16-20°C, for 8.30 hours day temperature 25-30°C, for 8.30 hours day night temperature >10°C Relative Humidity >90%, Cloudy		

Weather Warning				
Rain	>50 mm/day		>100 mm/day	>50 mm/day
Duration of wet spell	>25 mm for 3 days		>50 mm for 4 days	20 mm for 4 days
Cloudy weather			Cloudy weather	Cloudy weather
High wind	>50 km/hr		>40 km/hr	>30 km/hr
Temperature	Minimum Temperature <10° C		Minimum Temperature <10° C	Minimum Temperature <10° C

Crop Weather Calendar of Boro Rice: Sylhet Region (Districts: Sylhet, Moulvibazar, Sunamganj, Habiganj) Bangladesh

Region: Sylhet	Boro Rice																		Duration: 150-155 days				
Months	October			November				December				January				February				March			
Std.Week/Normal	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12
Rainfall (mm)	36.5	24.5	12.0	14.5	8.5	0.5	7.0	0.5	4.5	1.0	4.0	0.0	0.5	0.5	1.0	2.5	4.0	8.0	11.5	11.0	10.5	17.5	34.0
Max. Temp. (°C)	31.6	31.4	30.9	30.1	29.6	29.0	28.2	27.8	26.9	26.1	25.7	25.3	24.7	25.1	25.8	26.5	27.2	28.2	28.9	30.0	31.0	31.6	32.1
Min. Temp. (°C)	22.7	21.2	20.4	19.1	17.3	16.6	15.3	14.3	13.7	12.6	12.0	11.4	11.3	11.3	11.1	12.1	12.6	13.7	14.4	15.4	16.7	18.0	19.2
Mean Temp. (°C)	27.2	26.3	25.7	24.6	23.5	22.8	21.7	21.1	20.3	19.3	18.8	18.3	18.0	18.0	18.4	19.3	19.9	21.0	21.6	22.7	23.8	24.8	25.6
RHmax (%)	96.0	95.6	95.4	95.2	95.2	95.3	95.5	94.7	95.7	95.3	96.1	95.8	96.1	95.5	94.9	94.3	92.9	92.8	92.5	91.7	90.9	90.7	90.2
RHMin (%)	66.5	63.1	61.9	59.2	56.2	54.4	53.5	51.4	53.6	53.0	52.7	53.5	53.9	50.7	48.1	45.8	42.3	42.5	41.7	40.8	41.1	41.0	45.0
RHmean (%)	81.3	79.3	78.6	77.2	75.7	74.9	74.5	73.0	74.6	74.2	74.4	74.6	75.0	73.1	71.5	70.1	67.6	67.7	67.1	66.2	66.0	65.8	67.6
SShr (hrs)	49.5	54.5	52.5	55.5	55.5	56.5	56.0	55.5	50.5	51.5	50.5	51.0	45.0	48.0	51.0	50.5	55.0	53.5	55.5	56.0	55.0	56.0	51.0
WD (deg)	187	191	173	179	180	184	190	177	186	191	203	200	211	213	219	213	218	217	208	219	203	214	194
WS(Km/hr)	4.6	4.5	4.7	4.5	4.3	4.6	4.3	4.2	4.5	4.5	4.3	4.6	4.9	5.1	4.8	6.1	6.5	6.9	7.1	6.8	6.8	7.3	8.5
																							
	Seedbed				Transplanting				Tillering				Heading		Flow erin g	Grain filling		Maturity to Harvesting					
Favorable Weather Conditions																							
Temperature	At least 10 ^o C for germination									≤200% of normal								22-25 ^o C		23-27 ^o C			
Light Intensity																							
Relative Humidity										High													
Soil Temperature										Above 16 ^o C													
Normal phase wise water requirement (mm)	76					120									190				145		100		

Congenial Weather Condition for Pests & Diseases			
Bacterial Leaf Blight	Temperature 28-30 ^o C, Relative Humidity 80-90%, Cloudiness, Rainfall >30mm		
Sheath Blight		Temperature 28-32 ^o C, high Relative Humidity, Cloudy weather	
Blast	Night temperature 16-20 ^o C, for 8.30 hours day temperature 25-30 ^o C, for 8.30 hours day night temperature >10 ^o C Relative Humidity >90%, Cloudy		

Weather Warning				
Rain		>50 mm/day	>100 mm/day	>50 mm/day
Duration of wet spell		>25 mm for 3 days	>50 mm for 4 days	20 mm for 4 days
Cloudy weather			Cloudy weather	Cloudy weather
High wind		>50 km/hr	>40 km/hr	>30 km/hr
Temperature		Minimum Temperature <10 ^o C	Minimum Temperature <10 ^o C	Minimum Temperature <10 ^o C