


Crop Weather Calendar of Aus Rice: Barishal Region (Districts: Jhalakati, Patuakhali, Pirujpur, Barguna, Barishal, Bhola) Bangladesh

Region: Barishal		Aus Rice													Duration: 126 days							
Months		March			April				May				June				July					
Std.Week/Normal		11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28			
Rainfall (mm)		6.0	14.3	18.0	18.0	21.7	25.0	34.7	40.7	52.7	49.0	69.3	66.7	85.3	105.3	129.7	126.3	129.0	91.7			
Max. Temp. (°C)		32.7	33.0	32.9	33.3	33.7	33.5	33.5	33.6	33.4	33.4	33.2	33.3	32.8	31.9	31.3	31.0	31.0	31.1			
Min. Temp. (°C)		20.5	22.1	22.8	23.7	24.0	24.6	24.4	24.4	25.1	25.2	25.7	26.0	26.1	26.0	26.0	26.0	26.0	26.0			
Mean Temp. (°C)		26.6	27.6	27.9	28.5	28.8	29.1	29.0	29.0	29.3	29.3	29.5	29.6	29.4	28.9	28.6	28.5	28.5	28.6			
RHmax (%)		96.7	96.5	96.5	96.6	96.4	96.0	96.0	96.1	96.2	96.1	96.2	96.5	96.4	96.6	97.0	97.3	97.4	97.4			
RHMin (%)		45.3	50.7	54.4	58.0	59.8	61.9	62.5	64.2	65.9	67.5	69.6	70.9	73.2	76.9	79.2	80.6	80.7	79.4			
RHmean (%)		71.0	73.6	75.4	77.3	78.1	78.9	79.3	80.1	81.1	81.8	82.9	83.7	84.8	86.8	88.1	89.0	89.0	88.4			
SShr (hrs)		54.3	52.3	50.7	53.0	51.3	54.7	51.7	49.0	48.0	46.0	37.3	37.3	30.7	23.0	21.3	20.3	20.3	23.3			
WD (deg)		218	210	198	200	198	197	191	190	192	189	186	187	185	177	179	175	180	175			
WS(Km/hr)		5.4	6.3	6.7	6.9	7.0	7.5	7.2	7.0	7.3	7.1	7.0	7.0	6.3	6.5	6.8	6.5	6.5	6.5			
																						
		Seedbed			Transplanting			Tillering				Heading		Flow ering	Grain Formation		Maturity to Harvesting					
Favorable Weather Conditions																						
Temperature		At least 10 ^o C for germination														22-25 ^o C		23-27 ^o C				
Light Intensity								≤200% of normal														
Relative Humidity								High														
Soil Temperature								Above 16 ^o C														
Normal phase wise water requirement (mm)		76			120												190		145		100	
Congenial Weather Condition for Pests & Diseases																						
Sheath rot												Temperatu re 25-28 ^o C High Relative Humidity> 90%, Cloudy weather										
Blast		Night temperature 16-20 ^o C, for 7.30 hours day temperature 25-30 ^o C, for 7.30 hours day night temperature >10 ^o CRelative Humidity >90%, Cloudy																				
Stem borer					Minimum Temperature>20.3 ^o C,Maximum Temperature:29.5-34.7 ^o C,optimum Temperature:24-29 ^o C,Higher morning Relative Humidity>84%,Afternoon Relative Humidity 38.7%,Dry weather																	
Leaf roller					Maximum Temperature:32-33 ^o C,Relative Humidity 92-95%																	
Rice bug															Higher Maximum Temperature: 31.9 ^o C Morning Bright Sunshine Hours> 5.9 hrs Lower Minimum temperature less than 22.10C Afternoon Relative Humidity less than 66.4% Dry, or intermittent rain							
Brown plant hopper					High temperature >32 ^o C, high Relative Humidity:80-90%, drizzle, wet spell, rainfall less than 75 mm																	
Rat	Cloudy weather with high humidity and high temperature																					
Weather Warning																						
Rain					>50 mm/day			>100 mm/day							>50 mm/day							
Duration of wet spell					>25 mm for 3 days			>50 mm for 4 days							20 mm for 4 days							
Cloudy weather								Cloudy weather							Cloudy weather							
High wind					>50 km/hr			>40 km/hr							>30 km/hr							
Temperature					Minimum Temperature <10 ^o C			Minimum Temperature <10 ^o C							Minimum Temperature <10 ^o C							

Crop Weather Calendar of Aus Rice: Bogura Region (Districts: Bogura, Joypurhat, Pabna, Sirajganj) Bangladesh

Region: Bogura	Aus Rice														Duration: 126 days					
Months	April	May				June				July				August				Sep		
Std.Week/Normal	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34		
Rainfall (mm)	28.0	37.0	42.0	45.0	58.0	59.0	74.0	70.0	92.0	76.0	93.0	80.0	91.0	76.0	63.0	61.0	72.0	67.0		
Max. Temp. (°C)	33.6	33.1	33.6	33.4	33.3	33.9	33.4	32.7	32.3	32.3	32.0	31.9	32.0	32.1	32.3	32.6	32.1	32.3		
Min. Temp. (°C)	23.1	23.3	23.9	24.3	24.6	25.0	25.9	26.0	26.1	26.1	26.0	26.1	26.0	26.1	26.3	26.9	26.3	26.4		
Mean Temp. (°C)	28.4	28.2	28.8	28.9	29.0	29.5	29.7	29.4	29.2	29.2	29.0	29.0	29.0	29.1	29.3	29.8	29.2	29.4		
RHmax (%)	90.9	92.4	92.4	92.7	93.0	93.7	94.1	95.1	95.1	95.6	95.9	95.9	95.9	95.9	95.1	95.3	95.6	95.9		
RHMin (%)	54.9	57.3	58.7	60.0	63.4	64.6	66.7	70.4	72.4	73.9	73.3	74.1	74.4	73.3	72.0	71.9	73.3	72.7		
RHmean (%)	72.9	74.9	75.6	76.4	78.2	79.2	80.4	82.8	83.8	84.8	84.6	85.0	85.2	84.6	83.6	83.6	84.5	84.3		
SShr (hrs)	52.0	48.0	50.0	49.0	46.0	44.0	39.0	33.0	28.0	26.0	28.0	31.0	29.0	28.0	35.0	37.0	36.0	31.0		
WD (deg)	134	127	126	126	121	135	134	134	134	132	141	135	138	143	137	136	141	147		
WS(Km/hr)	7.4	7.2	7.4	6.7	6.3	6.3	6.3	7.2	6.3	6.7	5.6	5.6	6.8	6.1	6.3	5.7	6.1	5.6		
																				
	Seedbed			Transplanting			Tillering					Heading		Flow ering	Grain Formation		Maturity to Harvesting			
Favorable Weather Conditions																				
Temperature	At least 10 ⁰ C for germination															22-25 ⁰ C		23-27 ⁰ C		
Light Intensity							≤200% of normal													
Relative Humidity							High													
Soil Temperature							Above 16 ⁰ C													
Normal phase wise water requirement (mm)	76						120					190				145		100		
Congenial Weather Condition for Pests & Diseases																				
Bacterial leaf blight (BLB)	Temperature 28-30 ⁰ C Relative Humidity 80-90%, Cloudiness, Rainfall >30mm																			
Sheath rot												Temperatu re 25-28 ⁰ C High Relative Humidity> 90%, Cloudy weather								
Sheath blight							Temperature 28-32 ⁰ C, high Relative Humidity, cloudy weather													
Blast	Night temperature 16-20 ⁰ C, for 7.30 hours day temperature 25-30 ⁰ C, for 7.30 hours day night temperature >10 ⁰ CRelative Humidity >90%, Cloudy																			
Stem borer				Minimum Temperature>20.3 ⁰ C,Maximum Temperature:29.5-34.7 ⁰ C,optimum Temperature:24-29 ⁰ C,Higher morning Relative Humidity>84%,Afternoon Relative Humidity 38.7%,Dry weather																
Leaf roller				Maximum Temperature:32-33 ⁰ C, Relative Humidity 92-95%																
Rice bug														Higher Maximum Temperature: 31.9 ⁰ C,Morning Bright Sunshine Hours> 5.9 hrs Lower Minimum temperature less than 22.10C Afternoon Relative Humidity less than 66.4%,Dry, or intermittent rain						
Rice hispa	Maximum temperature 32-35 ⁰ C, Minimum temperature 24-26 ⁰ C, maximum Relative Humidity 96-99%,																			
Weather Warning	minimum Relative Humidity 75-81%																			
Rain				>50 mm/day			>100 mm/day							>50 mm/day						
Duration of wet spell				>25 mm for 3 days			>50 mm for 4 days							20 mm for 4 days						
Cloudy weather							Cloudy weather							Cloudy weather						
High wind				>50 km/hr			>40 km/hr							>30 km/hr						
Temperature				Minimum Temperature <10 ⁰ C			Minimum Temperature <10 ⁰ C							Minimum Temperature <10 ⁰ C						

Crop Weather Calendar of Aus Rice: Chattogram Region (Districts: Chattogram, Lakshmipur, Coxsbazar, Noakhali and Feni) Bangladesh


Region: Chattogram	Aus Rice														Duration: 126 days			
Months	March			April				May				June				July		
Std.Week/Normal	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
Rainfall (mm)	6.3	13.3	21.3	21.3	27.0	34.3	36.0	62.7	61.3	70.3	88.7	88.0	119.3	161.0	180.7	197.3	201.7	156.0
Max. Temp. (°C)	32.0	32.0	31.8	32.1	32.6	32.7	32.9	32.8	32.9	32.8	32.5	32.3	32.1	31.5	31.3	30.9	30.7	31.1
Min. Temp. (°C)	20.7	21.8	22.7	23.5	24.0	24.4	24.5	24.5	24.8	25.2	25.2	25.6	25.6	25.4	25.4	25.2	25.4	25.3
Mean Temp. (°C)	26.3	26.9	27.2	27.8	28.3	28.6	28.7	28.7	28.9	29.0	28.9	29.0	28.8	28.5	28.3	28.1	28.0	28.2
RHmax (%)	91.3	93.0	93.0	93.3	92.9	92.6	92.8	92.9	93.3	93.5	93.9	94.0	94.9	95.3	95.1	95.9	96.0	95.7
RHMin (%)	47.4	54.0	58.2	60.1	60.5	61.6	62.0	62.3	64.1	66.1	68.9	70.2	71.9	74.8	75.3	77.3	77.7	76.4
RHmean (%)	69.4	73.5	75.6	76.7	76.7	77.1	77.4	77.6	78.7	79.8	81.4	82.1	83.4	85.1	85.2	86.6	86.9	86.0
SShr (hrs)	56.8	57.0	52.8	56.0	56.0	54.8	55.3	52.8	55.0	48.0	42.8	40.3	36.8	28.0	28.0	25.3	24.0	29.0
WD (deg)	223	218	207	209	205	205	202	199	203	199	186	185	182	177	174	173	173	173
WS(Km/hr)	8.9	9.4	9.7	10.0	11.1	10.6	10.6	10.1	10.0	10.1	10.0	10.2	9.8	10.5	11.0	10.9	10.7	10.8
																		
	Seedbed			Transplanting				Tillering				Heading		Flow ering	Grain Formation		Maturity to Harvesting	

Favorable Weather Conditions						
Temperature	At least 10 ^o C for germination				22-25 ^o C	23-27 ^o C
Light Intensity			≤200% of normal			
Relative Humidity			High			
Soil Temperature			Above 16 ^o C			
Normal phase wise water requirement (mm)	76	120		190	145	100

Congenial Weather Condition for Pests & Diseases						
Bacterial leaf blight (BLB)	Temperature 28-30 ⁰ C Relative Humidity 80-90%, Cloudiness, Rainfall >30mm					
Sheath rot				Temperatu re 25-28 ⁰ C High Relative Humidity> 90%, Cloudy weather		
Sheath blight			Temperature 28-32 ⁰ C, high Relative Humidity, cloudy weather			
Blast	Night temperature 16-20 ⁰ C, for 7.30 hours day temperature 25-30 ⁰ C, for 7.30 hours day night temperature >10 ⁰ CRelative Humidity >90%, Cloudy					
Stem borer		Minimum Temperature>20.3 ⁰ C,Maximum Temperature:29.5-34.7 ⁰ C,optimum Temperature:24-29 ⁰ C,Higher morning Relative Humidity>84%,Afternoon Relative Humidity 38.7%,Dry weather				
Leaf roller		Maximum Temperature:32-33 ⁰ C,Relative Humidity 92-95%				
Rice bug				Higher Maximum Temperature: 31.9 ⁰ C Morning Bright Sunshine Hours> 5.9 hrs Lower Minimum temperature less than 22.10C Afternoon Relative Humidity less than 66.4% Dry, or intermittent rain		
Brown plant hopper		High temperature >32 ⁰ C, high Relative Humidity:80-90%, drizzle, wet spell, less than 75 rainfall mm				

Weather Warning				
Rain	>50 mm/day		>100 mm/day	>50 mm/day
Duration of wet spell	>25 mm for 3 days		>50 mm for 4 days	20 mm for 4 days
Cloudy weather			Cloudy weather	Cloudy weather
High wind	>50 km/hr		>40 km/hr	>30 km/hr
Temperature	Minimum Temperature <10 ^o C		Minimum Temperature <10 ^o C	Minimum Temperature <10 ^o C

Crop Weather Calendar of Aus Rice: Cumilla Region (Districts: Cumilla, Chandpur, Bramanbaria) Bangladesh


Region: Cumilla	Aus Rice														Duration: 126 days				
Months	April			May				June				July				August			
Std.Week/Normal	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	
Rainfall (mm)	42.0	54.5	63.5	66.0	71.0	80.0	74.0	98.5	88.5	97.5	96.0	88.0	107.0	95.0	84.0	66.5	82.5	73.0	
Max. Temp. (°C)	33.1	32.9	33.2	33.2	32.9	33.1	32.7	31.9	31.9	31.4	31.2	31.5	31.3	31.5	32.0	32.0	31.9	32.0	
Min. Temp. (°C)	23.5	23.7	24.3	24.7	25.2	25.6	25.8	25.7	26.0	26.0	26.0	26.0	25.7	26.0	25.9	26.0	26.0	26.0	
Mean Temp. (°C)	28.3	28.3	28.7	28.9	29.0	29.4	29.3	28.8	28.9	28.7	28.6	28.7	28.5	28.7	28.9	29.0	28.9	29.0	
RHmax (%)	94.1	94.2	94.0	94.5	94.3	94.6	95.0	95.0	95.2	95.2	95.4	95.0	95.5	95.3	94.9	94.8	94.9	95.3	
RHMin (%)	61.7	63.0	63.5	64.8	66.7	69.0	70.9	73.9	75.1	76.8	76.8	75.9	76.6	75.2	74.2	73.9	74.8	74.0	
RHmean (%)	77.9	78.6	78.7	79.6	80.5	81.8	82.9	84.4	85.1	86.0	86.1	85.4	86.0	85.2	84.5	84.3	84.9	84.6	
SShr (hrs)	51.0	47.5	47.5	46.5	41.0	38.0	36.0	26.5	29.0	26.0	23.5	30.0	26.5	31.0	30.0	31.5	32.0	30.5	
WD (deg)	179	180	192	183	192	181	186	177	175	174	179	174	174	179	178	182	177	182	
WS(Km/hr)	7.5	7.4	7.7	7.5	6.8	7.1	6.5	7.3	7.0	7.4	7.3	7.0	7.5	6.7	6.7	6.2	6.6	5.8	
																			
	Seedbed			Transplanting				Tillering				Heading		Flow ering	Grain Formation		Maturity to Harvesting		

Favorable Weather Conditions						
Temperature	At least 10 ⁰ C for germination					
Light Intensity				≤200% of normal		
Relative Humidity				High		
Soil Temperature				Above 16 ⁰ C		
Normal phase wise water requirement (mm)	76	120			190	145
						100

Congenial Weather Condition for Pests & Diseases						
Bacterial leaf blight (BLB)	Temperature 28-30 ⁰ C Relative Humidity 80-90%, Cloudiness, Rainfall >30mm					
Sheath rot				Temperatur e 25-28 ⁰ C High Relative Humidity>9 0%, Cloudy weather		
Sheath blight			Temperature 28-32 ⁰ C, high Relative Humidity, cloudy weather			
Blast	Night temperature 16-20 ⁰ C, for 7.30 hours day temperature 25-30 ⁰ C, for 7.30 hours day night temperature >10 ⁰ CRelative Humidity >90%, Cloudy					
Stem borer		Minimum Temperature>20.3 ⁰ C,Maximum Temperature:29.5-34.7 ⁰ C,optimum Temperature:24-29 ⁰ C,Higher morning Relative Humidity>84%,Afternoon Relative Humidity 38.7%,Dry weather				
Leaf roller		Maximum Temperature:32-33 ⁰ C,Relative Humidity 92-95%				
Rice bug				Higher Maximum Temperature: 1.9 ⁰ C Morning Bright Sunshine Hours> 5.9 hrs Lower Minimum temperature less than 22.10C Afternoon Relative Humidity less than 66.4% ,Dry, or intermittent rain		
Brown plant hopper			High temperature >32 ⁰ C, high Relative Humidity:80-90%, drizzle, wet spell, rainfall less than75 mm			

Weather Warning				
Rain	>50 mm/day	>100 mm/day		>50 mm/day
Duration of wet spell	>25 mm for 3 days	>50 mm for 4 days		20 mm for 4 days
Cloudy weather		Cloudy weather		Cloudy weather
High wind	>50 km/hr	>40 km/hr		>30 km/hr
Temperature	Minimum Temperature <10 ⁰ C	Minimum Temperature <10 ⁰ C		Minimum Temperature <10 ⁰ C

Crop Weather Calendar of Aus Rice: Dhaka Region (Districts: Dhaka, Tangail, Gazipur, Narsingdi, Narayanganj, Munshiganj, Manikgonj) Bangladesh

Region: Dhaka	Aus Rice														Duration: 126 days				
Months	April			May				June				July				August			
Std.Week/Normal	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	
Rainfall (mm)	21.0	31.5	42.5	46.0	55.5	55.0	75.5	70.0	72.5	86.5	81.0	77.5	82.5	73.5	91.0	81.5	67.0	59.5	
Max. Temp. (°C)	34.6	34.1	33.8	33.6	33.7	33.7	33.2	33.5	33.4	32.8	32.2	32.2	32.1	32.0	31.7	32.2	32.2	32.2	
Min. Temp. (°C)	23.5	23.7	23.6	23.7	24.2	24.6	24.9	25.4	25.8	25.9	26.2	26.2	26.1	26.2	26.0	26.0	26.2	26.7	
Mean Temp. (°C)	29.0	28.9	28.7	28.6	28.9	29.2	29.0	29.4	29.6	29.3	29.2	29.2	29.1	29.1	28.9	29.1	29.2	29.4	
RHmax (%)	91.4	91.4	91.7	92.3	92.8	92.9	93.5	93.8	94.0	94.5	94.4	94.7	94.7	84.1	84.5	94.3	94.0	94.1	
RHMin (%)	47.1	52.0	55.1	56.7	58.6	60.4	63.5	65.0	66.7	69.9	71.5	72.9	73.5	73.1	73.5	71.1	71.0	71.6	
RHmean (%)	69.2	71.7	73.4	74.5	75.7	76.7	78.5	79.4	80.3	82.2	83.0	83.8	84.1	83.6	84.0	82.7	82.5	82.8	
SShr (hrs)	54.0	55.0	54.5	51.5	48.0	48.0	42.5	42.0	38.5	31.0	26.0	26.0	27.0	27.5	28.5	32.0	33.5	32.5	
WD (deg)	175	167	156	159	164	156	155	157	161	157	157	158	162	157	161	159	156	165	
WS(Km/hr)	6.6	6.6	6.7	6.8	6.5	6.4	6.1	5.8	5.6	6.3	6.5	6.5	5.8	5.9	6.1	5.9	6.1	5.8	
																			
	Seedbed			Transplanting				Tillering				Heading		Flow ering	Grain Formation		Maturity to Harvesting		

Favorable Weather Conditions						
Temperature	At least 10 ^o C for germination				22-25° C	23-27° C
Light Intensity			≤200% of normal			
Relative Humidity			High			
Soil Temperature			Above 16 ^o C			
Normal phase wise water requirement (mm)	76	120		190	145	100

Congenial Weather Condition for Pests & Diseases						
Bacterial leaf blight (BLB)	Temperature 28-30 ⁰ C Relative Humidity 80-90%, Cloudiness, Rainfall >30mm					
Sheath rot				Temperatu re 25-28 ⁰ C High Relative Humidity> 90%, Cloudy weather		
Sheath blight			Temperature 28-32 ⁰ C, high Relative Humidity, cloudy weather			
Blast	Night temperature 16-20 ⁰ C, for 7.30 hours day temperature 25-30 ⁰ C, for 7.30 hours day night temperature >10 ⁰ CRelative Humidity >90%, Cloudy					
Stem borer		Minimum Temperature>20.3 ⁰ C,Maximum Temperature:29.5-34.7 ⁰ C,optimum Temperature:24-29 ⁰ C,Higher morning Relative Humidity>84% Afternoon Relative Humidity 38.7%,Dry weather				
Leaf roller		Maximum Temperature:32-33 ⁰ C Relative Humidity 92-95%				
Rice bug				Higher Maximum Temperature: 31.9 ⁰ C,Morning Bright Sunshine Hours> 5.9 hrs,Lower Minimum temperature less than 22.10C Afternoon Relative Humidity less than 66.4%,Dry, or intermittent rain		

Weather Warning				
Rain	>50 mm/day		>100 mm/day	
Duration of wet spell	>25 mm for 3 days		>50 mm for 4 days	
Cloudy weather			Cloudy weather	
High wind	>50 km/hr		>40 km/hr	
Temperature	Minimum Temperature <10 ^o C		Minimum Temperature <10 ^o C	

Crop Weather Calendar of Aus Rice: Dinajpur Region (Districts: Dinajpur, Thakurgaon and Panchaghar) Bangladesh


Region: Dinajpur	Aus Rice														Duration: 126 days			
Months	March			April				May				June				July		
Std.Week/Normal	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
Rainfall (mm)	4.0	2.0	7.0	8.0	8.0	25.0	23.0	31.0	36.0	57.0	55.0	73.0	57.0	77.0	111.0	96.0	109.0	105.0
Max. Temp. (°C)	31.1	32.0	32.1	33.0	33.4	33.0	32.4	32.3	32.9	33.0	33.0	33.4	33.3	33.0	32.3	32.4	32.0	32.1
Min. Temp. (°C)	17.1	18.6	19.7	20.4	21.1	22.0	22.0	22.3	22.9	23.6	24.0	24.4	25.0	25.1	25.6	26.0	26.0	26.0
Mean Temp. (°C)	24.1	25.3	25.9	26.7	17.3	27.5	27.2	27.3	27.9	28.3	28.5	28.9	29.2	29.1	29.0	29.2	29.0	29.1
RHmax (%)	87.6	86.0	87.1	86.6	87.4	89.4	91.1	92.3	92.0	92.1	92.4	92.7	93.4	93.9	94.7	94.4	95.1	94.6
RHMin (%)	35.1	36.4	43.3	40.9	43.4	50.9	53.7	57.6	57.3	59.3	62.4	62.3	65.4	67.7	71.4	71.6	73.3	72.7
RHmean (%)	61.4	61.2	65.2	63.8	65.4	70.2	72.4	75.0	74.7	75.7	77.4	77.5	79.4	80.8	83.1	83.0	84.2	83.7
SShr (hrs)	59.0	55.0	49.0	52.0	55.0	49.0	50.0	49.0	51.0	48.0	44.0	42.0	40.0	35.0	27.0	31.0	27.0	29.0
WD (deg)	212	192	170	171	150	142	123	118	115	119	108	117	111	118	120	121	127	121
WS(Km/hr)	5.4	5.6	5.0	5.6	4.8	4.8	5.4	3.9	3.7	4.3	3.7	3.9	3.7	3.7	3.7	3.7	3.7	3.7
																		
	Seedbed			Transplanting			Tillering					Heading		Flow ering	Grain Formation	Maturity to Harvesting		

Favorable Weather Conditions						
Temperature	At least 10° C for germination					
Light Intensity				≤200% of normal		
Relative Humidity				High		
Soil Temperature				Above 16° C		
Normal phase wise water requirement (mm)	76		120		190	145
						100

Congenial Weather Condition for Pests & Diseases						
Bacterial leaf blight (BLB)	Temperature 28-30 ⁰ C Relative Humidity 80-90%, Cloudiness, Rainfall >30mm					
Sheath rot				Temperatu re 25-28 ⁰ C High Relative Humidity> 90%, Cloudy weather		
Sheath blight			Temperature 28-32 ⁰ C, high Relative Humidity, cloudy weather			
Blast	Night temperature 16-20 ⁰ C, for 7.30 hours day temperature 25-30 ⁰ C, for 7.30 hours day night temperature >10 ⁰ CRelative Humidity >90%, Cloudy					
Stem borer		Minimum Temperature>20.3 ⁰ C Maximum Temperature:29.5-34.7 ⁰ C optimum Temperature:24-29 ⁰ C Higher morning Relative Humidity>84% Afternoon Relative Humidity 38.7% Dry weather				
Leaf roller		Maximum Temperature:32-33 ⁰ C Relative Humidity 92-95%				
Rice bug					Higher Maximum Temperature: 1.9 ⁰ C Morning Bright Sunshine Hours> 5.9 hrsLower Minimum temperature less than 22.10C, Afternoon Relative Humidity less than 66.4%,Dry, or intermittent rain	
Brown plant hopper		High temperature >32 ⁰ C, high Relative Humidity:80-90%, drizzle, wet spell, rainfall less than 75 mm				

Weather Warning				
Rain	>50 mm/day		>100 mm/day	>50 mm/day
Duration of wet spell	>25 mm for 3 days		>50 mm for 4 days	20 mm for 4 days
Cloudy weather			Cloudy weather	Cloudy weather
High wind	>50 km/hr		>40 km/hr	>30 km/hr
Temperature	Minimum Temperature <10 ° C		Minimum Temperature <10° C	Minimum Temperature <10 ° C

Crop Weather Calendar of Aus Rice: Faridpur Region (Districts: Faridpur, Rajbari, Madaripur, Shariatpur and Gopalganj) **Bangladesh**


Region: Faridpur	Aus Rice															Duration: 126 days		
Months	March			April				May				June				July		
Std.Week/Normal	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
Rainfall (mm)	7.0	12.5	18.5	21.0	20.5	27.5	41.5	48.0	46.5	52.5	61.0	67.5	76.5	84.0	86.5	88.0	95.0	77.5
Max. Temp. (°C)	32.9	33.8	33.4	34.2	34.8	34.5	34.2	34.0	34.1	34.0	33.7	33.8	33.7	32.8	32.1	32.0	31.9	32.0
Min. Temp. (°C)	19.5	21.2	21.8	23.0	23.5	24.0	24.0	23.7	24.2	24.6	25.0	25.5	26.0	26.0	26.0	26.0	26.0	26.0
Mean Temp. (°C)	26.2	27.5	27.6	28.6	29.1	29.2	29.1	28.8	29.1	29.3	29.4	29.7	29.8	29.4	29.0	29.0	29.0	29.0
RHmax (%)	92.4	92.9	93.2	93.0	92.9	92.6	93.3	93.6	94.1	93.8	94.1	94.8	95.2	95.4	95.4	95.5	95.6	95.5
RHMin (%)	38.4	42.1	46.7	49.0	50.2	53.8	56.9	59.9	61.3	63.3	65.5	67.3	69.5	73.5	73.5	75.6	77.0	76.8
RHmean (%)	65.4	67.5	69.9	71.0	71.5	73.2	75.1	76.7	77.7	78.5	79.8	81.0	82.4	84.4	84.4	85.6	86.3	86.1
SShr (hrs)	54.5	51.5	50.5	52.5	53.0	54.5	52.5	49.5	49.5	49.0	40.5	41.0	38.0	30.5	26.5	25.5	23.0	28.0
WD (deg)	230	216	200	199	197	187	187	182	190	183	187	190	188	179	180	177	183	180
WS(Km/hr)	4.5	5.5	5.6	6.1	6.1	6.4	6.5	6.2	6.1	5.8	5.6	5.7	5.0	5.4	5.8	5.3	5.5	4.7
																		
	Seedbed			Transplanting			Tillering				Heading		Flow ering	Grain Formation		Maturity to Harvesting		

Favorable Weather Conditions						
Temperature	At least 10 ⁰ C for germination				22-25 ⁰ C	23-27 ⁰ C
Light Intensity			≤200% of normal			
Relative Humidity			High			
Soil Temperature			Above 16 ⁰ C			
Normal phase wise water requirement (mm)	76	120		190	145	100


Congenial Weather Condition for Pests & Diseases						
Bacterial leaf blight (BLB)	Temperature 28-30 ⁰ C Relative Humidity 80-90%, Cloudiness, Rainfall >30mm					
Sheath rot				Temperatu re 25-28 ⁰ C High Relative Humidity> 90%, Cloudy weather		
Blast	Night temperature 16-20 ⁰ C, for 7.30 hours day temperature 25-30 ⁰ C, for 7.30 hours day night temperature >10 ⁰ CRelative Humidity >90%, Cloudy					
Stem borer		Minimum Temperature>20.3 ⁰ C,Maximum Temperature:29.5-34.7 ⁰ C,optimum Temperature:24-29 ⁰ C,Higher morning Relative Humidity>84%,Afternoon Relative Humidity 38.7%,Dry weather				
Leaf roller		Maximum Temperature:32-33 ⁰ C,Relative Humidity 92-95%				
Rice bug				Higher Maximum Temperature: 31.9 ⁰ C,Morning Bright Sunshine Hours> 5.9 hrs,Lower Minimum temperature less than 22.10C Afternoon Relative Humidity less than 66.4% Dry, or intermittent rain		
Brown plant hopper		High temperature >32 ⁰ C, high Relative Humidity:80-90%, drizzle, wet spell, rainfall less than 75 mm				

Weather Warning				
Rain	>50 mm/day	>100 mm/day		>50 mm/day
Duration of wet spell	>25 mm for 3 days	>50 mm for 4 days		20 mm for 4 days
Cloudy weather		Cloudy weather		Cloudy weather
High wind	>50 km/hr	>40 km/hr		>30 km/hr
Temperature	Minimum Temperature <10 ⁰ C	Minimum Temperature <10 ⁰ C		Minimum Temperature <10 ⁰ C

Crop Weather Calendar of Aus Rice: Jashore Region (Districts: Jashore, Kushtia, Chuadanga, Jhenaidah, Meherpur, Magura) Bangladesh


Region: Jashore	Aus Rice														Duration: 126 days					
Months	May			June				July				August				September				
Std.Week/Normal	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37		
Rainfall (mm)	36.0	44.5	38.5	49.5	54.5	81.0	72.5	82.0	72.0	83.5	73.0	63.5	56.0	68.0	48.5	50.5	52.5	68.0		
Max. Temp. (°C)	35.9	35.5	35.6	35.3	34.0	33.3	33.0	32.7	32.9	32.7	32.7	33.0	32.8	32.7	33.1	33.3	32.9	32.9		
Min. Temp. (°C)	25.0	25.5	26.0	26.2	26.2	26.1	26.2	26.0	26.1	26.2	26.2	26.0	26.2	26.0	26.1	26.0	26.0	26.0		
Mean Temp. (°C)	30.4	30.5	30.8	30.7	30.1	29.7	29.6	29.4	29.5	29.5	29.4	29.5	29.5	29.3	29.6	29.6	29.5	29.5		
RHmax (%)	93.1	93.6	94.0	94.1	94.8	95.7	96.0	96.1	96.1	96.1	96.1	96.0	96.2	96.5	96.2	96.2	96.4	96.6		
RHMin (%)	54.8	58.7	60.0	62.1	67.5	71.7	73.5	74.4	73.4	74.6	73.4	72.6	73.0	73.0	71.7	71.0	71.5	70.8		
RHmean (%)	74.0	76.1	77.0	78.1	81.1	83.7	84.7	85.2	84.7	85.3	84.7	84.3	84.6	84.7	83.9	83.6	83.9	83.7		
SShr (hrs)	52.5	46.5	45.5	41.5	32.0	26.5	26.0	24.5	29.0	25.0	29.5	32.5	30.0	28.0	30.5	32.5	31.5	33.0		
WD (deg)	180	181	180	183	174	175	178	186	178	180	177	172	175	175	185	171	180	186		
WS(Km/hr)	5.2	5.2	5.0	4.6	4.9	4.6	4.6	4.4	4.3	4.4	4.7	4.3	4.4	4.3	3.9	4.1	4.1	4.1		
																				
	Seedbed			Transplanting			Tillering					Heading		Flow ering	Grain Formation		Maturity to Harvesting			
Favorable Weather Conditions																				
Temperature	At least 10 ^o C for germination															22-25 ^o C		23-27 ^o C		
Light Intensity							≤200% of normal													
Relative Humidity							High													
Soil Temperature							Above 16 ^o C													
Normal phase wise water requirement (mm)	76						120					190				145		100		
Congenial Weather Condition for Pests & Diseases																				
Bacterial leaf blight (BLB)	Temperature 28-30 ^o C Relative Humidity 80-90%, Cloudiness, Rainfall >30mm																			
Sheath rot												Temperatu re 25-28 ^o C High Relative Humidity> 90%, Cloudy weather								
Sheath blight							Temperature 28-32 ^o C, high Relative Humidity, cloudy weather													
Blast	Night temperature 16-20 ^o C, for 7.30 hours day temperature 25-30 ^o C, for 7.30 hours day night temperature >10 ^o CRelative Humidity >90%, Cloudy																			
Stem borer				Minimum Temperature>20.3 ^o C,Maximum Temperature:29.5-34.7 ^o C,optimum Temperature:24-29 ^o C,Higher morning Relative Humidity>84%,Afternoon Relative Humidity 38.7%,Dry weather																
Leaf roller				Maximum Temperature:32-33 ^o C, Relative Humidity 92-95%																
Rice bug														Higher Maximum Temperature: 31.9 ^o C,Morning Bright Sunshine Hours> 5.9 hrs Lower Minimum temperature less than 22.10C Afternoon Relative Humidity less than 66.4%,Dry, or intermittent rain						
Gall midge				Higher maximum temperature >33.0 ^o C, Lower afternoon Relative Humidity less than 71%, Higher Sunshine hours >7.4 hours																
Weather Warning																				
Rain				>50 mm/day			>100 mm/day							>50 mm/day						
Duration of wet spell				>25 mm for 3 days			>50 mm for 4 days							20 mm for 4 days						
Cloudy weather							Cloudy weather							Cloudy weather						
High wind				>50 km/hr			>40 km/hr							>30 km/hr						
Temperature				Minimum Temperature <10 ^o C			Minimum Temperature <10 ^o C							Minimum Temperature <10 ^o C						

Crop Weather Calendar of Aus Rice: Khulna Region (Districts: Khulna, Satkhira, Bagerhat and Narail) Bangladesh


Region: Khulna	Aus Rice														Duration: 126 days					
Months	April			May				June				July			August					
Std.Week/Normal	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33		
Rainfall (mm)	17.5	25.0	31.5	32.5	37.0	47.5	50.0	52.0	77.5	79.0	93.5	92.0	74.5	94.0	76.5	79.5	69.0	76.5		
Max. Temp. (°C)	35.2	35.2	35.1	35.2	35.3	35.1	35.0	34.7	33.4	32.7	32.3	32.0	32.1	31.8	32.1	32.1	32.1	32.0		
Min. Temp. (°C)	24.9	25.0	25.0	25.3	25.8	26.0	26.4	26.8	26.2	26.3	26.1	26.0	26.2	26.1	26.1	26.0	26.4	26.1		
Mean Temp. (°C)	30.1	30.1	30.0	30.2	30.6	30.5	30.7	30.7	29.8	29.3	29.2	29.0	29.1	28.9	29.1	29.0	29.2	29.0		
RHmax (%)	93.3	93.2	93.0	93.1	93.4	93.7	93.9	94.2	95.1	95.7	95.8	96.0	95.5	95.9	95.8	95.6	95.6	96.1		
RHMin (%)	52.4	53.7	55.3	57.4	57.9	60.7	62.0	64.9	70.2	73.3	75.1	75.5	74.6	77.0	75.5	74.8	74.5	75.1		
RHmean (%)	72.8	73.4	74.1	75.2	75.7	77.2	77.9	79.5	82.6	84.5	85.4	85.7	85.1	86.4	85.6	85.2	85.0	85.6		
SShr (hrs)	61.5	58.0	59.5	56.5	55.0	47.0	50.0	41.5	29.5	23.5	25.0	21.5	27.0	24.5	29.0	30.0	29.5	31.0		
WD (deg)	192	186	186	183	177	180	184	178	170	175	179	186	175	175	179	170	172	170		
WS(Km/hr)	7.6	8.0	7.5	7.5	7.1	7.2	7.3	6.7	6.8	6.8	6.8	5.6	5.6	6.6	6.2	6.5	5.9	6.5		
																				
	Seedbed			Transplanting			Tillering				Heading		Flow ering	Grain Formation		Maturity to Harvesting				
Favorable Weather Conditions																				
Temperature	At least 10 ^o C for germination														22-25 ^o C		23-27 ^o C			
Light Intensity							≤200% of normal													
Relative Humidity							High													
Soil Temperature							Above 16 ^o C													
Normal phase wise water requirement (mm)	76			120							190				145		100			
Congenial Weather Condition for Pests & Diseases																				
Bacterial leaf blight (BLB)	Temperature 28-30 ^o C Relative Humidity 80-90%, Cloudiness, Rainfall >30mm																			
Sheath rot											Temperatur e 25-28 ⁰ C, High Relative Humidity>9 0%, Cloudy weather									
Sheath blight							Temperature 28-32 ⁰ C, high Relative Humidity, cloudy weather													
Blast	Night temperature 16-20 ⁰ C, for 7.30 hours day temperature 25-30 ⁰ C, for 7.30 hours day night temperature >10 ⁰ CRelative Humidity >90%, Cloudy																			
Stem borer				Minimum Temperature>20.3 ⁰ C,Maximum Temperature:29.5-34.7 ⁰ C,optimum Temperature:24-29 ⁰ C,Higher morning Relative Humidity>84%,Afternoon Relative Humidity 38.7%,Dry weather																
Leaf roller				Maximum Temperature:32-33 ⁰ C,Relative Humidity 92-95%																
Rice bug													Higher Maximum Temperature: 31.9 ⁰ C,Morning Bright Sunshine Hours> 5.9 hrs Lower Minimum temperature less than 22.10C Afternoon Relative Humidity less than 66.4%,Dry, or intermittent rain							
Brown plant hopper							High temperature >32 ⁰ C, high Relative Humidity:80-90%, drizzle, wet spell, rainfall less than75 mm													

Weather Warning				
Rain	>50 mm/day		>100 mm/day	
Duration of wet spell	>25 mm for 3 days		>50 mm for 4 days	
Cloudy weather			Cloudy weather	
High wind	>50 km/hr		>40 km/hr	
Temperature	Minimum Temperature <10 ^o C		Minimum Temperature <10 ^o C	


Crop Weather Calendar of Aus Rice: Mymensingh Region (Districts: Mymensingh, Kishoregonj, Jamalpur, Netrokona, Sherpur) Bangladesh

Region: Mymensingh	Aus Rice														Duration: 126 days							
Months	April			May				June				July			August							
Std.Week/Normal	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33				
Rainfall (mm)	40.0	36.0	55.0	62.0	69.0	97.0	81.0	96.0	103.0	98.0	85.0	109.0	99.0	89.0	100.0	72.0	74.0	67.0				
Max. Temp. (°C)	32.0	31.7	31.6	31.9	32.3	32.0	32.0	32.0	31.7	31.4	31.0	31.1	31.3	31.3	31.1	32.0	32.0	32.0				
Min. Temp. (°C)	22.9	22.9	22.9	23.6	24.0	24.3	25.0	25.6	25.7	26.0	26.0	26.0	26.0	26.0	26.0	26.1	26.3	26.3				
Mean Temp. (°C)	27.5	27.3	27.3	27.8	28.2	28.2	28.5	28.8	28.7	28.7	28.5	28.6	28.7	28.7	28.6	29.1	29.2	29.2				
RHmax (%)	91.1	91.3	92.4	92.6	92.7	92.7	94.0	94.1	94.7	95.0	94.7	95.0	94.6	94.6	94.9	94.7	93.9	94.0				
RHMin (%)	61.1	62.6	64.6	66.0	66.4	69.4	71.9	73.0	75.4	76.6	77.7	77.6	77.0	76.6	76.4	74.6	74.6	74.9				
RHmean (%)	76.1	77.0	78.5	79.3	79.6	81.1	83.0	83.6	85.1	85.8	86.2	86.3	85.8	85.6	85.7	84.7	84.3	84.5				
SShr (hrs)	49.0	46.0	44.0	44.0	45.0	39.0	36.0	34.0	26.0	25.0	23.0	24.0	24.0	25.0	30.0	33.0	31.0	30.0				
WD (deg)	143	128	126	134	131	126	130	142	138	143	144	156	152	152	151	153	149	148				
WS(Km/hr)	7.2	7.6	7.4	6.8	7.4	7.4	6.8	6.1	7.4	6.8	7.2	7.2	6.8	7.2	6.1	6.1	6.1	6.1				
																						
	Seedbed			Transplanting			Tillering					Heading		Flow ering	Grain Formation		Maturity to Harvesting					
Favorable Weather Conditions																						
Temperature	At least 10 ⁰ C for germination														22-25 ⁰ C		23-27 ⁰ C					
Light Intensity							≤200% of normal															
Relative Humidity							High															
Soil Temperature							Above 16 ⁰ C															
Normal phase wise water requirement (mm)	76						120					190			145		100					
Congenial Weather Condition for Pests & Diseases																						
Bacterial leaf blight (BLB)	Temperature 28-30 ⁰ C Relative Humidity 80-90%, Cloudiness, Rainfall >30mm																					
Sheath rot												Temperatur e 25-28 ⁰ C High Relative Humidity>90%, Cloudy weather										
Blast	Night temperature 16-20 ⁰ C, for 7.30 hours day temperature 25-30 ⁰ C, for 7.30 hours day night temperature >10 ⁰ CRelative Humidity >90%, Cloudy																					
Stem borer				Minimum Temperature>20.3 ⁰ C,Maximum Temperature:29.5-34.7 ⁰ C,optimum Temperature:24-29 ⁰ C,Higher morning Relative Humidity>84%,Afternoon Relative Humidity 38.7%,Dry weather																		
Leaf roller				Maximum Temperature:32-33 ⁰ C,Relative Humidity 92-95%																		
Rice bug														Higher Maximum Temperature: 31.9 ⁰ C,Morning Bright Sunshine Hours> 5.9 hrs Lower Minimum temperature less than 22.10C, Afternoon Relative Humidity less than 66.4%,Dry, or intermittent rain								
Weather Warning																						
Rain				>50 mm/day			>100 mm/day							>50 mm/day								
Duration of wet spell				>25 mm for 3 days			>50 mm for 4 days							20 mm for 4 days								
Cloudy weather							Cloudy weather							Cloudy weather								
High wind				>50 km/hr			>40 km/hr							>30 km/hr								
Temperature				Minimum Temperature <10 ^o C			Minimum Temperature <10 ^o C							Minimum Temperature <10 ^o C								

Crop Weather Calendar of Aus Rice: Rajshahi Region (Districts: Rajshahi, Chapainawabganj, Naogaon and Natore) Bangladesh

Region: Rajshahi	Aus Rice														Duration: 126 days				
Months	May			June				July				August				September			
Std.Week/Normal	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	
Rainfall (mm)	33.0	36.0	34.0	48.0	51.0	78.0	72.0	66.0	71.0	75.0	72.0	52.0	57.0	64.0	53.0	57.0	54.0	59.0	
Max. Temp. (°C)	35.1	35.0	35.3	35.0	33.9	33.1	33.0	32.7	32.9	32.3	32.6	32.9	32.9	32.7	33.0	33.0	32.9	33.0	
Min. Temp. (°C)	24.6	25.0	25.4	25.9	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.1	26.0	26.1	26.0	26.0	26.0	
Mean Temp. (°C)	29.9	30.0	30.4	30.5	30.0	29.6	29.5	29.4	29.5	29.2	29.3	29.5	29.5	29.4	29.6	29.5	29.5	29.5	
RHmax (%)	93.3	93.1	93.7	94.6	95.4	96.1	96.6	96.6	96.9	97.0	96.9	96.7	96.6	96.7	96.1	96.4	96.3	96.7	
RHMin (%)	55.6	58.3	58.9	62.6	67.9	71.1	73.4	73.7	74.3	75.3	73.9	72.6	72.6	74.1	72.0	70.9	71.3	71.0	
RHmean (%)	74.5	75.7	76.3	78.6	81.7	83.6	85.0	85.2	85.6	86.2	85.4	84.7	84.6	85.4	84.1	83.7	83.8	83.9	
SShr (hrs)	54.0	48.0	51.0	48.0	35.0	31.0	31.0	30.0	30.0	30.0	34.0	34.0	36.0	33.0	34.0	40.0	35.0	38.0	
WD (deg)	135	126	133	139	129	127	132	141	134	138	140	131	131	141	143	133	142	143	
WS(Km/hr)	7.2	7.2	7.2	6.7	6.7	6.8	6.8	5.7	6.1	6.3	6.7	6.3	5.6	5.7	5.6	5.6	5.6	5.6	
																			
	Seedbed			Transplanting			Tillering					Heading		Flower ing	Grain Formation		Maturity to Harvesting		
Favorable Weather Conditions																			
Temperature	At least 10 ^o C for germination															22-25 ^o C		23-27 ^o C	
Light Intensity							≤200% of normal												
Relative Humidity							High												
Soil Temperature							Above 16 ^o C												
Normal phase wise water requirement (mm)	76						120					190				145		100	
Congenial Weather Condition for Pests & Diseases																			
Bacterial leaf blight (BLB)	Temperature 28-30 ^o C Relative Humidity 80-90%, Cloudiness, Rainfall >30mm																		
Sheath rot												Temperatur e 25-28 ^o C High Relative Humidity>90%, Cloudy weather							
Sheath blight							Temperature 28-32 ^o C, high Relative Humidity, cloudy weather												
Blast	Night temperature 16-20 ^o C, for 7.30 hours day temperature 25-30 ^o C, for 7.30 hours day night temperature >10 ^o CRelative Humidity >90%, Cloudy																		
Stem borer				Minimum Temperature>20.3 ^o C,Maximum Temperature:29.5-34.7 ^o C,optimum Temperature:24-29 ^o C,Higher morning Relative Humidity>84%,Afternoon Relative Humidity 38.7%,Dry weather															
Leaf roller				Maximum Temperature:32-33 ^o C,Relative Humidity 92-95%															
Rice bug														Higher Maximum Temperature: 31.9 ^o C Morning Bright Sunshine Hours> 5.9 hrs Lower Minimum temperature less than 22.10C Afternoon Relative Humidity less than 66.4%,Dry, or intermittent rain					
Brown plant hopper							High temperature >32 ^o C, high Relative Humidity:80-90%, drizzle, wet spell, rainfall less than75 mm												
Weather Warning																			
Rain				>50 mm/day				>100 mm/day						>50 mm/day					
Duration of wet spell				>25 mm for 3 days				>50 mm for 4 days						20 mm for 4 days					
Cloudy weather								Cloudy weather						Cloudy weather					
High wind				>50 km/hr				>40 km/hr						>30 km/hr					
Temperature				Minimum Temperature <10 ^o C				Minimum Temperature <10 ^o C						MinimumTemperature <10 ^o C					

Crop Weather Calendar of Aus Rice: Rangamati Region (Districts: Rangamati, Khagrachari and Bandarban) Bangladesh


Region: Rangamati	Aus Rice														Duration: 126 days			
Months	March			April				May				June				July		
Std.Week/Normal	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
Rainfall (mm)	4.0	4.0	4.0	21.0	49.0	29.0	26.0	67.0	72.0	63.0	59.0	72.0	122.0	134.0	125.0	101.0	90.0	110.0
Max. Temp. (°C)	32.9	33.1	33.0	33.0	33.4	33.7	33.7	33.1	33.0	33.3	32.9	33.0	32.0	31.7	31.3	31.0	31.0	31.4
Min. Temp. (°C)	19.9	20.9	21.7	22.3	22.9	23.6	23.4	23.6	23.9	24.1	24.4	25.0	25.0	25.0	25.0	25.0	25.0	25.0
Mean Temp. (°C)	26.4	27.0	27.4	27.7	28.2	28.7	28.6	28.4	28.5	28.7	28.7	29.0	28.5	28.4	28.2	28.0	28.0	28.2
RHmax (%)	89.3	90.3	90.4	89.9	89.7	90.6	91.4	91.6	91.6	92.0	92.1	92.3	93.0	94.0	93.7	93.7	93.4	93.4
RHMin (%)	39.7	43.7	48.0	49.7	51.1	52.9	54.9	56.4	59.4	61.1	65.9	67.7	69.6	72.7	73.6	74.4	74.9	74.9
RHmean (%)	64.5	67.0	69.2	69.8	70.4	71.8	73.2	74.0	75.5	76.6	79.0	80.0	81.3	83.4	83.7	84.1	84.2	83.7
SShr (hrs)	56.0	52.0	50.0	55.0	54.0	55.0	54.0	50.0	50.0	44.0	42.0	39.0	35.0	30.0	29.0	28.0	24.0	26.0
WD (deg)	193	201	204	205	205	210	202	207	199	193	191	195	192	186	179	184	179	184
WS(Km/hr)	5.4	5.6	5.6	6.1	6.1	5.6	5.6	5.6	5.7	6.1	5.6	5.0	5.6	5.6	5.7	5.6	5.6	5.4
																		
	Seedbed			Transplanting			Tillering				Heading		Flow ering	Grain Formation		Maturity to Harvesting		

Favorable Weather Conditions						
Temperature	At least 10 ^o C for germination				22-25 ^o C	23-27 ^o C
Light Intensity			≤200% of normal			
Relative Humidity			High			
Soil Temperature			Above 16 ^o C			
Normal phase wise water requirement (mm)	76	120		190	145	100

Congenial Weather Condition for Pests & Diseases						
Bacterial leaf blight (BLB)	Temperature 28-30 ⁰ C Relative Humidity 80-90%, Cloudiness, Rainfall >30mm					
Sheath rot				Temperatur e 25-28 ⁰ C High Relative Humidity>9 0%, Cloudy weather		
Sheath blight			Temperature 28-32 ⁰ C, high Relative Humidity, cloudy weather			
Blast	Night temperature 16-20 ⁰ C, for 7.30 hours day temperature 25-30 ⁰ C, for 7.30 hours day night temperature >10 ⁰ CRelative Humidity >90%, Cloudy					
Stem borer		Minimum Temperature>20.3 ⁰ C,Maximum Temperature:29.5-34.7 ⁰ C,optimum Temperature:24-29 ⁰ C,Higher morning Relative Humidity>84%,Afternoon Relative Humidity 38.7%,Dry weather				
Leaf roller		Maximum Temperature:32-33 ⁰ C Relative Humidity 92-95%				
Rice bug				Higher Maximum Temperature: 31.9 ⁰ C,Morning Bright Sunshine Hours> 5.9 hrs Lower Minimum temperature less than 22.10C Afternoon Relative Humidity less than 66.4% Dry, or intermittent rain		


Weather Warning				
Rain	>50 mm/day		>100 mm/day	>50 mm/day
Duration of wet spell	>25 mm for 3 days		>50 mm for 4 days	20 mm for 4 days
Cloudy weather			Cloudy weather	Cloudy weather
High wind	>50 km/hr		>40 km/hr	>30 km/hr
Temperature	Minimum Temperature <10 ° C		Minimum Temperature <10° C	Minimum Temperature <10 ° C

Crop Weather Calendar of Aus Rice: Rangpur Region (Districts: Rangpur, Kurigram, Gaibandha, Nilphamari, Lalmonirhat) Bangladesh

Region: Rangpur	Aus Rice														Duration: 126 days						
Months	March			April				May				June				July					
Std.Week/Normal	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28			
Rainfall (mm)	2.5	5.5	18.5	11.0	19.5	28.5	31.5	50.0	40.0	65.0	61.5	87.0	106.5	90.5	10 9.5	91.0	106.0	116.0			
Max. Temp. (°C)	30.8	31.6	31.4	32.1	32.5	32.3	32.0	31.9	32.5	32.7	32.2	32.8	32.7	32.4	32. 0	32.2	32.3	31.9			
Min. Temp. (°C)	17.3	18.4	19.5	20.3	21.1	21.9	21.9	22.3	23.2	23.4	23.9	24.4	25.0	25.2	25. 8	26.0	26.0	26.0			
Mean Temp. (°C)	24.0	25.0	25.4	26.2	26.8	27.1	27.0	27.1	27.8	28.1	28.0	28.6	28.8	28.8	28. 9	29.1	29.2	29.0			
RHmax (%)	88.7	88.1	87.7	88.5	88.4	89.9	90.9	92.5	92.2	92.9	92.8	93.3	93.9	94.2	94. 9	94.7	95.0	94.8			
RHMin (%)	40.8	42.5	48.8	49.7	50.7	56.7	59.0	62.0	62.0	62.9	65.8	66.7	69.0	70.7	73. 7	73.6	73.8	74.6			
RHmean (%)	64.7	65.3	68.3	69.1	69.5	73.3	75.0	77.3	77.1	77.9	79.3	80.0	81.4	82.4	84. 3	84.1	84.4	84.7			
SShr (hrs)	57.0	54.0	49.0	51.5	51.0	47.5	47.0	46.5	47.5	49.0	41.0	40.5	38.0	31.5	27. 0	28.0	27.0	30.5			
WD (deg)	196	179	152	148	141	135	118	115	120	118	119	123	125	125	12 7	131	143	137			
WS(Km/hr)	8.2	8.7	8.7	8.3	8.4	8.3	8.6	7.8	7.7	7.9	6.8	7.4	6.9	7.4	7.1	7.1	6.8	6.8			
																					
	Seedbed			Transplanting			Tillering				Heading		Flower ing	Grain Formation		Maturity to Harvesting					
Favorable Weather Conditions																					
Temperature	At least 10° C for germination															22-25° C		23-27° C			
Light Intensity								≤200% of normal													
Relative Humidity								High													
Soil Temperature								Above 16° C													
Normal phase wise water requirement (mm)	76			120								190				145		100			
Congenial Weather Condition for Pests & Diseases																					
Bacterial leaf blight (BLB)	Temperature 28-30°C Relative Humidity 80-90%, Cloudiness, Rainfall >30mm																				
Sheath rot											Temperatur e 25-28°C High Relative Humidity>90%, Cloudy weather										
Sheath blight							Temperature 28-32°C, high Relative Humidity, cloudy weather														
Blast	Night temperature 16-20°C, for 7.30 hours day temperature 25-30°C, for 7.30 hours day night temperature >10°CRelative Humidity >90%, Cloudy																				
Stem borer				Minimum Temperature>20.3°C,Maximum Temperature:29.5-34.7°C,optimum Temperature:24-29°C,Higher morning Relative Humidity>84%,Afternoon Relative Humidity 38.7%,Dry weather																	
Leaf roller				Maximum Temperature:32-33°C Relative Humidity 92-95%																	
Rice bug														Higher Maximum Temperature: 31.9°C,Morning Bright Sunshine Hours> 5.9 hrs Lower Minimum temperature less than 22.10C, Afternoon Relative Humidity less than 66.4%,Dry, or intermittent rain							
Brown plant hopper				High temperature >32°C, high Relative Humidity:80-90%, drizzle, wet spell, rainfall less than 75 mm																	

Weather Warning				
Rain	>50 mm/day		>100 mm/day	
Duration of wet spell	>25 mm for 3 days		>50 mm for 4 days	
Cloudy weather			Cloudy weather	
High wind	>50 km/hr		>40 km/hr	
Temperature	Minimum Temperature <10 ⁰ C		Minimum Temperature <10 ⁰ C	

Crop Weather Calendar of Aus Rice: Sylhet Region (Districts: Sylhet, Moulvibazar, Sunamganj, Habiganj) Bangladesh

Region: Sylhet	Aus Rice														Duration: 126 days			
Months	April			May				June				July				August		
Std.Week/Normal	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
Rainfall (mm)	78.5	85.5	102.5	107.5	122.0	116.5	148.5	152.0	168.0	129.5	137.5	130.0	110.0	129.5	129.0	123.5	103.0	118.5
Max. Temp. (°C)	32.0	31.7	31.5	31.6	31.9	32.2	31.5	31.9	31.6	31.9	31.9	31.7	32.0	31.8	32.2	32.3	32.8	32.2
Min. Temp. (°C)	21.8	21.8	22.0	22.7	23.2	23.6	24.0	24.4	24.9	25.0	25.0	25.0	25.2	25.0	25.0	25.1	25.3	25.2
Mean Temp. (°C)	26.9	26.7	26.7	27.1	27.5	27.9	27.7	28.1	28.3	28.4	28.5	28.4	28.6	28.4	28.6	28.7	29.0	28.7
RHmax (%)	93.1	93.2	94.0	94.6	94.7	94.9	95.2	95.8	96.0	96.2	96.0	95.9	96.0	96.1	96.2	96.4	96.2	96.4
RHMin (%)	58.2	59.7	63.1	64.2	65.6	67.2	70.6	71.8	73.6	73.7	74.0	73.9	73.4	74.2	72.6	72.4	70.9	72.8
RHmean (%)	75.6	76.5	78.5	79.4	80.2	81.0	82.9	83.8	84.8	84.9	85.0	84.9	84.7	85.1	84.4	84.4	83.5	84.6
SShr (hrs)	48.5	46.5	45.0	43.5	43.5	38.5	33.5	31.5	26.0	27.5	23.5	25.0	27.0	26.0	30	33.0	33.5	29.5
WD (deg)	166	155	153	163	160	158	162	161	164	157	161	166	166	160	165	173	171	169
WS(Km/hr)	6.9	8.2	7.1	6.8	6.2	6.5	6.5	5.4	5.6	6.3	6.6	6.0	5.9	6.2	6.7	6.4	5.9	5.6
																		
	Seedbed			Transplanting			Tillering				Heading		Flow ering	Grain Formation		Maturity to Harvesting		

Favorable Weather Conditions						
Temperature	At least 10 ^o C for germination				22-25 ^o C	23-27 ^o C
Light Intensity			≤200% of normal			
Relative Humidity			High			
Soil Temperature			Above 16 ^o C			
Normal phase wise water requirement (mm)	76	120		190	145	100

Congenial Weather Condition for Pests & Diseases						
Bacterial leaf blight (BLB)	Temperature 28-30 ⁰ C Relative Humidity 80-90%, Cloudiness, Rainfall >30mm					
Sheath rot				Temperature 25-28 ⁰ C High Relative Humidity>90 %, Cloudy weather		
Sheath blight			Temperature 28-32 ⁰ C, high Relative Humidity, cloudy weather			
Blast	Night temperature 16-20 ⁰ C, for 7.30 hours day temperature 25-30 ⁰ C, for 7.30 hours day night temperature >10 ⁰ CRelative Humidity >90%, Cloudy					
Stem borer		Minimum Temperature>20.3 ⁰ C,aximum Temperature:29.5-34.7 ⁰ C,optimum Temperature:24-29 ⁰ C,Higher morning Relative Humidity>84%,Afternoon Relative Humidity 38.7%,Dry weather				
Leaf roller		Maximum Temperature:32-33 ⁰ C,Relative Humidity 92-95%				
Rice bug					Higher Maximum Temperature: 31.9 ⁰ C,Morning Bright Sunshine Hours> 5.9 hrs Lower Minimum temperature less than 22.10C Afternoon Relative Humidity less than 66.4%,Dry, or intermittent rain	

Weather Warning				
Rain	>50 mm/day	>100 mm/day		>50 mm/day
Duration of wet spell	>25 mm for 3 days	>50 mm for 4 days		20 mm for 4 days
Cloudy weather		Cloudy weather		Cloudy weather
High wind	>50 km/hr	>40 km/hr		>30 km/hr
Temperature	Minimum Temperature <10 °C	Minimum Temperature <10° C		Minimum Temperature <10 °C