



**PT Cahaya Graha Perkasa**

**Vision:** Become one of the companies that can provide materials needs for your project

**Mission:** To be a professional company in providing project needs & Prioritizing the best quality and punctual work in preparing your needs



## Steel Door

Swing Door + Kaca / Jalusi ( SG, B&K, DB )

### Specification & Materials



Materials: Steel Plate

Door Plate Thickness : 0.8, 1.0, 1.5mm

Frame Plate Thickness : 0.8, 1.0, 1.5mm

Door Thickness : 40mm

Insulated : HoneyComb

Frame Size : 50 x 100mm

Finishing : Powder Coating / Duco

Opening Direction : Right Opening / Left Opening ( In or Out Opening )

Accessories : All Set Dekson

Single Opening Measurement : ( 900-1100mm ) x ( 2000-2500mm )

Mother & Son Opening Measurement : ( 1100-1400mm ) x ( 2000-2500mm )

Double Opening Measurement : ( 1400-1735mm ) x ( 2000-2500mm )



## Sliding Door + Kaca / Jalusi ( SG & DB )

### Specification & Materials



Materials: Steel Plate

Door Plate Thickness: 0.8, 1.0, 1.5mm

Frame Plate Thickness: 0.8, 1.0, 1.5mm

Door Thickness: 40mm

Insulated: HoneyComb

Frame Size: 50 x 100mm

Finishing: Powder Coating / Duco

Opening Direction: Right Opening / Left Opening ( In or Out Opening )

Accessories: All Set Dekson

Single Opening Measurement: ( 900-1100mm ) x ( 2000-2500mm )

Double Opening Measurement: ( 1400-1735mm ) x ( 2000-2500mm )



## Shaft Door ( SG & DB )

### Specification & Materials



Materials : Steel Plate

Door Plate Thickness : 0.8, 1.0, 1.5mm

Frame Plate Thickness : 0.8, 1.0, 1.5mm

Door Thickness : 40mm

Insulated : HoneyComb

Frame Size : 50 x 100mm

Finishing : Powder Coating / Duco

Opening Direction : Right Opening / Left Opening ( Out Opening )

Accessories : All Set Dekson

Single Opening Measurement : ( 600-1000mm ) x ( 1000-2000mm )

Double Opening Measurement : ( 1400-1735mm ) x ( 2000-2500mm )



Emergency Door
Fire Door ( Single, DB )
Specification & Materials



Materials: Steel Plate

Door Plate Thickness: 1.5, 2.0mm

Frame Plate Thickness: 1.5, 2.0mm

Door Thickness: 50mm

Insulated: RockWool

Frame Size: 50 x 100mm

Finishing: Powder Coating / Duco

Opening Direction: Right Opening / Left Opening ( Out Opening )

Accessories: All Set Dekson

Single Opening Measurement: ( 900-1100mm ) x ( 2000-2500mm )

Double Opening Measurement: ( 1400-2000mm ) x ( 2000-2500mm )





## Exit Door ( Single, DB )

### Specification & Materials



Materials: Steel Plate

Door Plate Thickness: 1.5mm

Frame Plate Thickness: 1.5mm

Door Thickness: 40mm

Insulated: HoneyComb

Frame Size: 50 x 100mm

Finishing: Powder Coating / Duco

Opening Direction: Right Opening / Left Opening ( In Or Out Opening )

Accessories: All Set Dekson

Single Opening Measurement: ( 900-1100mm ) x ( 2000-2500mm )

Double Opening Measurement: ( 1400-2000mm ) x ( 2000-2500mm )



## Louvre / Jalusi

### Specification & Materials



Materials: Steel Plate

Plate Thickness ( Kisi - Kisi ): 1.5mm

Plate Thickness ( Kusen ): 1.5mm

Finishing: Powder Coating / Duco

#### PANDUAN ARAH BUKA PINTU

