

ROLL NO. :26K-3131


TASK 2

```
#include<stdio.h>

int main()
{
    int number1 , number2,sum,sub,product,division;

    printf ("\t Enter number1 \n");
    scanf("%d",&number1);
    printf("\t Enter number 2 \n");
    scanf("%d",&number1);
    sum=number1+number2;
    sub=number1-number2;
    product=number1*number2;
    division=number1/number2;

    printf("\t Addition of two numbers is %d",sum);
    printf("\t Subtraction of two numbers is %d" ,sub);
    printf("\t product of two numbers is %d",product);
    printf("\t division of two numbers is %d",division);
}
```



The screenshot shows a TDM-GCC 4.9.2 64-bit Release IDE. The main window displays a C program in 'farhat.cpp'. The code is as follows:

```
1 #include<stdio.h>
2 int main()
3 {
4     int number1 , number2,sum,sub,product,division;
5     printf ("\t Enter number1 \n");
6     scanf("%d",&number1);
7     printf("\t Enter number 2 \n");
8     scanf("%d",&number1);
9     sum=number1+number2;
10    sub=number1-number2;
11    product=number1*number2;
12    division=number1/number2;
13    printf("\t Addition of two numbers is %d",sum);
14    printf("\t Subtraction of two numbers is %d" ,sub);
15    printf("\t product of two numbers is %d",product);
16    printf("\t division of two numbers is %d",division);
17
18
19 }
```

The bottom status bar shows 'Compilation results...' with 'Errors: 0'.

TASK 1

```
#include<stdio.h>
```

```
int main()
```

```
{
```

```
    printf("\t Name:Farhat Kamil\n");
```

```
    printf("\t Roll no.:26K-3131\n");
```

```
    printf("\t Course Name:PF\n");
```

```
    printf("\t University Name: FAST NUCES \n");
```

```
}
```

The image shows a screenshot of a C++ IDE. The top toolbar includes icons for file operations (new, open, save, print), editing (undo, redo, find, replace), and compilation (build, run, debug). The menu bar includes File, Project, Execute, Tools, AStyle, Window, and Help. The status bar at the bottom right indicates 'TDM-GCC 4.9.2 64-bit'. The editor window has tabs for 'farhat.cpp', '[*]Untitled2', 'Untitled3', and 'second.c'. The code in 'second.c' is as follows:

```
1 #include<stdio.h>
2 int main()
3 {
4     printf("\t Name:Farhat Kamil\n");
5     printf("\t Roll no.:26K-3131\n");
6     printf("\t Course Name:PF\n");
7     printf("\t University Name: FAST NUCES \n");
8 }
```

Below the editor is a console window titled 'C:\Users\student26\Documents\second.exe'. It displays the output of the program:

```
Name:Farhat Kamil
Roll no.:26K-3131
Course Name:PF
University Name: FAST NUCES
```

At the bottom of the console window, it shows the execution status: '----- Process exited after 0.03004 seconds with return value 0 Press any key to continue . . . _'.