

```
FOL... [ To categories.ts X
Q
                                             import { defineType } from "sanity";
         > public

✓ scripts

ф
                                             export const categorySchema = defineType({
         JS migrate.mjs
                                                  name: 'categories',
title: 'Categories',
type: 'document',
         ∨ src
          > app
          > components
          > context
                                                            name: 'title',
title: 'Category Title',
type: 'string',
H

∨ sanity

           > lib

√ schemaTypes

                                                            name: 'image',
title: 'Category Image',
type: 'image',
            TS categories.ts
            TS index.ts
           TS products.ts
          TS structure.ts
                                                            title: 'Number of Products',
name: 'products',
type: 'number',
         $ .env.local
        eslintrc.json
         .gitignore
        {} components.json
                                         import { defineType } from "sanity";
 > public

✓ scripts

                                         export const productSchema = defineType({
  JS migrate.mjs
                                           name: "products",
title: "Products",
 ∨ src
  > app
                                            type: "document",
  > components
                                            fields: [
  > context
                                                 name: "title",
title: "Product Title",
type: "string",
  > lib

√ sanity

   > lib

∨ schemaTypes

                                                name: "price",
title: "Price",
type: "number",
    TS categories.ts
   TS index.ts
    TS products.ts
    TS env.ts
   TS structure.ts
                                                 name: "priceWithoutDiscount",
type: "number",
 $ .env.local
eslintrc.json
 .gitignore
                                                name: "badge",
title: "Badge",
type: "string",
{} components.json
 JS next.config.mjs
                                                                                                                                                              (i) Do you n
{} package-lock.json
                                                  name: "image",
title: "Product Image",
{} package.json
JS postcss.config.mjs
                                                  type: "image",
① DEADME md
```

