Name Fasheen Sohail

Roll no 11F24BSCS0609

Assignment :- 1, 2

CamScanner

## Index.html

```
<!Doctype html>
<html lang = "en">
<head>
 <meta chaset = "UTF-8">
 <meta name = "viewport" content = "width = device-width, initial scale=1.0">
 <title> DeepGuard - Home </title>
 <link rel = "stylesheet" href = "home.css">
</head>
<body>
 <nav class = "menu">
 <a href = "index.html"> Home </a>
 <a href = "media.html"> Media </a>
 <a href = "register.html"> Register </a>
 <a href = "services.html"> Services </a>
 <a href = "portfolio.html"> Portfolio </a>
 <a href = "contact.html"> contact </a>
 </nav>
 <h1 id="title"> Welcome to <span class = "highlights"> DeepGuard
 </span></h1>
 <div class = "box">
 <h2> What is DeepGuard? </h2>
 <p> DeepGuard help you find <span strong> fake faces </Strong>
and <em> fake voices </em> made by AI. </p>
```

```
<img src="assets/face.svg" alt="Face scan" width="200">
</div>
<div class="box">
<h2>Explore</h2>
<p><a href="media.html">Media</a> | <a href="register.html">
Register</a> | <a href="services.html">Services</a> | <a
href="portfolio.html">Portfolio</a> | <a href="contact.html">
Contact</a></p>
</div>
</body>
</html>
```

## Home.css

```
body {
 font-family: Arial, sans-serif;
 background-color: #fff5f5;
 color: #222222;
 margin: 0;
 }
 h1 {
  font-size: 40px;
  color: #c8102e;
 }
 h2 {
  font-size: 26 px;
  border-bottom: 3px solid #c8102e;
 }
p {
 font-size: 18px;
 line-height: 1.6;
}
img {
 border: 3px solid #c8102e;
 border radius: 10px;
}
```

```
.menu {
background-color: #111111;
padding: 15px;
text-align: center;
}
.menu a {
color: white;
margin: 0 10px;
text-decoration: none;
}
.box {
background-color: white;
border: 2px solid #CS102E;
padding: 15px;
margin: 15px;
}
.highlight {
  color: #CS102E;
  font-weighted: bold;
}
#title {
  text-align: center;
  font-family: Georgia, Serif;
}
```

media.html

```
<!Doctype html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width,
initial-scale=1.0">
<title> Deep Guard - Media </title>
<link rel="stylesheet" href="media.css">
</head>
<body>
<nav class="menu">
<a href="index.html"< Home </a>
<a href="media.html"> Media </a>
<a href="register.html"> register </a>
<a href="services.html"> Services </a>
<a href="portfolio.html"> Portfolio </a>
<a href="contact.html"> contact </a>
</nav >
<div class="page">
<div class="banner"><span class="tag">learn</span></div>
<h1> Media </h1>
<img class="photo" src="assets/g1.svg" alt=" Face check">
<p> Watch the video, listen to the audio and read how
to spot a fake. </p>
```

```
<div class="clear"></div>
<h2>Video</h2>
<video controls width="300"><source src="assets/sample.
mp4" type="video/mp4"></video>
<h2>Audio</h2>
<audio control><source src="assets/sample.wav" type=
"audio/wav"></audio>
<h2>Signs of a fake</h2>
<ul>
<li>Face looks too smooth</li>
<li>Voice has no ups and downs</li>
<li>lips donot match words</li>
</ul>
<h2>Steps to check</h2>
<ol>
<li>Choose a file</li>
<li>Read the scores</li>
<li>See the Result</li>
</ol>
<h2>Scores</h2>
<table>
<tr><th>Video</th><th>Total</th><th>Result</th></tr>
<tr><td>Clip1</td><td>215</td><td>Real</td></tr>
<tr><td>Clip2</td><td>95</td><td>Fake</td></tr>
</table>
```

```
<h2>Tips (scroll)</h2>
<div class="scrollbox">
<p>Call back on a saved number. Never share OTPs. Use a family code word. Do not trust a rushed request for money. Ask a private question.</p>
</div>
</div>
</body>
</html>
```

## media.css

```
* {
  box-sizing: border-box;
 }
body {
 margin: 0;
 font-family: Arial, sans-serif;
 background-color: #f2f2f2;
 }
 .menu {
 position: sticky;
 top: 0;
 background-color: #111111;
 padding: 15px;
 }
```

```
.menu a {
color : white;
margin-right : 15px;
text-decoration : none;
}
.page {
width : 90%;
max-width : 800px;
margin : 20px auto;
padding : 20px;
background-color : white;
border : 2px solid #111111;
}
.banner {
height : 120px;
background-image : url("assets/g4.svg");
background-size : cover;
position : relative;
}
.tag {
position : absolute;
top : 10px;
right : 10px;
background-color : #c8102e;
```

```
  color : white;
  padding : 5px 10px;
}
.photo {
  float: left;
  width: 150px;
  margin-right : 15px;
}
.clear {
  clear: both;
}
video,
audio {
display: block;
margin: 10px 0;
max-width : 100%;
}
.scrollbox {
  height : 80px;
  overflow : auto;
  border : 1px solid #111111;
  padding : 5px;
}
table {
  border-collapse : collapse;
  width : 100%;
}
th,
td {
  border: 1px solid #111111;
  padding : 6px;
  text-align: left;
}
```

## register.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport content" = "width=device-width,
initial-Scale=1.0">
<title> Deep Guard- Register </title>
<link rel="stylesheet" href="register.css">
</head>
<body>
<nav class="menu">
<a href="index.html"> Home </a>
<a href="media.html"> Media </a>
<a href="register.html"> Register </a>
<a href="Services.html"> Services </a>
<a href="Portfolio.html"> Portfolio </a>
<a href="contact.html"> Contact </a>
</nav>
<form action="#" method="post">
<h2> Create Account </h2>
<p> Fields with a red line on the left are
required. </p>
```

```
<fieldset>
<legend>Your details</label>
<label for="name">Name</label>
<input type="text" id="name" placeholder="Your name"
required minlength="3" maxlength="30">
<label for="email">Email</label>
<input type="email" id="email" placeholder="you
@example.com" required>
<label for="pass">Password</label>
<input type="password" id="pass" placeholder="8 to 15
characters" required minlength="8" maxlength="15">
<label for="dob">date of birth</label>
<input type="date" id="dob" min="1980-01-01"
max="2012-12-31">
<label for="site">website</label>
<input type="url" id="site" placeholder="https://example.com">
<label for="uid">User Id</label>
<input type="text" id="uid" value="DG-1001" readonly>
<label for="old">Old account</label>
<input type="text" id="old" value="Not available"
disabled>
</fieldset>
```

```
<fieldset>
<legend>choices</legend>
<label for="color">color</label>
<input type="color" id="color" value="#CB102e">
<label for="age">Age</label>
<input type="number" id="age" min="12" max="80">
<label for="time">Time</label>
<input type="time" id="time">
<label for="vol">Adjust vol</label>
<input type="range" id="vol" min="0" max="100"
 value="50">
<label for="lang">language</label>
<select id="lang">
 <option>English</option>
 <option>Urdu</option>
 <option>Hindi</option>
</select>
<label for="photo">Photo</label>
<input type="file" id="photo">
<label for="bio">About you</label>
<textarea id="bio" rows="3" maxlength="100"
placeholder="Short bio"></textarea>
```

```
<p>
<input type="radio" id="free" name="plan" checked ><
 label class="inline" for="free">Free </label>
<input type="radio" id="pro" name="plan"><
label class="inline" for="Pro">Pro</label>
</p>
<p><input type="checkbox" id="agree" checked required>
</label class="inline" for="agree">I agree </label></p>
</fieldset>
<button type="submit"> Register </button>
</form>
</body>
</html>
```

**Register.css :-**

```
body {
  font-family: Arial, sans-serif;
  background-color: #fff5f5;
  margin: 0;
  }
```

```
.menu {
  background-color: #7a0a1a;
  padding: 15px;
  text-align: center;
}
.menu a {
  color: white;
  margin: 0 8px;
  text-decoration: none;
}
form {
  width: 90%;
  max-width: 500px;
  margin: 20px auto;
}
label {
  display: block;
  margin-top: 10px;
  font-weight: bold;
}
label.inline {
  display: inline;
  font-weight: normal;
}
```

```
input[type="text"],
input [type="email"],
input [type="password"],
input [type="date"],
input [type="url"],
input [type="number"],
input [type="time"],
textarea,
select {
width: 100%;
padding: 8px;
border: 2px solid #999999;
}
input [required] {
border-left: 5px solid #c8102e;
}
input [read only] {
background-color: #eeeeee;
}
input [disabled] {
background-color: #dddddd;
}
fieldset > legend {
color: #c8102e;
font-weight: bold;
}
```

```
label + input {
margin-top: 4px;
}
h2 ~ p {
  color: #555555;
}
input: hover {
  border-color: #111111;
 }
input: focus {
border-color (8102e;
} outline: none;
input: not (: placholder-shown): valid {
   border-color: green;
}
input: not (: placeholder-shown): invalid {
   border-color: red;
 }
input ::placeholder {
  color: #aaaaaa;
}
 h2: before {
  content: "*";
  color: #c8102e;
}
button {
background-color: #c8102e;
color: white;
border: 0;
padding: 10px 30px;
border-radius: 20px;
}
button: hover {
background-color: #111111;
}
```

# Services · html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width,
initial-scale=1.0">
<title> Deep Guard - Services </title>
<link rel="stylesheet" href="services.css">
</head>
<body>
<nav class="menu">
<a href="index.html">Home </a>
<a href="media.html">Media </a>
<a href="register.html"> register </a>
<a href="Services.html"> services </a>
<a href="portfolio.html"> Portfolio </a>
<a href="Contact.html"> Contact </a>
</nav>
<h1> Our services </h1>
<div class="cards">
<div class="card"> <img src="assets/g1.svg" alt="Face">
<h3> Face check </h3> <p> check the face and <a
href="register.html">Try it </a></div>
```

```
<div class="card"><img src="assets/g2.svg" alt="Voice">
<h3>Voice check</h3><p>checks the voice.</p><a
href="register.html">Try it</a></div>
<div class="card"><img src="assets/g3.svg" alt=
"Frame"><h3>Frame check</h3><p>check video
frames</p><a href="register.html">Try it</a>
</div>
<div class="card"><img src="assets/g5.svg" alt=
"Report"><h3>Report</h3><p>saves your result.</p>
<a href="contact.html">Ask us</a></div>
</div>
</body>
</html>
```

## Services.css

```
body {
  font-family: Arial, sans-serif;
  background-color: #fff0f0;
  margin: 0;
}
h1 {
 text-align: center;
 color: #7a0a1a;
}
```

```
• menu {
  display: flex;
  flex-wrap: wrap;
  justify-content: center;
  gap: 20px;
  background-color: #C8102E;
  padding: 15px;
}
• menu a {
  color: white;
  text-decoration: none;
}
• cards {
  display: flex;
  flex-wrap: wrap;
  justify-content: center;
  align-items: stretch;
  gap: 20px;
  padding: 20px;
}
• card {
  width: 220px;
  background-color: white;
  border: 2px solid #C8102E;
  border-radius: 15px;
  text-align: center;
```

```
padding-bottom: 15px;
transition: transform 0.3s;
}
.card img {
  width: 100%;
}
.card a {
color: #c8102e;
font-weight: bold;
}
.card:hover {
transform: translateY(-10px) scale(1.05);
}
```

## Portfolio html:-

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UFT-8">
<meta name="Viewport" content="width=device-width,
initial scale=1.0">
<title>DeepGuard-Portfolio</title>
<link rel="stylesheet" href="portfolio.css">
</head>
```

```
<body>
<nav class="menu">
<a href="index.html">Home</a>
<a href="media.html">Media</a>
<a href="registe.html">Registe</a>
<a href="Services.html">Services</a>
<a href="portfolio.html">Portfolio</a>
<a href="contact.html">contact</a>
</nav>
<h1>Gallery</h1>
<div class="gallery">
<figure class="a"><img src="assets/g1.svg" alt="Face"><
figcaption>Face check</figcaption></figure>
<figure class="b"><img src="assets/g2.svg" alt="Voice"><
figcaption>Voice check</figcaption></figure>

<figure class="c"><img src="assets/g4.svg" alt="Alert"><
figcaption>Alert</figcaption></figure>

<figure class="d"><img src="assets/g3.svg" alt="Frame"
><figcaption>Frame check</figcaption></figure>

<figure class="e"><img src="assets/g5.svg" alt="Report"
><figcaption><Report</figcaption></figure>
<figure class="f"><img src="assets/g6.svg" alt="Safe"
><figcaption><Safe tips</figcaption></figure>
```

```
</div>
</body>
</html>
```

## Portfolio.css:-

```
body {
  font-family: Arial, sans-serif;
  background-color: #111111;
  color: white;
  margin: 0;
 }
h1 {
  text-align: center;
  color: #ff4757;
}
.menu {
 background-color: #000000;
 padding: 15px;
 text-align: center;
}
.menu a {
 background-color: #ff4757;
  margin: 0 8px;
  text-decoration: none;
  }
.gallery {
 display: grid;
```

```
gap: 10px;
padding: 20px;
grid-template-columns: 1fr 1fr 1fr;
grid-template-areas:
"a a b"
"c d b"
"e f f";
}
.a {grid-area: a;}
.b {grid-area: b;}
.c {grid-area: c;}
.d {grid-area: d;}
.e {grid-area: e;}
.f {grid-area: f;}
figure {
margin: 0;
background-color: #222222;
border-radius: 10px;
overflow: hidden;
animation: show 1s;
}
figure img {
width: 100%;
display: block;
}
```

```
figcaption {
 padding: 8px;
 text-align: center;
 }
 @keyframes show {
  from {
   opacity: 0;
   transform: translateY(30px);
  }
 to {
   opacity: 1;
   transform: translateY(0);
 }
}
@media (max-width: 800px){
 .gallery {
  grid-template-columns: 1fr 1fr;
  grid-template-areas:
   "a a"
   "b c"
   "d e"
   "f f";
  }
}
@media (max-width: 500px){
 .gallery {
  grid template-columns: 1fr;
   grid template-areas:
                          "a"
                          "b"
                          "c"
                          "d"
                          "e"
                          "f";
                        }
                    }
```

## Contact html :-

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content = "width = device-width,
initial scale = 1.0">
<title > Deep guard - contact </title>
<link rel = "stylesheet" href = "contact.css">
</head>
<body>
<nav class = "menu">
<a href = "index.html"> Home </a>
<a href = "media.html"> media </a>
<a href = "Registe.html"> registe </a>
<a href = "services.html"> Services </a>
<a href = "portfolio.html"> Portfolio </a>
<a href = "contact.html"> Contact </a>
</nav>
<div class = "layout">
<div class= "about">
<h2> About us </h2>
<p> Deep Guard is a student project that helps people spot
fake faces and voices. </p>
<div class = "chips">
<span> Face </span>
<span> Voice </span>
```

```
<span> Audio </span>
</div>
<button id="themeBtn"> Change color </button>
</div>
<div class="formbox">
<h2> Send message </h2>
< form id="myForm">
<label for="n"> Name </label>
<input type="text" id="n" placeholder="Your name">
<p class="error" id="nError"></p>
<label for="e"> Email </label>
<input type="text" id="e" placeholder="you@example.com">
<p class="error" id="eError"></p>
<label for="m"> Message </label>
< textarea id="m" rows="3" placeholder="At least 10
letters"></textarea>
<p class="error" id="mError"></p>
<button type="submit" id="sendBtn" disabled>Send</button>
</form>
<p id="thanks" class="hidden"> Thank you! Msg received</p>
</div>
</div>
<script src="contact.js"></script>
</body>
</html>
```

## Contact.css:-

```
body {
 font-family: Arial, Sans-Serif;
  background-color: #f5f5f5;
  margin: 0;
 }
body.dark {
  background-color: #222222;
 }
.menu {
  display: flex;
  justify-content: space-around;
  background-color: #111111;
  padding: 15px;
 }
.menu a {
 color: white;
 text-decoration: none;
}
.layout {
display: grid;
grid-template-columns: 1fr 1fr;
gap: 20px;
 padding: 20px;
 }
.about
.formbox {
```

```
background-color: white;
border: 2px solid #C8102E;
border-radius: 10px;
padding: 20px;
}
.chips {
  display: flex;
  gap: 10px;
  margin-bottom: 15px;
}
.chips span {
  background-color: #C8102E;
  color: white;
  padding: 4px 12px;
  border-radius: 15px;
}
label {
  display: block;
  margin-top: 8px;
}
input,
textarea {
  width: 100%;
  padding: 8px;
  box-sizing: border-box;
  border: 2px solid #999999;
}
```

```
input.ok,
textarea.ok {
border-color: green;
}
input.bad,
textarea.bad {
border-color: red;
}
.error {
  color: red;
  font-size: 13px;
  margin: 2px 0;
}
button {
  background-color: #c8102e;
  color: white;
  border: 0;
  padding: 10px 25px;
  border-radius: 5px;
  margin-top: 10px;
}
button:disabled {
  background-color: #aaaaaa;
}
.hidden {
  display: none;
}
@media (max-width: 700px) {
.layout {
    grid-template-columns: 1fr;
  }
}
```

```
@media (max-width: 450px) {
.menu {
  flex-wrap: wrap;
  gap: 10px;
 }
}
```

## contact js :-

```
Var nameBox = document.getElementById("n");
Var emailBox = document.getElementById("e");
Var msgBox = document.getElementById("m");
Var SendBtn = document.getElementById("SendBtn");
Var form = document.getElementById("myForm");
Var thanks = document.getElementById("thanks");
function checkform(){
Var nameOK = nameBox.Value.length >= 3;
Var emailOK = emailBox.Value.indexOf("@")>0 && emailBox.
Value.indexOf(".")>0;
Var msgOK = msgBox.Value.length >= 10;
nameBOX.className = NameOK? "OK": "bad";
emailBOX.className = emailOK? "OK": "bad";
msgBOX.className = msgOK? "OK": "bad";
document.getElementById("nError").textContent = nameOK? "":
"Name needs 3 letters.";
document.getElementById("eError").textContent = emailOK? "":
"Enter a valid email";
document.getElementById("mError").textContent = msgOK? "":
"msg needs 10 letters.";
SendBtn.disabled = !(nameOK && emailOK && msgOK);
}
nameBox.addEventlistener("input", checkform);
emailBox.addEventlistener("input", checkform);
msgBox.add Eventlistener("input", checkform);
form.addEventlistener("Submit", function(event){
event.preventdefault();
form.classlist.add("hidden");
thanks.classlist.remove("hidden");
});
document.getElementById("themeBtn").addEventlistener("click", fund){
document.body.classlist.toggle("dark");
});
```