

Test Plan — Menu & Login

Application: WebdriverIO Demo App
Platforms: Android
Testing Type: Automation
Prepared By: Farid Waddi
Date: September 2, 2026

Test Plan — Menu & Login

Field	Details
Project	WebdriverIO Demo App
Application Type	Mobile Application
Platforms	Android
Testing Approach	Automation
Test Areas	Menu and Login
Prepared By	Farid Waddi

1. Scope

The scope of this test plan is limited to the **Menu** and **Login** functionality of the WebdriverIO Demo App.

Menu

Testing will cover:

- Opening the Menu.
- Right-side Menu panel.
- List of available destinations.
- Navigation from Menu to available screens.
- Closing the Menu.
- Star icons.
- Filled and outlined star states.
- Adding screens to the bottom tab bar.
- Removing screens from the bottom tab bar.
- Default bottom tab bar configuration.
- Maximum number of screens in the bottom tab bar.
- Home and Menu positions.
- Bottom navigation after changing Menu settings.

Default Bottom Tab Bar

The default configuration should contain:

- Home
- Webview
- Login
- Forms
- Swipe
- Drag
- Menu
- Permissions
- Data

Testing will verify that **Home remains on the left** and **Menu remains on the right**.

2. Login Scope

The Login page contains **only three elements**:

1. **Email field**
2. **Password field**
3. **Login button**

Testing will cover only these three elements.

Email Field

- Field visibility.
- Field usability.
- Valid email input.
- Invalid email input.
- Empty email.
- Invalid email format.
- Special characters.
- Leading/trailing spaces.
- Boundary/maximum input length where applicable.
- Keyboard behavior.

Password Field

- Field visibility.
- Field usability.
- Valid password input.
- Invalid password input.
- Empty password.
- Boundary/maximum input length where applicable.
- Special characters.
- Keyboard behavior.
- Password masking if implemented.

Login Button

- Button visibility.
- Button enabled/disabled state.

- Login with valid email and password.
 - Login with invalid email and password.
 - Login with empty email.
 - Login with an empty password.
 - Login with both fields empty.
 - Validation/error behavior.
 - Multiple rapid taps.
 - Login behavior on Android
-

3. Objectives

The main objectives are:

Menu

- Verify that users can open and close the Menu successfully.
- Verify that all available destinations are displayed.
- Verify that users can navigate to the correct screen.
- Verify that star selections correctly control the bottom tab bar.
- Verify that the bottom navigation follows the defined rules.
- Identify Android navigation differences.

Login

- Verify that Email and Password fields accept valid data.
- Verify that invalid data is handled correctly.
- Verify that required-field validation works.
- Verify that the Login button performs the expected action.
- Verify that users cannot successfully log in with invalid credentials.
- Verify Login behavior consistently on Android and iOS.

Overall

- Identify critical functional defects.
 - Verify usability.
 - Verify Android compatibility.
 - Create reliable automated tests for the critical flows.
-

4. Testing Types

Testing Type	M	L
Functional Testing	✓	✓
Positive Testing	✓	✓
Negative Testing	✓	✓
Boundary Testing	—	✓
Usability Testing	✓	✓
Compatibility Testing	✓	✓
Regression Testing	✓	✓
Accessibility Testing	✓	✓

Automation Testing  

Exploratory Testing  

5. Tools

Mobile Automation

- **WebdriverIO** — automation framework.
- **Appium** — mobile automation.
- **Appium Inspector** — inspect elements and identify selectors.

Programming

- JavaScript / TypeScript
- Node.js
- npm

Test Framework

- Mocha or Jasmine, depending on the WebdriverIO configuration.

Android

- Android Studio
- Android Emulator
- Android SDK
- ADB
- UiAutomator2

Test Management

- Jira — defect tracking.
- Git/GitHub — source control.

6. Testing Environment

Android

Testing should be performed using:

Emulator

- Android Emulator.
- Supported Android version.
- Google Pixel or equivalent device profile.
- UiAutomator2 driver.
- Appium server.

Physical Device

Where available:

- At least one physical Android device.
 - Supported Android version.
 - USB debugging enabled.
 - ADB connection verified.
-
-

7. Test Environment Configuration

Before execution:

- Install the application.
- Verify the application launches successfully.
- Verify Appium server is running.
- Verify WebdriverIO can connect to the device.
- Reset application state when required.
- Configure test credentials.

- Ensure device is unlocked.
 - Ensure network connectivity is available.
 - Enable Android USB debugging when using a physical device.
-

8. Entry Criteria

Testing can begin when:

- A testable application build is available.
 - Application installs successfully.
 - Application launches successfully.
 - Menu is accessible.
 - Login page is accessible.
 - Android environment is ready.
 - Test credentials/data are available.
 - WebdriverIO/Appium connection is working.
-

9. Exit Criteria

Testing can be completed when:

- All critical Menu scenarios are executed.
 - All critical Login scenarios are executed.
 - Android testing is completed.
 - Critical defects are resolved or accepted.
 - Regression testing is completed.
 - Critical automated tests are passing.
 - Test results are documented.
-

10. Out of Scope

The following are **not included** in this test plan:

-  Home testing
-  WebView testing

- ~~X~~ Forms testing
- ~~X~~ Swipe testing
- ~~X~~ Drag testing
- ~~X~~ Permissions testing
- ~~X~~ Data Management testing
- ~~X~~ Sign Up testing
- ~~X~~ Forgot Password testing
- ~~X~~ Biometric authentication
- ~~X~~ Backend testing
- ~~X~~ Database testing
- ~~X~~ Load/performance testing
- ~~X~~ Source-code unit testing

13.