

please find apartment number (or any other pertinent information like a label next to the door, the color of the door, is the apartment to the left or the right of the stairs, elevators...)

- ✓ Cell phone number plus the names and phone numbers of nearby friends of the family according to instructions from the parents.
- ✓ Practice using epinephrine auto-injector in the case of children with known allergies.

BATHING A CHILD

TODDLERS

- Place the infant in a safe space while gathering the necessary items. For example, a caregiver must open the towel and place it nearby to wrap the infant when they remove him/her from the water.
- Test the temperature with your elbow before dipping the infant into the water. The water should not be very hot to avoid serious burns. Fill the bathtub only up to 10 or 15 centimeters with water.
- Speak affectionately to the child while you are removing his/her clothes of. Dip him/her slowly in the water. While holding the infant with one hand, gently bathe them with the other. Do not put soap on the head or face. Use a wet towel to wash the face first with only water. When cleaning the eyes, carefully start at the outer corner of the eye, and finish at the inner corner, close to the nose. Then continue with the rest of the body, leaving the private parts to the end. It is recommended to use only small amounts of soap if any, and consult the parents about which to use. Many pediatricians recommend using only water or baby oil, alternatively neutral soap or glycerin. When washing the body, focus on areas where skin is in contact with skin such as behind the ears, around the neck, under the arms and the groin area. Remember to clean the child's private parts from front to back.

- Carefully remove the infant from the water, wrap him/ her in a towel so that he/she is warm. Dry him/her gently focusing on areas where skin is in contact with skin and apply the lotion or talc that the parents have prescribed.
- Put a clean diaper on and clothe him/her.

ONE (1) to THREE (3) YEARS OLD

- Have their favorite toys ready.
- Make sure they remain seated and still in the bathtub/water. If they are standing or moving, they can slip and fall. Use a non-slip mat in the tub and on the bathroom floor to avoid slipping.
- Children may need help to wash their hair or to access certain parts of the body (as directed by parents or guardians). Be careful not to get soap and shampoo inside their eyes. Starting a conversation with children about their personal, intimate hygiene and taking the time to teach them how it should be done, is an area which many caregivers neglect because it makes them feel uncomfortable.

AFTER THE AGE OF THREE (3)

- At this age, the child wants to learn about his/her anatomy. The bath is an opportunity to explain their anatomy by teaching them to wash different body parts. Hand them the toys only when they have completed their bath to avoid distractions. Never leave the children alone in the bathtub

SIX (6) YEAR OLDS AND ABOVE

- At this age, children should learn to bathe alone. Plan the bath every night before dinner. Routines are helpful in constructing a child's identity. The bath should not take longer than other daily activities (e.g., breakfast, lunch).

CHANGING DIAPERS

- Gather all the necessary items (a clean diaper, wipes, powder, clean clothing and cream to prevent skin irritation) as indicated by the parents.
- Put the infant on a changing table or any other flat surface. Hold the infant at all times. If left alone, children will roll over and fall off the changing table.
- Raise their legs by holding their ankles. Clean the buttocks with a wet wipe. Girls should be sanitized from front to back. Make sure you clean their genitals and all creases/wrinkles.
- Apply oil (lotion) or powders to prevent irritation.
- Raise the hip and slide a portion of the clean diaper underneath the buttocks. Pass the other part of the diaper between the legs and fasten it with tape.

BRUSHING TEETH

- Tooth decay is very frequent among children. Plaque, a sticky film consisting of saliva, bacteria and leftover food, is invisible to the naked eye, yet adheres to teeth. If not removed daily, bacterial plaque causes cavities and gum diseases as well as causes infections. Children should always brush their teeth after eating. Brushing slows the formation or eliminates bacterial plaque and eliminates cavities.
- Caregivers must brush children's teeth until they are able to brush them on their own. It is best to monitor them while in the act of brushing to ensure that they are cleaning them properly. It is important to place the brush within the child's reach. It is advisable to clean the brush holder at least once a week and renew the tooth brush every three months.
- Caregivers must signal cavities to parents even if children will eventually lose their baby teeth. When left untreated, cavities can infect other teeth and cause tooth pain and gum disease. Periodic visits to the dentist are important in this regard.
- A child's diet is a big part of prevention. Children cannot be prevented from consuming sugar-rich foods, which are likely to produce cavities. It is therefore advisable to carve

out a specific dessert time during the day after which children will be invited to brush their teeth. Ideally, children should brush their teeth after every meal and before bedtime. Plaque is formed continuously, and only eliminating it again and again can prevent its harmful effects.

COMMON HEALTH PROBLEMS AMONG CHILDREN

When children manifest signs of illness, the caregiver should communicate those signs immediately to the employer and follow their instructions to the letter. It is important to note that infections in children may progress faster than in adults, and that sudden disinterest, inertia and high fever in children are symptoms that must be taken seriously. Some common children's diseases are listed below, but it is important to remember that this list is not exhaustive and that the symptoms described below can be difficult to distinguish from each other. Caregivers should therefore always inform parents if the children experience symptoms of diseases and make sure they know who to contact in case of an emergency.

Hardness of breathing is always potentially life threatening and emergency services must be contacted.

On accepting employment, a caregiver must ask employers the following questions:

- What are the agreed measures to take in case of emergency?
- Does the child have any known health issues that the caregiver should be made aware of?
- Is the child/are the children undergoing a treatment? What is the schedule, dosage and mode of application of the treatment?
- What should be done if the child presents symptoms of illness?
- What are the telephone numbers of the responsible persons and nearby relatives?
- What is the address and telephone number of the doctor and the nearest medical Centre?