# BARCODE CODE COMPARISON TABLE

| Barcode Type | Department | Item No. | Total price | Weight | Checksum |
|---|---|---|---|---|---|
| 00~09: Ean13 code, the first two codes printed department code: | | | | | |
| 00 | DD(2) | IIIIIIIIII(10) | X | X | C |
| 01 | DD(2) | IIIIII(6) | PPPP(4) | X | C |
| 02 | DD(2) | IIIII(5) | PPPPP(5) | X | C |
| 03 | DD(2) | IIII(4) | PPPPPP(6) | X | C |
| 04 | DD(2) | III(3) | PPPPPPP(7) | X | C |
| 05 | DD(2) | IIIIII(6) | X | W.WWW(4) | C |
| 06 | DD(2) | IIIIII(6) | X | WW.WW(4) | C |
| 07 | DD(2) | IIIII(5) | X | WW.WWW(5) | C |
| 08 | DD(2) | IIIII(5) | X | WWWW.W(5) | C |
| 09 | DD(2) | IIIII(5) | X | WWWWW(5) | C |
| 10~19: Ean13 code,the first two codes printed fixed code: | | | | | |
| 10 | 20(2) | IIIIIIIIII(10) | X | X | C |
| 11 | 21(2) | IIIIII(6) | PPPP(4) | X | C |
| 12 | 22(2) | IIIII(5) | PPPPP(5) | X | C |
| 13 | 23(2) | IIII(4) | PPPPPP(6) | X | C |
| 14 | 24(2) | III(3) | PPPPPPP(7) | X | C |
| 15 | 25(2) | IIIIII(6) | X | W.WWW(4) | C |
| 16 | 26(2) | IIIIII(6) | X | WW.WW(4) | C |
| 17 | 27(2) | IIIII(5) | X | WW.WWW(5) | C |
| 18 | 28(2) | IIIII(5) | X | WWWW.W(5) | C |
| 19 | 29(2) | IIIII(5) | X | WWWWW(5) | C |
| 20: No barcode printing | | | | | |
| 21~29: Ean13 code,the first code printed department code: | | | | | |
| 21 | D(1) | IIIIIII(7) | PPPP(4) | X | C |
| 22 | D(1) | IIIIII(6) | PPPPP(5) | X | C |
| 23 | D(1) | IIIII(5) | PPPPPP(6) | X | C |
| 24 | D(1) | IIII(4) | PPPPPPP(7) | X | C |
| 25 | D(1) | IIIIIII(7) | X | W.WWW(4) | C |
| 26 | D(1) | IIIIIII(7) | X | WW.WW(4) | C |
| 27 | D(1) | IIIIII(6) | X | WW.WWW(5) | C |
| 28 | D(1) | IIIIII(6) | X | WWWW.W(5) | C |
| 29 | D(1) | IIIIII(6) | X | WWWWW(5) | C |
| 30~35: 18 code,the first code printed department code: | | | | | |
| 30&33 | D(1) | IIIIII(6) | PPPPP(5) | WW.WWW(5) | C |
| 31&34 | D(1) | IIIIII(6) | PPPPP(5) | WWWW.W(5) | C |
| 32&35 | D(1) | IIIIII(6) | PPPPP(5) | WWWWW(5) | C |

| Barcode Type | Department | Item No. | Unit price | Weight | Checksum |
|---|---|---|---|---|---|
| 40~45: 18 code, the first code printed department code: | | | | | |
| 40&43 | D(1) | IIIIII(6) | UUUUU(5) | WW.WWW(5) | C |
| 41&44 | D(1) | IIIIII(6) | UUUUU (5) | WWWW.W(5) | C |
| 42&45 | D(1) | IIIIII(6) | UUUUU (5) | WWWWW(5) | C |

| Barcode Type | Department | Item No. | Total price | Weight | Checksum |
|---|---|---|---|---|---|
| 46： 18 code | | | | | |
| 46 | DD(2) | IIIIII(6) | PPPPP(5) | WWWWW(5) | X |
| 50~55: 8 code | | | | | |
| 50 | X | IIIIIII(7) | X | X | C |
| 51 | D(1) | IIIIII(6) | X | X | C |
| 52 | DD(2) | IIIII(5) | X | X | C |
| 53 | X | IIIIIIII(8) | X | X | X |
| 54 | D(1) | IIIIIII(7) | X | X | X |
| 55 | DD(2) | IIIIII(6) | X | X | X |

| Barcode Type | Department | LF code | Batch No. | Discount | Weight |
|---|---|---|---|---|---|
| 36-38: 18 code, the first code printed department code, for fresh batch management | | | | | |
| 36 | D(1) | LLLLLL(6) | BBBB(4) | RR(2) | WW.WWW(5) |
| 37 | D(1) | LLLLLL(6) | BBBB(4) | RR(2) | WWWW.W(5) |
| 38 | D(1) | LLLLLL(6) | BBBB(4) | RR(2) | WWWWW(5) |

| Barcode Type | Department | LF code | Batch No. | Discount | Weight | Checksum |
|---|---|---|---|---|---|---|
| 66~68： 18 code, for fresh batch management | | | | | | |
| 66 | D(1) | LLLLL(5) | BBBB(4) | RR(2) | WW.WWW(5) | C |
| 67 | D(1) | LLLLL(5) | BBBB(4) | RR(2) | WWWW.W(5) | C |
| 68 | D(1) | LLLLL(5) | BBBB(4) | RR(2) | WWWWW(5) | C |

| Barcode Type | Department | Item No. | Total Price or Unit Price | Weight | Checksum |
|---|---|---|---|---|---|
| 60~65: one of ISBN code and 18 code | | | | | |
| 60 | D(1) | IIIIII(6) | PPPPP(5) | WW.WWW (5) | C |
| 61 | D(1) | IIIIII(6) | PPPPP(5) | WWWW.W (5) | C |
| 62 | D(1) | IIIIII(6) | PPPPP(5) | WWWWW( 5) | C |
| 63 | D(1) | IIIIII(6) | UUU.UU( 5) | WW.WWW (5) | C |
| 64 | D(1) | IIIIII(6) | UUU.UU( 5) | WWWW.W (5) | C |
| 65 | D(1) | IIIIII(6) | UUU.UU( 5) | WWWWW( 5) | C |

| Label Type | Department | Item No. | Quantity (weight) | Total Price or Unit Price | Checksum |
|---|---|---|---|---|---|
| 79~85, 87: 18 code | | | | | |
| 79 | DD | IIIIII(6) | WW.WWW | PPPPP | X |
| 80 | D | IIIIII(6) | WW.WWW | PPPPP | C |
| 81 | D | IIIIII(6) | WWWW.W | PPPPP | C |
| 82 | D | IIIIII(6) | WWWWW | PPPPP | C |
| 83 | D | IIIIII(6) | WW.WWW | UUU.UU | C |
| 84 | D | IIIIII(6) | WWWW.W | UUU.UU | C |
| 85 | D | IIIIII(6) | WWWWW | UUU.UU | C |
| 87 | DD | IIIII(5) | WW.WWW | PPPPP | C |

| Barcode Type | Department | Item No. | Total Price | Quantity (weight) | Unit Price | Checksum |
|---|---|---|---|---|---|---|
| 90~95: 18 code, the first two codes printed department code: | | | | | | |
| 90 | DD(2) | IIIIII(6) | | WW.WWW | UU.UU(4) | C |
| 91 | DD(2) | IIIIII(6) | | WWWW.W | UU.UU(4) | C |
| 92 | DD(2) | IIIIII(6) | | WWWWW | UU.UU(4) | C |
| 93 | D(1) | IIIIII(6) | PPPPP(5) | | UUU.UU(5) | C |
| 94 | DD(2) | IIIII(5) | PPPPP(5) | WW.WWW | | C |
| 95 | DD(2) | IIIIII(6) | | WWWWW | UU.UU(4) | C |
| **Barcode Type** | **Department** | **Item No.** | **Quantity (weight)** | **Total Price** | | **Checksum** |
| 96 | DD(2) | IIIIII(6) | W.WWW | PPPPP(5) | | **C** |
| **Barcode Type** | **Department** | **Item No.** | **Total Price** | **Quantity (weight)** | **Unit Price** | **Checksum** |
| 97 | DD(2) | IIII(4) | PPPPPP(6) | WW.WWW | | **C** |
| **Barcode Type** | **Department** | **Item No.** | **Unit Price** | **Quantity (weight)** | **Total Price** | **Checksum** |
| 98 | DD(2) | IIIII(5) | UUUUU(5) | WW.WWW | | **C** |

**The meanings of the letters in the table are as follows:**

C: Checksum D: Department code 2: fixed number“2” I: Item number L: LF code P: Total price U: Unit price R: Discount W: Weight X: None

Ean13 code= DEPMENT+ CODE+ [TOTAL PRICE]+ [WEIGHT]+C Items with [] indicates that there is no such item in some coding methods.

- For Ean13 code, if the price bar code is used, the bar code type is often 2 (or 22), and if the weight bar code is used, the bar code type is often 7 (or 27).
- For Ean13 code, if the price bar code is used, the bar code type is often 2 (or 22), and if the weight bar code is used, the bar code type is often 7 (or 27).
- The difference between 30-32 and 33-35 formats is that the calculation method of CHECKSUM is different.
- The difference between 40-45 and 30-35 formats is that the price in 30-35 is the total price, while the price in 40-45 is the unit price.
- 36-38, 66-68 are the bar code types that can be used for fresh batch management. The commodity batch number is filled in the item number field, and the commodity item number is filled in the LF code field.
- 60-65 is ISBN code.
- Calculation method for EAN13 code verification code Z:
  (Sum of even digits * 3)+Sum of odd digits+Z=a multiple of 10
- There are two methods for calculating 18 code verification codeZ:
  Method 1: Same as 13 codes (bar code types: 30-32, 40-42)
  Method 2: (Sum of odd digits * 3)+Sum of even digits+Z=a multiple of 10
  (Bar code type: 33-35, 43-45)