

QDArchive – Part 2 Classification Report

Student ID: 23148157 | FAU Erlangen-Nürnberg

This report presents the results of ISIC Rev. 5 classification applied to qualitative research projects acquired from two repositories (Dryad and FSD). Classification used sentence-transformer embeddings (all-MiniLM-L6-v2) on project metadata (Tier 1) and extracted file content (Tier 2). Validation is descriptive only.

Overview

Repository	Project Type	Count
Dryad	NOT_A_PROJECT	6
Dryad	OTHER_PROJECT	66
Dryad	QD_PROJECT	70
FSD (Finnish Social Science Data Archive)	NOT_A_PROJECT	2057
FSD (Finnish Social Science Data Archive)	OTHER_PROJECT	129

Repository: Dryad

Total projects: 142 (6 × NOT_A_PROJECT, 66 × OTHER_PROJECT, 70 × QD_PROJECT)

QDA_PROJECT: No classified projects found in this repository.

a. QD_PROJECT




Figure: Distribution of primary ISIC classes for QD_PROJECT in Dryad. Bar labels show project counts.

b. Rank-ordered class table (top 20)

Rank	Division	Full Class Name	Count
1	A/03	Fishing and aquaculture	46
2	A/02	Forestry and logging	12
3	H/50	Water transport	2
4	A/01	Crop and animal production, hunting and related service activities	2
5	R/92	Gambling and betting activities	1
6	M/75	Veterinary activities	1
7	M/74	Other professional, scientific and technical activities	1
8	K/65	Insurance, reinsurance and pension funding	1
9	H/51	Air transport	1
10	H/49	Land transport and transport via pipelines	1
11	C/22	Manufacture of rubber and plastics products	1
12	B/08	Other mining and quarrying	1

c. Comments

A total of 70 QD_PROJECT projects in Dryad were classified. The dominant ISIC class is Division 03 (Fishing and aquaculture), accounting for 46 of 70 projects (65%). The strong concentration in Section A (Agriculture, Forestry and Fishing) reflects Dryad's focus on ecological and environmental research datasets. Classification relied primarily on file content (Tier 2) since many Dryad projects lack detailed textual descriptions. The embedding-based classifier performed well for ecology-related datasets but showed some noise for ambiguous multi-disciplinary projects.

Repository: FSD (Finnish Social Science Data Archive)

Total projects: 2186 (2057 × NOT_A_PROJECT, 129 × OTHER_PROJECT)

QDA_PROJECT: No classified projects found in this repository.

QD_PROJECT: No classified projects found in this repository.

Technical Challenges

FSD login barrier

FSD Class A (CC BY 4.0) datasets required a 3-step session cookie flow. Despite successful metadata harvesting (2186 records), most project files were unavailable for content extraction, limiting Tier 2 classification.

Dryad rate limiting

Dryad enforces aggressive HTTP 429 rate limits. Downloads required deliberate wait intervals, resulting in 707 files across 49 projects.

QDA file scarcity

Neither Dryad nor FSD contained .qdpX or other QDA-format files. All 70 classified projects are QD_PROJECT type (primary data files only). This is expected for general scientific repositories.

Metadata sparsity

Many Dryad projects have minimal descriptions, shifting classification weight entirely onto file content (CSV column headers, README text). This can introduce noise when file names do not clearly signal domain.

Classifier determinism

Sentence-transformer embeddings are deterministic given a fixed model and input, ensuring reproducibility. The all-MiniLM-L6-v2 model was chosen for its balance of speed and semantic quality.