

GGA GM Control Sheet

User guide · Version 0.5.0

Keep PCs and NPCs in one overview, make private GM checks, request rolls from players, and apply group modifiers.

Open the sheet

Enable **libWrapper** and **GGA GM Control Sheet** in Manage Modules. As a GM, press **Alt+G**, click the clipboard button in the token controls, or use Configure Settings → Module Settings → GM Control Sheet → Open control sheet. Press Alt+G again to close it. Each GM keeps their own roster and display settings.

Build your roster

Choose **PCs** or **NPCs**. Click **Add actors**, tick the characters, choose their roster, and click **Add selected**. Alternatively, select scene tokens and click **Add selected tokens**, or drag actors or tokens into the sheet. Use **Both** to view both rosters.

Rows follow the current scene

If a roster character has tokens on the current scene, the sheet shows those **tokens** and hides the separate Actor row. If there are no tokens, it shows the **Actor record**. Adding from Actor and Token does not duplicate visible rows. Multiple unlinked copies remain separate, with their own HP, FP, effects and roll targets. Linked tokens share actor state; group actions process their actor once.

The label beneath each name identifies the source. A scene change or token creation/deletion refreshes the rows. Selections that no longer exist are cleared. If the scene changes as you click an action, review the refreshed rows and try again. Data is not copied between an Actor and an unlinked token.

Open, locate, edit or remove

Click a name or portrait to open that row's character sheet. Click **Locate** or the small token image to select and centre on that token. For a fallback Actor row, Locate can offer instances on another scene. Click the three dots for **Character options**. Roster settings belong to the saved character source; generated token rows use their token names. Explicit saved token settings take precedence for that instance.

To remove a character, tick **Remove this character and all its roster sources** and save. This removes its roster rows, including hidden duplicate sources, without deleting world documents. Clear assigned character modifiers first if you also want those cleared.

Resize the sections

Drag the dividers below the character list or Group actions. Sections scroll independently and sizes are saved. Focus a divider with Tab and use Up/Down to resize with the keyboard. Restore defaults through **Configure → Reset section sizes**.

Choose characters and roll as GM

Choose who an action affects

The **Show** filter displays the whole roster, characters on the current scene, or characters in the current combat. It filters characters already added. Tick rows individually or click **Select visible**. Selections remain across tabs and filters; Select visible adds to them. **Clear selection** clears all selected rows.

Apply to	Characters affected
Selected characters	Every ticked row, including hidden selections.
Visible characters	Rows shown by the current tab and Show filter.
All PCs / All NPCs	All current rows in the chosen roster, including hidden rows.
PCs and NPCs	Both complete rosters, including hidden rows.

Check the count beside the action controls. It also reports rows hidden by the tab or filter. Current-scene token rows are used throughout: checks, requests, modifiers, statistics and effects refer to that token's actor. Multiple linked rows share one actor for group actions.

Make a private check

Choose a **Check**, such as Observation, DX, IQ or Fright Check. Enter the shared **Modifier** and **Reason**. Use a row's **Adjust** field for its individual modifier. Click a character's check value for a single roll, or choose Apply to and click **Roll as GM**.

The displayed value is the starting value. Applicable character modifiers and your adjustments are included when rolling. Tick **Include my bucket in GM rolls** to include your bucket in each check; your bucket remains available afterwards. Results appear in GM-only chat and **Rolls and messages**. Click **GM chat summary** to collect the latest results in GM chat.

Adjustments on generated token rows are retained for that token, without changing the Actor fallback's default. Reset them to 0 when no longer needed, and review the shared Modifier before each group roll.

Collected rolls and messages

Use **All**, **GM rolled**, **GM requested** or **Player initiated** in Rolls and messages. The choice is saved per GM. Latest batch results stay grouped above incoming entries. **Open original** displays the source chat card without reposting it. Exact timestamps use your local time. Ordinary whispers show as messages.

Private and blind entries must be addressed to you. Public responses to this sheet's requests also appear. Receipts and summaries are excluded. **Mark shown read** clears your unread markers; **Show more** loads older groups. Turn collection off in **Configure** to keep your own control-sheet rolls only. Keep originals in chat. Roll Clarity is optional.

Missing checks and Fright Checks

Not found means no matching check. Use **Character options** → **Actor-specific OtFs** for a differently named skill or a chosen default; leave blank for the roster shortcut. Fright Checks use the sheet's Fright Check value. Choose Detect Unfazeable by name, Exempt, or Roll normally in Character options. Enter situational adjustments before rolling and resolve consequences in play.

Request rolls from players

Send a request

Choose the characters with **Apply to**, choose a **Check**, and enter the shared and individual modifiers. Click **Request rolls**, choose the audience and result visibility, add an instruction, and review the players who may respond before sending.

Setting	Choices
Send request	Whisper to selected players, or Public chat.
Roll results	Blind to GMs, or Public.

For a private Observation check, choose **Whisper to selected players** and **Blind to GMs**. Players see their request and completion; the outcome goes to GMs. Each character must belong to an addressed player. Use **Roll as GM** for NPCs without player owners. Offline players can answer later while the request remains in chat.

What the player does

Click **Roll [check]** beside the named character on the chat card. No token selection is needed. A player with several characters uses each character's own button. The roll uses current statistics, the adjustments attached to the request, and the player's current bucket, following its normal auto-empty setting. Send a new request for another attempt after a completed roll.

Requests stay bound to the original actor or token when sent. Changing scenes does not redirect an outstanding request to a new token. If the original token is deleted, its request is unavailable.

Collect results and remind outstanding players

Click **Requested roll results** beside Rolls and messages. Select the request to see effective targets, dice totals, outcomes, and margins together. Critical outcomes come from the original GGA roll. This panel is GM-only, including for blind rolls; result details are never copied onto the shared request card.

Status	Meaning
Awaiting roll	No answer yet; an offline owner can still respond later.
Rolled	The check was completed, whether it succeeded or failed.
Unavailable	The character, token, check, or owner is unavailable, or the character is exempt.

Choose **Remind outstanding** to resend only available unanswered checks with the original instructions, modifiers, and audience. The original card and reminder share completion. Keep the request and its roll messages in chat to retain the collected results. Earlier-version rolls may lack summary metadata; read their original chat cards. A deleted roll is shown as unavailable, rather than reconstructed.

Apply character modifiers and presets

Apply Darkness to a group

1. Set **Apply to** to **PCs and NPCs** for both rosters, or tick particular characters and choose **Selected characters**.
2. Click **Group modifiers**, choose **Apply to characters**, and click **Continue**.
3. Enter **Darkness** as the Description and **-2** as the Modifier.
4. Choose **Selected checks below** and tick the affected checks, such as Vision, Observation, and Search. Alternatively, choose **All control-sheet checks**.
5. Click **Apply to characters**.

The modifier appears beneath each affected character's name. It stays assigned until you change or remove it and applies to that character's control-sheet rolls and new player requests.

To change the value or affected checks, apply the modifier again with the same description. The existing assignment is updated instead of adding another copy.

For ordinary rolls made elsewhere in GGA, use **Send to users' buckets** instead. Requests already sent keep the modifiers they were sent with.

Remove a character modifier

1. Choose the characters with **Apply to**.
2. Open **Group modifiers** → **Remove character modifiers** → **Continue**.
3. Tick the modifiers to clear, then click **Remove**.

Only the characters in the chosen scope are changed.

Save and reuse a preset

While applying a character modifier, tick **Save as a reusable preset**, enter a **Preset name**, and click **Apply to characters**.

1. To reuse it, choose the characters, then open **Group modifiers** → **Use saved preset** → **Continue**.
2. Choose the preset and click **Continue**.
3. Review its description, value, and affected checks, then click **Apply to characters**. Tick **Update this preset** only if you also want to save your changes for future use.

Edit or delete a preset

Open **Configure** → **Presets**, choose a preset, and click **Continue**. Make changes and click **Save preset**, or tick **Delete this saved preset** before saving.

Editing or deleting a preset leaves modifiers already assigned to characters in place. Use Group modifiers to update or remove those assignments.

Buckets and display settings

Send modifiers to users' buckets when they should apply to rolls made elsewhere in GGA. You can compose a modifier, use a saved preset, or copy your current bucket.

Send a modifier

1. Choose the characters with **Apply to**, then open **Group modifiers** → **Send to users' buckets** → **Continue**.
2. Choose a **Source**. For **Compose one modifier below**, enter the Description and Modifier, such as **Darkness** and **-2**.
3. Choose **Add to existing modifiers**, or **Replace recipients' buckets** to overwrite their existing contents.
4. Review the **Recipients** and click **Send modifiers**.

Source	What is sent
Compose one modifier below	The description and value entered in this dialog.
Copy my current bucket	The modifiers currently in your own bucket.
Preset	The saved description and value. Its check restrictions do not carry over to a bucket.

Choose recipients

The characters' owners are suggested automatically. Review the list before sending. Each user is sent the modifiers once even if they own several selected characters. Offline users cannot receive bucket changes.

A bucket belongs to a **user**, so its modifiers affect whichever character that user rolls next. GM-controlled NPCs use the GM's bucket. Use character modifiers when different characters need different adjustments for control-sheet checks.

When copying your own bucket with **Add to existing modifiers**, deselect yourself to avoid adding the same modifiers to your bucket twice.

Choose the statistics shown on the sheet

Open **Configure** and tick the columns under **Visible statistics**, then click **Save**. Available columns include HP, FP, attributes, Per, Will, Move, Dodge, Posture, Manoeuvre, and Conditions.

Tick **Highlight low HP/FP and marked conditions** to show the additional row highlights and condition labels. Untick it to turn them off.

Click a character's name or portrait to change their statistics or conditions on the character sheet. The control-sheet overview updates to reflect those changes.

Customise checks and transfer settings

Change the check lists

Open **Configure**. Edit **PC shortcuts** and **NPC shortcuts** separately, with one check per line in the form Label | OtF. OtF is GGA's On-the-Fly roll notation.

Example line	Check
Observation S:"Observation"	The Observation skill.
Stealth S:"Stealth"	The Stealth skill.
DX DX	A DX roll.
Will Will	A Will roll.
Self-control CR:12	A self-control roll against 12.

Use a single attribute, skill, spell, or self-control check. Keep at least one shortcut in each roster, give each a unique label within that roster, and click **Save**. Spell checks roll against the spell's level; handle casting separately.

Use a different check for one character

Open the row's **Character options** using the three dots. Under **Actor-specific OtFs**, enter the appropriate roll beside the check label, then click **Save**. For example, enter CR:9 for a character whose self-control number is 9. Clear the field to return to the roster shortcut.

Use the same fields for differently named skills or an explicit default you have chosen. A missing skill is displayed as **Not found** until a matching check is available.

Export your configuration

Save any changes first. Open **Configure** → **Export** to download your configuration file. It contains your selected columns, PC/NPC check lists, modifier presets, and highlighting preference.

Import a configuration

1. Open **Configure** → **Import** and choose the exported configuration file.
2. Click **Review** and check the columns, checks, presets, and highlighting shown.
3. Click **Import configuration** to replace those saved settings, or cancel to keep them.

Your roster, individual check overrides, assigned character modifiers, and chat requests are not transferred. In a new world, add its characters to the roster and apply the presets you need. After replacing check lists, review any existing character modifiers that used the old checks.

Active spells and received effects

Enable **GGA Casting Assistant 0.6.0 or later** alongside this module for target outcomes and optional condition markers. The GM Control Sheet also works without it.

Read the badges

Badge	Meaning
Cast	This character is the caster supplying or maintaining the effect.
Pending	Resistance or delivery is not yet confirmed for this target.
Received	This target is confirmed affected; the badge also names the caster.
Self	The caster is also a target; one badge, labelled pending if unresolved.

Badges show the effect and remaining game time. Maintenance due and GM review are highlighted. Hover for the caster, targets, cost and reminder. Unlinked tokens keep their own effects; the separate base Actor is not shown when its current-scene tokens are present.

Record target outcomes

After a successful cast and delivery, use **Resolve targets / start effect** on its casting card. Each selected target starts **Pending**. The GM resolves resistance in play, chooses **Affected**, **Resisted** or **Ended on this target**, and clicks **Record outcome**. Selection alone does not establish an effect.

For a spell with no resistance, choose the profile's no-resistance setting only when successful delivery establishes the effect. Those targets start affected. Automatic start is optional. Older tracked effects retain their timers and payments; their targets require GM confirmation.

Manage the original effect

Click a badge on the caster or a target to open the original caster's **Active spells & effects** window at that effect. Ending one target leaves others intact. When every target has resisted or ended, the tracked spell ends. The same window handles maintenance, expiry and whole-spell endings.

The GM can choose a supported **Condition marker** for an affected target. Ending the effect removes only its own markers; unrelated conditions remain. Marker errors leave outcomes recorded. Use **Refresh** to retry cleanup without paying again. Markers do not add spell-specific bonuses or DR.

Time and display settings

Timers follow Foundry world time. Configure duration and maintenance in the casting profile; advance time, maintain or expire effects in Active effects. The control sheet reads the records and refreshes on actor, token and time changes. Turn badges off under **Configure → Show Casting Assistant effects beside characters**.

Healing history

Active effects also shows the caster's repeated Minor and Major Healing attempts. The GM can review interrupted attempts or reset the healing day. See the Casting Assistant guide for payment and day-boundary settings. Rules: Basic Set, pp. 237–238, 248; Thaumatology, pp. 76–77.