

GGA GM Control Sheet

User guide · Version 0.3.0

Keep PCs and NPCs in one overview, make private GM checks, request rolls from players, and apply group modifiers.

Open the sheet

In your GURPS Game Aid world, enable **libWrapper** and **GGA GM Control Sheet** through **Manage Modules**. Install libWrapper through Foundry's module browser if needed.

As a GM, press **Alt+G** or click the **clipboard button** in the token controls. You can also use **Configure Settings** → **Module Settings** → **GM Control Sheet** → **Open control sheet**. Press **Alt+G** again to close it.

Resize the window to suit your screen. Each GM keeps their own roster and display settings.

Resize the sections

Drag the horizontal divider below the character list or Group actions to give neighbouring sections more or less space. Each section scrolls independently when its contents no longer fit; headings remain visible.

Your section sizes are saved. To restore defaults, open **Configure**, tick **Reset section sizes**, and click **Save**. You can also focus a divider with **Tab** and use the **Up/Down arrow keys** to resize it.

Build your roster

1. Choose **PCs** or **NPCs** at the top of the sheet.
2. Click **Add actors**, tick the characters, choose their **Roster**, and click **Add selected**.
3. For specific tokens, select them on the scene and click **Add selected tokens**. You can also drag actors or tokens into the sheet.

Use **Both** to view PCs and NPCs together. When adding tokens from this tab, choose which roster receives them.

Add an actor for a character you use across scenes. Add each specific unlinked token for NPC copies with separate injuries or statistics.

Open sheets and find tokens

- Click a **character name or portrait** to open the character sheet.
- Click **Locate** (the crosshairs) or the smaller token image to select and centre on that token. Choose an instance if several are available. If it is on another scene, only your view changes.
- Click the row's **three dots** to open **Character options**. Change the display name, PC/NPC roster, or list position, then click **Save**.
- To remove an entry, tick **Remove this entry from the roster** in Character options and save. This leaves the actor and token in the world.

Remove any assigned character modifiers before removing the entry if you also want those modifiers cleared.

Choose characters and roll as GM

Choose who an action affects

The **Show** filter displays the whole roster, characters on the current scene, or characters in the current combat. It filters characters you have already added.

Tick rows individually, or click **Select visible**. Selections remain when you switch tabs or filters; Select visible adds to them. **Clear selection** clears every selected row.

Apply to	Characters affected
Selected characters	Every ticked row, including hidden selections.
Visible characters	Rows shown by the current tab and Show filter.
All PCs / All NPCs	The entire chosen roster, including hidden rows.
PCs and NPCs	Both complete rosters, including hidden rows.

Check the count beside the action controls before proceeding. It also reports entries hidden by the tab or filter.

Make a private check

1. Choose a **Check**, such as Observation, DX, IQ, or Fright Check.
2. Enter any shared **Modifier** and **Reason**. Use a row's **Adjust** field for an additional modifier affecting only that character.
3. For one character, click their value in the check column. For a group, set **Apply to**, then click **Roll as GM**.

The displayed check value is the character's starting value. Applicable character modifiers and your adjustments are included when rolling. Tick **Include my bucket in GM rolls** to include your current bucket modifiers in each check; your bucket remains available afterwards.

Results appear in GM-only chat and under **Latest GM results**. Click **GM chat summary** to post the latest results together for the GMs.

Adjust values stay with their rows until changed. Reset them to 0 when they no longer apply, and check the shared Modifier before the next roll.

Missing checks and Fright Checks

Not found means the character has no matching check. Open **Character options** → **Actor-specific OtFs** to enter a differently named skill or a default you have chosen. Leave the field blank to use the roster shortcut.

Fright Checks use the sheet's **Fright Check** value. In Character options, choose **Detect Unfazeable by name**, **Exempt**, or **Roll normally**. Enter situational adjustments before rolling, and resolve consequences separately.

Request rolls from players

Send a request

Choose the characters with **Apply to**, choose a **Check**, and enter the shared and individual modifiers. Click **Request rolls**, choose the audience and result visibility, add an instruction, and review the players who may respond before sending.

Setting	Choices
Send request	Whisper to selected players, or Public chat.
Roll results	Blind to GMs, or Public.

For a private Observation check, choose **Whisper to selected players** and **Blind to GMs**. Players see their request and completion; the outcome goes to GMs. Each character must belong to an addressed player. Use **Roll as GM** for NPCs without player owners. Offline players can answer later while the request remains in chat.

What the player does

Click **Roll [check]** beside the named character on the chat card. No token selection is needed. A player with several characters uses each character's own button. The roll uses current statistics, the adjustments attached to the request, and the player's current bucket, following its normal auto-empty setting. Send a new request for another attempt after a completed roll.

Collect results and remind outstanding players

Click **Requested roll results** beside Latest GM results. Select the request to see effective targets, dice totals, outcomes, and margins together. Critical outcomes come from the original GGA roll. This panel is GM-only, including for blind rolls; result details are never copied onto the shared request card.

Status	Meaning
Awaiting roll	No answer yet; an offline owner can still respond later.
Rolled	The check was completed, whether it succeeded or failed.
Unavailable	The character, token, check, or owner is unavailable, or the character is exempt.

Choose **Remind outstanding** to resend only available unanswered checks with the original instructions, modifiers, and audience. The original card and reminder share completion. Keep the request and its roll messages in chat to retain the collected results. Earlier-version rolls may lack summary metadata; read their original chat cards. A deleted roll is shown as unavailable, rather than reconstructed.

Apply character modifiers and presets

Apply Darkness to a group

1. Set **Apply to** to **PCs and NPCs** for both rosters, or tick particular characters and choose **Selected characters**.
2. Click **Group modifiers**, choose **Apply to characters**, and click **Continue**.
3. Enter **Darkness** as the Description and **-2** as the Modifier.
4. Choose **Selected checks below** and tick the affected checks, such as Vision, Observation, and Search. Alternatively, choose **All control-sheet checks**.
5. Click **Apply to characters**.

The modifier appears beneath each affected character's name. It stays assigned until you change or remove it and applies to that character's control-sheet rolls and new player requests.

To change the value or affected checks, apply the modifier again with the same description. The existing assignment is updated instead of adding another copy.

For ordinary rolls made elsewhere in GGA, use **Send to users' buckets** instead. Requests already sent keep the modifiers they were sent with.

Remove a character modifier

1. Choose the characters with **Apply to**.
2. Open **Group modifiers** → **Remove character modifiers** → **Continue**.
3. Tick the modifiers to clear, then click **Remove**.

Only the characters in the chosen scope are changed.

Save and reuse a preset

While applying a character modifier, tick **Save as a reusable preset**, enter a **Preset name**, and click **Apply to characters**.

1. To reuse it, choose the characters, then open **Group modifiers** → **Use saved preset** → **Continue**.
2. Choose the preset and click **Continue**.
3. Review its description, value, and affected checks, then click **Apply to characters**. Tick **Update this preset** only if you also want to save your changes for future use.

Edit or delete a preset

Open **Configure** → **Presets**, choose a preset, and click **Continue**. Make changes and click **Save preset**, or tick **Delete this saved preset** before saving.

Editing or deleting a preset leaves modifiers already assigned to characters in place. Use Group modifiers to update or remove those assignments.

Buckets and display settings

Send modifiers to users' buckets when they should apply to rolls made elsewhere in GGA. You can compose a modifier, use a saved preset, or copy your current bucket.

Send a modifier

1. Choose the characters with **Apply to**, then open **Group modifiers → Send to users' buckets → Continue**.
2. Choose a **Source**. For **Compose one modifier below**, enter the Description and Modifier, such as **Darkness** and **-2**.
3. Choose **Add to existing modifiers**, or **Replace recipients' buckets** to overwrite their existing contents.
4. Review the **Recipients** and click **Send modifiers**.

Source	What is sent
Compose one modifier below	The description and value entered in this dialog.
Copy my current bucket	The modifiers currently in your own bucket.
Preset	The saved description and value. Its check restrictions do not carry over to a bucket.

Choose recipients

The characters' owners are suggested automatically. Review the list before sending. Each user is sent the modifiers once even if they own several selected characters. Offline users cannot receive bucket changes.

A bucket belongs to a **user**, so its modifiers affect whichever character that user rolls next. GM-controlled NPCs use the GM's bucket. Use character modifiers when different characters need different adjustments for control-sheet checks.

When copying your own bucket with **Add to existing modifiers**, deselect yourself to avoid adding the same modifiers to your bucket twice.

Choose the statistics shown on the sheet

Open **Configure** and tick the columns under **Visible statistics**, then click **Save**. Available columns include HP, FP, attributes, Per, Will, Move, Dodge, Posture, Manoeuvre, and Conditions.

Tick **Highlight low HP/FP and marked conditions** to show the additional row highlights and condition labels. Untick it to turn them off.

Click a character's name or portrait to change their statistics or conditions on the character sheet. The control-sheet overview updates to reflect those changes.

Customise checks and transfer settings

Change the check lists

Open **Configure**. Edit **PC shortcuts** and **NPC shortcuts** separately, with one check per line in the form Label | OtF. OtF is GGA's On-the-Fly roll notation.

Example line	Check
Observation S:"Observation"	The Observation skill.
Stealth S:"Stealth"	The Stealth skill.
DX DX	A DX roll.
Will Will	A Will roll.
Self-control CR:12	A self-control roll against 12.

Use a single attribute, skill, spell, or self-control check. Keep at least one shortcut in each roster, give each a unique label within that roster, and click **Save**. Spell checks roll against the spell's level; handle casting separately.

Use a different check for one character

Open the row's **Character options** using the three dots. Under **Actor-specific OtFs**, enter the appropriate roll beside the check label, then click **Save**. For example, enter CR:9 for a character whose self-control number is 9. Clear the field to return to the roster shortcut.

Use the same fields for differently named skills or an explicit default you have chosen. A missing skill is displayed as **Not found** until a matching check is available.

Export your configuration

Save any changes first. Open **Configure** → **Export** to download your configuration file. It contains your selected columns, PC/NPC check lists, modifier presets, and highlighting preference.

Import a configuration

1. Open **Configure** → **Import** and choose the exported configuration file.
2. Click **Review** and check the columns, checks, presets, and highlighting shown.
3. Click **Import configuration** to replace those saved settings, or cancel to keep them.

Your roster, individual check overrides, assigned character modifiers, and chat requests are not transferred. In a new world, add its characters to the roster and apply the presets you need. After replacing check lists, review any existing character modifiers that used the old checks.

Active spells and received effects

Enable **GGA Casting Assistant 0.5.0 or later** alongside this module. Active effects appear as badges beside roster characters. The GM Control Sheet remains usable without Casting Assistant.

Read the badges

Badge	Meaning
Cast	This character is the caster maintaining or supplying the effect.
Received	Another caster has recorded this character as a recipient.
Self	This character is both caster and recipient; the effect appears once.

Each badge shows the effect name and remaining game time. **Maintenance due** and **GM review** are highlighted. Hover for the caster, recipients, maintenance cost, and effect reminder. Multiple unlinked NPC tokens retain their separate identities.

Open the right caster

Click an effect badge to open the original caster's **Active spells & effects** window. This works from a recipient's row as well as the caster's own row. Use that window to maintain, let expire, cancel, or record an effect ended in play.

The Casting Assistant owns the records. The control sheet reads them and refreshes when actors, tokens, or world time change. It does not copy timers, charge maintenance, or apply the spell's bonuses or conditions. Turn badges off through **Configure > Show Casting Assistant effects beside characters**.

Prepare an effect in Casting Assistant

On a casting profile, enable **Duration & maintenance**, review the interval and maintenance cost, and decide how it contributes to spells on. After a successful cast, use **Start ongoing effect** once resistance or delivery is resolved, or enable automatic start when appropriate. The recipients are the targets selected for that cast. Use **Track existing effect** for a spell already active in play.

Use game time

Remaining time follows Foundry world time, including combat and calendar changes. The GM can also advance time from Active effects. If time skips unpaid maintenance intervals, resolve them in order or let the spell expire. The control sheet displays the resulting state; it does not decide whether the caster can maintain the spell.

Healing history

The same Active effects window contains the caster's repeated-healing history. Standard Minor and Major Healing count separately for each patient and caster, with -3 per earlier attempt in the game day. Failed attempts count. The GM can review interrupted attempts or reset the healing day. These controls belong to Casting Assistant; consult its user guide for payment, day-boundary settings, and blind-cast handling.

Rules: GURPS Fourth Edition, Basic Set, pp. 237-238 and 248; Thaumatology, pp. 76-77. The badges summarise tracked effects; special spell conditions remain subject to the GM's ruling.