

START HERE

Welcome to the chase

GURPS Action Chases · version 0.2.5

A friendly guide for GMs and players

Guide edition 6 · 10 September 2026

The tracker keeps everyone on the same chase round, shows who acts next, and records the result. You can run a foot pursuit, a vehicle chase, or a group with drivers and passengers. Every participant can be an ad hoc entry: actors, tokens, a map and a Foundry combat encounter are optional.

The easiest way to learn

The GM can run the example chase using [Try your first round \(p. 3\)](#). Players can start with [Your player quick reference \(p. 4\)](#). Keep [The GM's table reference \(p. 23\)](#) handy during a session; return to the detailed sections only when you need them.

Three ideas that make the module easier to use

- 1. A chase round is a story beat.** It has no fixed duration. Declaring a chase manoeuvre does not consume a Foundry combat turn or move a token.
- 2. One leader represents each side.** The quarry is trying to get away; the pursuer is trying to catch up. Each side's leader chooses its manoeuvre and makes its Chase Roll. Other participants still get their own relevant actions and consequences.
- 3. Use the highlighted task.** A roll made elsewhere does not tell the tracker that a required action is finished. Open that task and record its result before moving on.

Keep the book handy

Use this guide alongside **GURPS Action 2: Exploits**, pp. 31–35. Read that section for the chase rules, then use these pages to enter your decisions, follow the tasks and record outcomes. Try the worked examples when you want to practise before a session.

Before your first chase

Agree on the options in [Choose your rules interpretation \(p. 22\)](#), then assign player control and share the tracker. You can learn with the practice chase before entering your own characters.

All chase descriptions, participant stats, notes and rulings are shared with observers. Use your own GM notes for secrets. Private manoeuvre commitments are a separate option.

Unofficial fan aid. GURPS is a trademark of Steve Jackson Games. Not endorsed by Steve Jackson Games, Foundry Gaming or the GURPS Game Aid maintainers.

CONTENTS

Find what you need

The page numbers and section titles below are clickable. PDF bookmarks provide the same navigation. Each procedure starts on its own page, so the player and GM references are easy to print or share.

Section	Page
Try your first round	3
Your player quick reference	4
Install and set up a chase	5
Add people and import actors	6
Vehicles, drivers and passengers	7
Follow the screen, one step at a time	8
Resolve and record an action	9
Understand the Chase Roll target	10
Choose the result and begin again	11
Declare a manoeuvre confidently	12
Follow up a special manoeuvre	13
Stunts, close calls and wrecks	14
Attacks, defences and damage	15
Give passengers their moment	16
Board, disembark or change driver	17
Switch to combat and manage groups	18
Save, undo and reuse a chase	19
When something does not look right	20
Recover a saved chase	21
Choose your rules interpretation	22
The GM's table reference	23

GM WALKTHROUGH

Try your first round

Try this once with the GM controlling everyone. It uses the module's built-in example and introduces the whole round without attacks or special manoeuvres.

- 1. Open the tracker.** Press **Ctrl+Shift+C**. With no saved chases, choose **Create example chase**. If you already have chases, create a new practice chase and add the roster below using the setup instructions on pp. 5–7. The example is called **The harbour getaway**.
- 2. Look at the two sides.** Use a quarry van (speed 30, Handling 0, SR 4), Alex as its driver (Driving 15), and Sam as a passenger (DX 12). The pursuer is a motorcycle with fallback Driving 14, speed 40, Handling 1 and SR 2. Select the van and motorcycle as leaders; start at Medium. These are the built-in example's relevant values.
- 3. Choose Start chase.** On the quarry card, choose **Move**. On the pursuer card, choose **Move**. Move is the straightforward choice when everyone is concentrating on the pursuit.
- 4. Finish the actions step.** Sam has an optional passenger action. For this practice round, the GM chooses **Continue · pass unused actions**. This explicitly passes every remaining optional action and opens Chase Rolls.
- 5. Roll once for each leader.** Each side has **Roll 3d6**. For the reproducible example below, the GM can instead use **Enter existing roll**, entering 9 for the quarry and 15 for the pursuer. These are demonstration totals; at the table enter the dice actually rolled.

Side	Target in this example	Dice and margin
Van / Alex	Driving 15 + speed 7 + Handling 0 = 22	9 → margin 13
Motorcycle	Driving 14 + speed 7 + Handling 1 = 22	15 → margin 7

- 6. Choose the outcome.** The quarry wins by 6, allowing a one-band shift. Choose **Open 1 → Long**. The tracker moves to Round 2 and asks the quarry to declare again. Nothing moves on the map.

That is the basic rhythm

Declare twice, finish actions, roll twice, choose the result. Sam could take an action in a later round; this practice pass did not remove him or use up an action for the whole chase.

The example vehicle speeds are 30 and 40 yards/second. Both fall in the module's +7 speed-bonus interval. If you change any stats or modifiers, your targets may differ.

PLAYERS

Your player quick reference

You do not need to manage the whole tracker. Watch **Your next action**, your side's card, and **Your participants**. Your GM handles setup and the steps marked GM.

- 1. Open the shared chase.** Use **Open chase tracker** in the GM's chat invitation, or press **Ctrl+Shift+C** and choose the chase in **Saved chase**. If none of the participants belong to you, ask the GM to assign control.
- 2. Say what you want to do.** If you control the leader, choose **Move, Attack, Move and Attack**, or **More manoeuvres...**. The quarry normally declares first. A passenger takes a passenger action; they do not choose a separate vehicle manoeuvre.
- 3. Wait for your action window.** The pursuer's actions happen before the quarry's. Your later actions appear under **Upcoming tasks**. A disabled button usually means someone else needs to act first, not that you have lost your turn.
- 4. Complete your task.** Choose **Roll / enter result**. Roll in that window, enter the original dice, or record an external outcome when offered. Choose **Pass** if you are not using an optional action. Tell the GM before they continue if you still want to act.
- 5. Make the Chase Roll if you are the leader.** When prompted, use **Roll 3d6** on your side's card. You make one Chase Roll for the side. A passenger normally does not make another one.
- 6. Choose the result if invited.** The eligible side's controller or the GM chooses a displayed outcome. Selecting it usually begins the next round automatically. The GM confirms a result with no eligible player chooser.

Driver or passenger?

For a vehicle's **Move and Attack**, tick **Driver also attacks with Move and Attack** only if the driver is attacking too. The box changes both the driver's task availability and the vehicle's Chase Roll calculation. Leave it clear for passenger fire alone.

Two small things that prevent confusion

Wait for acceptance. A sending message is not confirmation that the action was saved. If a form reports an error, keep its contents while you check the reason with the GM.

Finish the highlighted task after a GGA roll. Rolling in GGA or from your character sheet does not automatically complete that task.

Other players' work is still visible under Waiting on others and All participants & crews. All tracker stats and notes are shared. An online GM is needed to accept changes.

GM SETUP

Install and set up a chase

Install or update

Use **Foundry VTT 14** with **GURPS Game Aid 0.18.x**. Close the world, extract the module folder into your Foundry User Data **Data/modules** directory, then restart Foundry. The file must end up at **Data/modules/gurps-action-chases/module.json**, without an extra enclosing ZIP folder. Enable **GURPS Action Chases** in **Manage Modules**.

For an update, back up the world, replace the existing module folder while the world is closed, and refresh every connected browser after restarting. Keep your **Chase • ...** Journal entries: they hold the saved chases. This is a manual-install release; it has no automatic update URL.

Open it whichever way is convenient

Use **Ctrl+Shift+C**, the running-person button in the token toolbar, **Action Chases** in the Combat sidebar, or **Configure Settings → Module Settings → Action Chases**. You can open it without starting combat.

Create a chase you can start immediately

- 1. Choose Manage chase → New chase.** Enter a descriptive name and a starting range. Medium is the default. For a mapped starting distance, use Action 2 p. 31 to select the band; see [Understand the Chase Roll target \(p. 10\)](#) for how the tracker uses it.
- 2. Set scene options if needed.** Expand **Scene & declaration options** for shared conditions and **Private simultaneous commitments**. Ordinary play uses quarry-first declarations. Private mode is useful when the GM calls for blind choices. Before starting, open **Manage chase → Settings → Rules choices** to choose your speed-bonus and driver-attack interpretations, if desired.
- 3. Add a participant to each side.** Use **Add character**, **Add vehicle**, or **From actor**. Each side needs at least one active independent character or vehicle. Crew aboard a vehicle do not count as independent participants.
- 4. Check leaders and player control.** Choose the correct leader on each side's card. Assign players in each participant editor. A side can remain GM-controlled; no actor or token is required.
- 5. Share and start.** Choose **Manage chase → Show to players**, then **Start chase** when the Next action panel says both sides are ready.

Decide these before Start chase

Starting range, private commitment mode and Rules choices lock once play begins. Name, shared scene conditions and the optional linked combat can still be changed in **Manage chase → Settings**. See [Switch to combat and manage groups \(p. 18\)](#) before using a GM range override.

GM SETUP

Add people and import actors

Use **Add character** for a quick entry such as “Courier”, “Guard on foot”, or a named PC. The first section is enough for a simple foot chase. After disembarking, it shows the active foot skill; the retained operator skill is in optional details.

Field	What to enter
Name and Side	A useful name; Quarry for the fleeing side or Pursuer for the chasing side.
Chase skill / DX-based skill level	The appropriate travel skill expressed on a DX basis. A pedestrian without Running can use DX. The number is what the tracker uses; the label is descriptive.
Top Move (including Enhanced Move)	Top movement in yards/second, including applicable Enhanced Move. This is not Basic Speed, mph, or the number of hexes moved this turn.
Who controls this participant?	Tick the players who should act for this entry. The GM can always control it.
Optional stats, crew, actor link & notes	Vehicle and role; Stealth, Acrobatics, Climbing, Jumping; Gunslinger; injury/reference stats; actor link; shared notes.

Convert Running before using it for Chase Rolls

For example, a character with HT 10, DX 12 and Running at HT+2 has a printed Running level of 12, but a DX-based Chase Roll skill of **14**. Enter 14. Review talents and other bonuses separately rather than assuming the printed total converts perfectly.

Import from an existing actor

- 1. Choose From actor.** Select **Source actor** and **Chase skill to import**. Select the source actor before doing detailed edits: changing actors refreshes the reviewed fields.
- 2. Review the snapshot.** Check side, skill, top Move and player assignments, then expand optional stats. The importer also records Running on a DX basis, or DX, for later use on foot. The importer creates a character entry. Create a vehicle separately with Add vehicle; importing a vehicle-like actor does not create a vehicle entry automatically.
- 3. Choose Add to chase.** Later actor changes do not refresh these values. Edit the chase entry when needed; changing chase HP also does not update the actor.

Useful values are ready when you need them

Named **Gunslinger** advantages are imported, including nested entries; review unusual names. Saved Acrobatics, Climbing and Jumping levels can fill the foot-stunt task. If none is saved, choose the actual stunt skill and enter its effective level. The module never substitutes Running.

Details & actions also provides Edit, Duplicate, Condition / HP, crew changes and Remove. Duplicate clears actor link, player assignments and vehicle assignment; review retained stats and condition before using the copy.

GM SETUP

Vehicles, drivers and passengers

A vehicle can be a single convenient entry, or a vehicle with separately listed crew. Both work without actors. Add separate people when you want individual player control, passenger actions, injuries, or driver changes.

The vehicle supplies movement; the driver supplies skill

Vehicle entry	Separate driver entry
Fallback operator skill represents an unnamed driver. Once a separate driver is assigned, losing that driver requires a replacement or wreck resolution.	A character assigned as Driver / operator replaces the vehicle's fallback skill.
Top speed is in yards/second. Handling is added to the Chase Roll.	The driver's on-foot Move does not replace the vehicle's speed. Disembarking uses the separately confirmed foot skill.
Enter Stability Rating under optional stats before risky driving if possible. SR distinguishes a close call from a wreck.	Confirm Gunslinger here if this driver has it. A passenger's Gunslinger applies to that passenger only.
ST, HP, DR, HT and SM are useful references, but do not automate vehicle damage and HT checks.	Chase HP is separate from actor HP. Mark incapacity and deal with the vehicle's control explicitly.

Add the crew

- 1. Choose Add crew under the vehicle.** The character form starts aboard that vehicle. If no separate driver exists, the default role is driver; otherwise it is passenger. Check the role before saving.
- 2. Assign the appropriate player.** A controller of the driver can act for the vehicle. A controller of a passenger gets that passenger's actions, not automatic control of the vehicle. You can also assign control directly to the vehicle.
- 3. Keep the vehicle as the side's leader.** Aboard characters are not independent leaders. The vehicle card shows which driver's skill is active, or says **Fallback operator**.

If the driver goes down

Mark the driver **out** or **wreck** in Condition / HP. A required **replace driver or resolve wreck** task appears. Open it to select an existing or ad hoc replacement, or resolve the wreck and injury. The tracker blocks further declarations and Chase Rolls until control is resolved. A replacement's recovery is scheduled automatically.

Use Change driver / board for replacements and timed transfers. Direct participant edits are available during play, but do not create the same next-round transfer workflow. See [Board, disembark or change driver \(p. 17\)](#).

AT THE TABLE

Follow the screen, one step at a time

The main screen is deliberately layered. Read the current prompt first; open the extra detail only when you need it.

Where to look	What it is for
Saved chase and Manage chase	Switch between chases. Create, configure, show, export, undo or log a ruling. Players have a smaller Chase menu.
Title and scene description	Current range, round, phase and any combat link. Running chases offer Pause / tactical combat.
Next action / Your next action	Who should act now and the control to advance. This is your starting point each time the screen changes.
Quarry and Pursuer cards	Leader, controller, declaration, Chase target details and Chase Rolls. The GM's Leader button selects a different independent participant.
Tasks	Required work blocks Chase Rolls. Optional work can be passed. Upcoming tasks are later in the sequence; completed tasks are a record.
Range strip and participants	Current separation; vehicles with their crew; conditions and queued transfers. Players see their own entries first.
Chase log	Recent accepted actions and rulings, newest first. Open it when checking what actually happened.

The sequence you will see

Quarry declares → Pursuer responds → GM scene decisions, if any → Pursuer actions → Quarry actions → Chase Rolls → Choose outcome. A normal result starts the next round automatically. The tracker inserts recovery, consequence and failed-Reverse steps where needed. A missing-driver task can also appear before declarations. Queued leader changes are shown on the side cards.

Private simultaneous commitments

If enabled during setup, both sides commit without seeing the other choice. After both commitments are accepted, the GM chooses **Reveal manoeuvres**. The normal actions sequence follows. The module uses GM-whisper messages to hold those commitments; this conceals choices from the opposing players, not from the GM.

Do not clear pending private messages

Keep the commitment messages until reveal. If they are deleted or edited, reveal can fail. Use Undo to clear unusable commitments and ask both sides to commit again. A reload may hide your local reminder of your own choice even though the commitment was saved.

AT THE TABLE

Resolve and record an action

The task window is the place to both resolve an action and tell the tracker that it is finished. You do not need to roll again just because the first roll happened in GGA or with physical dice.

How will you resolve it?	Use it when...
Roll now & record	You want the module to roll native Foundry 3d6 against the displayed task target and save the result.
Enter original 3d6 result	You already rolled. Enter that original total and the correct effective skill. For a managed attack, enter base attack skill and let its helper add chase modifiers.
Resolved elsewhere (record outcome)	The action has already been resolved in GGA, on the table, or by GM adjudication. Write the outcome. Available for attacks and passenger actions, not an ordinary stunt result.
GM ruling (no dice available)	Use when the original stunt dice are unavailable. GM only: explicitly state whether it succeeded and explain the ruling. This is an exception, not a way to skip every stunt roll.

Using GGA without losing your place

- 1. Open the relevant task.** For a linked actor, expand **Use a native GGA roll**. Native rolling requires ownership of that actor; a chase-only player assignment is not enough.
- 2. Enter the GGA expression and roll.** Include the chase modifiers yourself. This route uses GGA's ordinary modifier bucket and damage workflow. The tracker does not insert its helper modifiers into the expression.
- 3. Record what happened above.** The task stays open. Review chat, then enter the original dice or the external outcome and choose **Resolve task**. GGA totals are not captured automatically.

Know what still needs the GM

A recorded successful or external attack creates a required GM step for defence and damage. A failed stunt creates a consequence step. Board and Seize controls require the GM to finish the opposed outcome and any crew change. A "recorded" roll is therefore not always a finished action.

Continue is a decision to pass

Continue · pass unused actions passes all remaining optional actions on both sides. Check that everyone is finished first. If unused pursuer actions are holding up later required work, **Pass unused pursuer actions** clears that group so the quarry can act.

Other skill roll and GGA roll under Details & actions are convenient standalone rolls. They do not complete a highlighted task. Use Log ruling for an additional shared explanation.

AT THE TABLE

Understand the Chase Roll target

After declaring, expand **Chase target [number] · details** on a side’s card. It shows the current calculation. **Stunt pending** means the bonus is still 0; it is added only after the leader’s success is recorded. This target is for the Chase Roll, not automatically the target of a stunt, weapon attack or boarding attempt.

Read the breakdown before changing the total

The panel separates the base skill, speed contribution, Handling and adjustments. Check each line against your intended leader and declaration. A separate driver supplies a vehicle’s travel skill. If a speed contribution is absent, check the manoeuvre and static status before adding a manual correction.

Make adjustments before rolling

During actions or Chase Rolls, the GM can open **Adjust modifiers** inside the target details, until that side has rolled. If paused, resume before submitting an adjustment. Use these fields:

Field	Purpose
Base skill override	Replace the base skill only; speed, Handling and other modifiers are still added. Leave blank to use the participant’s skill. For an on-foot Reverse using Acrobatics, enter its DX-based level here.
Complementary skill result modifier	Enter the GM-confirmed result modifier. The module does not resolve the complementary roll or calculate its effect for you; consult Action 2 p. 34.
Other modifiers	Enter the combined adjustment for circumstances the GM has assessed under the rules. Record the reason in the log. Do not add an effect already included in the breakdown.
Forced static	Mark a side currently stationary or unable to follow. This persists until cleared; a later task asks whether it still applies. Entering top speed 0 alone is not equivalent.

Set range once, then follow the result

Choose the starting band during setup using Action 2 p. 31. During play, the range strip shows the shared separation. The managed attack helper uses the round’s starting band and displays the applicable modifier in its preview. Its band modifiers come from Action 2 p. 35; they are not conversions from the endpoints of the Basic Set distance table.

What needs checking again next round

Base skill overrides, complementary modifiers and Other modifiers reset each round. Reapply continuing effects after reviewing the new situation. Forced static and participant conditions persist until changed; check whether they still describe the scene.

Action 2, pp. 31, 34–35; Basic Set, p. B550. See [Choose your rules interpretation](#) (p. 22) for the saved speed-bonus choice. To correct an already applied range result, see Undo on [Save, undo and reuse a chase](#) (p. 19).

AT THE TABLE

Choose the result and begin again

Resolve both leaders' Chase Rolls

Choose **Roll 3d6** on each side's card. The GM can use **Enter existing roll** for original physical or external dice. These are native Foundry rolls against the displayed targets; the GGA modifier bucket does not change them. Their public chat cards show the calculation.

The module's automatic-result convention

Success beats failure; otherwise the module compares margins, without separate priority for criticals. When an automatic failure's raw target-minus-dice margin is zero or positive, it uses failure by 1. Larger failures keep their arithmetic margin. Automatic successes with negative raw margins use success by 0. Original dice and targets are retained. This adjustment is a module convention, not a claimed published formula.

A failed roll can still win the comparison

If both sides fail, an automatic failure can beat a larger ordinary failure. For example, Hide at target 20 with dice 18 is scored as failure by 1; against an opponent failing by 3, the module offers **Escape**. The same convention can award a range shift in an ordinary moving contest. Review the outcome before accepting it; use a GM ruling if your table adjudicates this differently.

Use the displayed outcome buttons

The eligible controller or GM chooses **Hold at...**, **Close...**, **Open...** or a special result. Read the destination printed on the button before selecting it. **Escape beyond Extreme**, when offered, ends the chase. If nobody has an eligible choice, the GM confirms the unchanged result.

Check both recorded rolls and the resulting destination. For an incorrect entry, use Undo and correct it. For an adjudicated result, the GM can use **Manage chase → GM range / end** with a reason. That control advances or ends the chase; see [Switch to combat and manage groups](#) (p. 18). Consult Action 2 pp. 34–35 for outcome rulings.

What changes when you confirm

A normal result updates range, applies role reversal and queued transfers, and advances the round. Declarations, rolls, task outcomes and temporary Chase Roll adjustments clear; injuries and conditions remain. Check leaders and travel modes after a transfer, then declare again.

Late leader choices: after a Chase Roll or private commitment, **Leader** offers **Next chase round**. If the rolled leader or driver leaves play, the tracker requests a GM outcome. A saved round that cannot be recalculated opens the recovery procedure on [Recover a saved chase](#) (p. 21).

Action 2, pp. 32–35; Basic Set, p. B348. GM range rulings also advance the round unless they end the chase.

AT THE TABLE

Declare a manoeuvre confidently

Agree on what your character or driver is trying to do, then choose the matching manoeuvre using Action 2 pp. 32–33. The tracker helps you find and record that choice; the GM still judges whether the scene permits it.

- 1. Start on your side's card.** When it is your declaration turn, the common choices **Move**, **Attack** and **Move and Attack** appear there when available. Use **More manoeuvres...** for other choices. The short hint describes your next task and cites the book; the same hint appears in Chase target details.
- 2. Look up a missing choice.** Open **Unavailable manoeuvres & reasons** in the manoeuvre form. Read the reason before changing participant data. Recovery due, the current band, side or travel type may be relevant; a required missing-driver task can block declaring altogether.
- 3. Check any declaration fields.** For a vehicle's **Move and Attack**, tick **Driver also attacks with Move and Attack** only when the driver is firing. Passenger fire alone leaves it clear. For a stunt, enter the agreed risk and description; see [Stunts, close calls and wrecks](#) (p. 14).
- 4. Follow the next prompt after acceptance.** Your declaration may produce scene decisions, action tasks or recovery work. Wait for your task to become current, then record it through that task. Do not jump directly to a standalone roll.

Two details worth noticing

Static does not describe every part of an action

For **Disembark / Embark**, the Chase Roll is treated as static, while the attack helper still applies shooting movement effects and restricts ordinary Acc. Read the attack preview separately from the Chase Roll breakdown. The transfer task also needs a destination and timing.

Stop ends the chase; Pause preserves it

Choosing **Stop** ends play in this tracker. Use **Pause / tactical combat** when you intend to resolve something on the map and return to the saved chase step. See [Switch to combat and manage groups](#) (p. 18).

Manoeuvre rules: Action 2, pp. 32–33. Shooting: p. 35. Driver attack availability also follows the saved option on [Choose your rules interpretation](#) (p. 22).

AT THE TABLE

Follow up a special manoeuvre

A special declaration can add work before or after the usual action window. Read **Next action** after each accepted result. The task names below help you recognise the next step; consult Action 2 pp. 32–35 for eligibility and adjudication.

If the tracker asks for...	Who acts and what to record
A scene decision	The GM confirms the declared feat, route, cover or physical contact. Resolve this before the player action window. A choice offered by the form is not itself proof that the scene permits it.
A missing skill	Supply the value requested by that task. For an on-foot Hide, the tracker asks for Stealth rather than silently reusing the ordinary travel skill.
A Force or Ram contact result	The GM resolves the relevant hit, defence, damage and control rolls using the book/GGA, then records the outcome. The task does not calculate vehicle collision damage.
A stunt result	Use each independent participant's required task. Choose the skill, check the target and record the result; see Stunts, close calls and wrecks (p. 14).
Resolve original result after Reverse	Use the saved Chase Roll dice and target. Supply missing SR if asked and resolve the consequences. Do not roll a fresh control check to replace those dice.
Recovery or forced-static review	The GM checks whether the recorded restriction still applies. Follow the required task and check the next round's prompt; changing a speed value alone does not clear forced static.

Keep the action and its consequence together

Recording a roll can create another required task. Finish that consequence before advancing. For a wreck, deal with the affected participant and occupants, then check leadership and whether a side can continue. If the tracker asks for a GM outcome, use the offered control and explain the ruling.

You do not need to memorise every follow-up

The tracker generates required tasks and displays later work under **Upcoming tasks**. Your part is to open the current task, resolve what it asks for and check the new prompt after saving. Use [When something does not look right](#) (p. 20) if play appears blocked.

Action 2, pp. 32–35. Scenery, feat difficulty and any point expenditure remain GM decisions. Outcome controls are explained on [Choose the result and begin again](#) (p. 11).

GM AND PLAYERS

Stunts, close calls and wrecks

Record every stunt, including a success

- 1. Declare the feat and risk.** Use **More manoeuvres...** → **Stunt** or **Stunt Escape**. Enter the penalty agreed under Action 2 pp. 33–34 and describe the action. The GM confirms the scenery. For foot stunts, enter the **Minimum penalty for the chosen foot feat** in the scene task. A risk that is too easy is rejected; choose a suitable feat or correct the declaration.
- 2. Check the stunt skill.** A vehicle uses its operator's skill with the risk penalty. On foot, choose the applicable **Acrobatics**, **Climbing** or **Jumping**, with a legal feat difficulty. Use the Stunt skill selector. Saved values are offered; otherwise select the skill and enter its effective level. A missing skill leaves the target blank rather than using Running.
- 3. Roll or enter the original dice.** Use the required stunt task for each active independent participant, not one roll per crew member. An effective stunt skill already includes the risk; do not subtract it again. For example, Driving 15 with an agreed -4 risk uses target 11. Record the result, then reopen Chase target details to see the updated contribution. It remains **Stunt pending** until recorded.
- 4. Finish any consequence.** A failure generates a required GM review. If SR was missing, enter it there and keep the original dice. Resolve damage and other effects, optionally update chase HP, then confirm. The module does not apply actor damage.

Close call or wreck?

Condition	What to do
closeCall / Recovery R...	The participant normally remains in this round. Recovery is due next round: Emergency Action or Stop. The tracker restricts a due leader and prompts for other affected group members.
wreck	Resolve the collision/injury and take that participant out of the chase. Deal with occupants individually and choose a replacement leader if needed. If a side has nobody left, use a GM outcome to finish.
active or out	Use active for a participant still able to act; out for one no longer participating. These are chase conditions, not a complete medical or vehicle-damage model.

A failed Reverse is different

The failed **Chase Roll itself** is the result to check. Follow **Resolve original result**; its dice and target are fixed. Enter missing SR, resolve consequences and confirm. A Reverse wreck pauses the tracker and calls for **GM outcome / end chase**. Do not reroll Reverse as a separate control check.

For a control roll already made during Force or Ram, the GM can use Details & actions → Additional control result during actions. Enter the original effective target and dice; failed results add a consequence task. Action 2, pp. 33–35.

GM AND PLAYERS

Attacks, defences and damage

Resolve attacks during the actions step, using the range at the start of that round. A task represents the round's attack opportunity; detailed weapon options, defences, rapid fire and damage remain with GGA and the GM.

- 1. Open the attack task.** For a passenger, open their passenger task and choose **Attack**. For a vehicle driver, use the vehicle's attack task. Choose the actual target in your narration; the helper's target category alone does not identify an actor.
- 2. Enter base attack skill and weapon stats.** Enter **Weapon Bulk** when shown, and **Weapon Acc**. Bulk is hidden when it cannot affect the shot. Defaults of Bulk -2 and Acc 0 are placeholders; review them. Choose an exposed person, crew/vital area, or whole vehicle and its SM.
- 3. Read the preview.** Review the lines for range, movement/Bulk, allowed Acc and target category. The helper handles passenger movement separately, so its Bulk field is hidden for passengers. Add GM-assessed circumstances under **Other attack modifiers**; do not add an effect already included. Consult Action 2 p. 35 for the shooting rules.
- 4. Record the roll.** Use native 3d6, original dice, or an external outcome. A success or an external attack record generates a required GM finish task. The GM records defence, damage and the final outcome, then confirms resolution.

Example: Sam fires from the van

At Short range during Move and Attack, Sam has Guns 14 and shoots an exposed rider. Without Gunslinger, the helper applies range -3 and passenger movement -1, for target **10**. Acc does not apply. Alex can keep the driver-attack box clear if only Sam fires.

Gunslinger and native GGA

The helper reads the shooter's saved **Gunslinger** checkbox, including the separate driver when the vehicle attacks. Named Gunslinger advantages are imported; review customised names and confirm the checkbox when needed. Native GGA rolling uses its own expression and modifier bucket, so include the needed chase modifiers there yourself and record the result back in the task.

The GM still resolves these consequences

Resolve defences, critical effects, weapon problems, injury, vehicle HT checks and collateral damage using the appropriate rules. A missed attack does not create the same defence/damage finish task, so a critical miss may need a separate ruling. Enter ongoing injury or distraction in the next applicable Chase Roll's **Other modifiers**.

For melee, use the ordinary GGA/book procedure and record an external outcome. If the adjudicated result ends the chase, use **GM range / end** to record it. Updating HP alone does not mark anyone incapacitated or stop a vehicle.

Action 2, pp. 33, 35. Force/Ram contact tasks are GM resolution records, not automated vehicle attack, damage or control-roll calculators.

GM AND PLAYERS

Give passengers their moment

Each active passenger has one optional **passenger action or pass** task per round. The vehicle manoeuvre governs what is physically possible. Use the task to keep each passenger involved without adding a separate Chase Roll.

Passenger action	How to use it correctly
Attack	Appears when the host vehicle's manoeuvre permits it, including Gunslinger exceptions. Use the ranged helper or an external result. A hostile passenger uses the host vehicle's movement and Acc rules too.
Board another vehicle	When offered, use the task to record your part of the attempt. Resolve the opposed action under Action 2 p. 33. The task's single success label is not the final opposed result.
Seize controls	Record the attempt, then let the GM finish any opposed resolution under Action 2 p. 33. The GM applies the crew change and enters any continuing adjustment; the tracker schedules takeover recovery.
Other task	Describe and resolve a suitable task, such as tending an ally or disarming a bomb. Enter the fully modified effective skill. The module does not automatically apply passenger-task movement penalties.
Pass	Use no passenger action this round. This is fine; it keeps later tasks moving.

What happens after a boarding attempt

The GM finishes the opposed result using Action 2 p. 33, including any injury or change in participation. Recording a successful task does not automatically move the character aboard. Apply the actual transfer with the crew controls and record any driver adjustment separately.

Remember these manual modifiers

The tracker does not calculate the manoeuvre-dependent penalties for a passenger's **Other task**. Check Action 2 p. 33 and include the applicable adjustment before entering **Effective task skill**. Put any continuing driver distraction or struggle adjustment in **Chase target details → Adjust modifiers → Other modifiers**. That field resets each round, so reapply it while the situation continues.

Hostile passengers keep their allegiance

Boarding does not capture the vehicle or change who controls the passenger. Their attack options, modifiers and place in the actions sequence follow the host vehicle automatically. Their next required GM finish task stays with that action group even if a later transfer changes their location.

Action 2, p. 33. Board and Seize controls create a GM finish task even when the entered roll failed, because the opposed result and consequences still need adjudication.

GM PROCEDURES

Board, disembark or change driver

Use **Change driver / board** under a vehicle, or **Board vehicle / Change role / disembark** under a character's Details & actions. Missing-driver tasks open the same form with the replacement choices already selected.

- 1. Choose the character.** Select an existing active character or **Add an ad hoc crew member....** For a new person, check name, side, skill, top Move on foot, Starts aboard and player control. Starts aboard is their present location; Destination is where they are going.
- 2. Choose Destination and Role.** Select the vehicle or **On foot / disembark**. A new driver replaces the old driver, who becomes a passenger. Capturing an enemy vehicle also requires **Take over an enemy vehicle; change its side**. Resolve any opposed action first.
- 3. Confirm the foot skill when leaving.** The form shows **On-foot chase skill** and **DX-based level on foot**. It offers saved values, including imported Running or DX. Enter missing values before saving. These apply after disembarking; the operator skill is retained for later vehicle use.
- 4. Choose timing and save the reason.** Next chase round is the default while running and the only timing in a Disembark / Embark task. Now is offered before Chase Rolls for a GM ruling. A missing-driver task replaces the driver Now. Enter an optional Outcome / reason and apply the change; the text is saved.

Leave the old vehicle behind

This option is checked when leaving transport. When the last active crew member leaves, the old vehicle is marked out and its leader follows the departing crew on foot or into their friendly destination vehicle. Clear the option if the vehicle is continuing separately. Any missing driver still needs replacement. Schedule each person who is leaving.

Recovery follows the actual takeover

Replacing a missing driver or taking over an enemy vehicle automatically schedules Emergency Action for the following round. The recovery checkbox can also request it for another driver change. A takeover Now in Round 4 makes recovery due in Round 5. A change that takes effect in Round 5 makes it due in Round 6. An earlier recovery already due is retained.

Check the next-round summary

Queued transfers appear on the character's row. They apply at the next round boundary and retain their reasons in the log. A character or destination that becomes unavailable causes the transfer to be cancelled with a visible warning. For a failed start or no change, use that outcome in the Disembark / Embark task and record why.

A driver who goes down offers Replace the driver now or No replacement · resolve wreck and damage. Resolve the wreck and occupant injury before confirming the latter. Tracker HP and actor HP remain separate. Action 2, pp. 32–35.

GM PROCEDURES

Switch to combat and manage groups

Use a chase during or outside combat

A chase can exist without a Foundry Combat document. In **Manage chase → Settings**, the optional **Linked combat** field associates it with an encounter for reference. Choices show a useful encounter or scene name, round and active status. An unavailable link remains labelled until you change it.

Linking does not synchronise turns, initiative, world time, token positions, HP or chase rounds. Choose the starting band when entering the chase, and use your own judgement for elapsed time and positions when returning to a tactical map.

Pause and resume

- 1. Choose Pause / tactical combat.** The current chase step and recorded results remain available. Resolve the tactical scene in Foundry as usual.
- 2. Update the chase consequences.** Adjust participants, HP, conditions and crew if the tactical scene changed them. Leader choices made after rolling are queued for next round. Losing the rolled leader or driver instead pauses the contest and prompts for a GM outcome. Use Undo for an accidental edit.
- 3. Choose Resume chase.** You return to the saved step. If the story has moved past that round, use the GM outcome procedure instead of pretending the old rolls still describe the situation.

Make an explicit GM outcome

Open **Manage chase → GM range / end**. Choose Resulting range, optionally Swap quarry and pursuer, optionally End the chase, and enter the required reason. **Apply outcome** either ends the chase or starts the next round. It also applies queued transfers at that boundary. Use it for a ruled capture, escape, grapple, empty side or major tactical change.

This button advances play

GM range / end is not a mid-round range correction that leaves everything else untouched. If you merely clicked the wrong outcome, Undo is usually the appropriate recovery. A failed Reverse wreck has its own GM outcome prompt; resolve that before continuing.

Groups and more than two parties

A side can contain several independent units, but shares one leader, manoeuvre, range band and Chase Roll. Individual stunts, contacts, attacks and damage still matter. The GM selects a replacement if a leader drops out; check that the automatically selected eligible entry is the one you intend.

For a group split or three-way pursuit, use separate saved chases and coordinate them manually. The module does not share participant damage or synchronise rounds across chases. Action 2 p. 34 explains how to handle mixed mobility and the middle party's competing roles.

GM PROCEDURES

Save, undo and reuse a chase

Your chase saves as you go

Accepted changes are stored in a world Journal entry named **Chase · ...**. Closing the window, restarting Foundry or clearing ordinary chat does not erase the chase. Deleting that Journal entry does. Players normally have observer access to its shared information.

Manage chase → Show to players opens it for connected observers and posts a reusable chat button. Players arriving later can use that button or Saved chase. You do not need to recreate the chase for each session.

Undo tracker changes

Manage chase → Undo steps back through up to eight retained state changes. It does not retract chat dice messages, undo GGA damage, restore spent ammunition or rewind the Foundry Combat tracker. After undoing a roll-related step, agree whether to reuse the original dice and enter them rather than unintentionally rerolling.

A log ruling has its own undo checkpoint. Undoing it removes that note without also rewinding the preceding action. Old open forms may need to be reopened after Undo.

Export for reuse; back up for exact continuation

Operation	What it preserves or changes
Export JSON	Downloads a portable record of the chase. It is useful for templates and reference, but its import route is not an exact live-round restore.
Import JSON	Creates a new chase in setup at Round 1. Retains participants, stats, current range, scene information, saved Rules choices and injuries/conditions for review.
Import clears or resets	Player assignments, actor links, linked combat, pending transfers, queued leaders and commitments, active task/roll sequence and undo history. Reassign and review before starting.
World backup	Use Foundry's normal world backup procedure when you need to restore the actual saved world and an in-progress chase.

Start the same chase again

An ended chase offers **Return to setup**. It resets the round count, declarations, rolls and pending transfers and queued leaders, while keeping participants and their current injuries and conditions. Review recovery, HP and any forced-static restriction; it is not a "heal everyone and reset the scene" button.

If a request seems stuck

A GM must be online to accept changes. A sending status is not acceptance. After about 25 seconds without acknowledgement, check the tracker and chat receipt before retrying. A rejection keeps the form's draft and gives a reason. If the round changed, copy useful text, reopen the task and check whether the action still belongs there.

TROUBLESHOOTING

When something does not look right

Start with the title's phase and the Next action panel. Then check the most relevant row below. You usually need to finish or correct one specific step, rather than recreate the chase.

What you see	What to check or do
No Start chase button	Each side needs an active independent character or vehicle. Passengers alone do not satisfy this.
I cannot declare or roll	Check whose turn it is, who controls the leader, whether a GM is online, whether a missing-driver task is blocking progress, and whether the action already saved. A passenger controller does not automatically control the driver.
My task is listed but disabled	It may be upcoming work. Resolve GM scene tasks, then pursuer actions, then quarry actions. The GM can pass unused earlier optional actions.
Chase Rolls have not appeared	A required task is unfinished, or the GM has not chosen Continue. Look for consequence/finish tasks created after a roll, including successful attacks and failed stunts.
A manoeuvre is missing	Open More manoeuvres... → Unavailable manoeuvres & reasons. Check side, starting range, vehicle type and recovery due. A GM must also assess scenery.
Hide says a skill is missing	Complete the required Stealth task, or set the appropriate base override. Do not substitute Running for Stealth.
A failed stunt asks for SR	Supply Stability Rating in the GM consequence task. Keep the original dice. For a foot-stunt skill prompt, choose Acrobatics, Climbing or Jumping and enter the effective level.
The Chase Roll target seems wrong	Expand Chase target details. Check leader, driver versus fallback, DX-based skill, yards/second, Handling, static status, driver-attack box and temporary modifiers.
A GGA roll did not clear the task	Reopen or finish that task, enter the original dice or external outcome, and save. Native GGA totals are not captured.
Native GGA rolling is denied	The participant needs a valid linked actor and the rolling user needs ownership of that actor. Use a managed ad hoc roll or ask the GM.
A form says the chase changed	Keep or copy your useful entries, close and reopen the current task/editor, and review the newer state. Do not keep resubmitting an obsolete round's form.
A leader or crew change looks odd	Read the queued leader or transfer line and any cancellation warning. Missing drivers and invalidated outcomes have direct GM prompts. See Board, disembark or change driver (p. 17) and Recover a saved chase (p. 21) .

If the window itself looks wrong after upgrading, refresh all clients and confirm there is only one correctly placed module folder. Use Foundry 14 with GGA 0.18.x. If the problem persists, note your versions and the step you were attempting when asking for help.

GM PROCEDURE

Recover a saved chase

The tracker keeps an affected chase in **Saved chase** if its saved round cannot be recalculated or its data cannot be read safely. It opens **Chase paused · recovery required**. Opening this screen does not overwrite the Journal entry or apply the old outcome. Normal rolls and progression are blocked.

- 1. Download the original record.** Choose **Download original saved data**. Keep it for diagnosis or restoration. This download is not a portable **Import JSON** template; importing ordinary chase JSON also does not restore a live round.
- 2. Read the message and review the participants.** For a damaged round calculation, the GM can use **Edit** beside an entry to correct its details. Original rolls remain in the download. Check any consequences and intended crew transfers before deciding how the round should finish.
- 3. Choose an explicit outcome.** Use **GM outcome / end chase**, select the resulting range, optionally end the chase and enter the required reason. Continuing begins the next round; ending closes the chase. Invalid participant values must be corrected first. The original record is retained and remains downloadable under **Manage chase**.
- 4. Use Undo if appropriate.** A retained earlier checkpoint may recover the situation. Undoing the recovery outcome restores its paused recovery screen; it does not automatically retry the broken calculation or apply an old range result.

If the roster or saved structure cannot be read

The screen offers the original-data download but no GM outcome or participant editor. Restore a known-good world backup, seek help with the downloaded record, or create a new chase. Missing data is not guessed. Players can read the notice and download the record; only the GM can make recovery changes.

If you are unsure which saved record to restore, keep the original Journal and its download while seeking help. See [Save, undo and reuse a chase \(p. 19\)](#) for the difference between a template and a world backup.

RULES CHOICES

Choose your rules interpretation

The module offers two saved interpretation choices. Review the cited passages with your GM, then select the option your table intends to use. Choose these once during setup; the tracker applies your choice throughout the chase.

- 1. Open the settings during setup.** Choose **Manage chase → Settings → Rules choices**. Both choices are optional; use the defaults if they match your table.
- 2. Select the readings you want.** Save Settings before Start chase. The options become read-only during play and travel with an exported/imported chase.

Speed bonus at Move 6

Choice	How the module applies it
Action 2 example: +3 Default	Follows Action 2 p. 34's explicit Move 6–7 example.
Round down on the Size table: +2	Uses the lower table threshold for an in-between value. Move 6 receives +2; Move 7 receives +3.

This setting addresses a discrepancy between the worked speed example and the rounding instruction in Action 2 p. 34. Compare that passage with Basic Set p. B550. The saved option changes the speed contribution automatically; no per-round correction is needed.

Driver ranged attacks during Force, Ram and Disembark / Embark

Choice	How the module applies it
Allow: general Attacks text (p. 35) Default	Offers the driver an optional ranged attack as well as any required manoeuvre resolution.
Passengers only: individual manoeuvre text	Suppresses the extra ordinary driver shot. Passengers retain their attacks; Gunslinger retains its stated exceptions.

Compare the individual manoeuvre descriptions on Action 2 pp. 32–33 with the general Attacks section on p. 35. This setting controls the extra driver ranged-attack task. It does not change Force or Ram contact tasks, or the manoeuvre's Chase Roll calculation.

The GM still judges the scene

These settings do not automate boarding contests, defences, damage, vehicle HT checks, passenger Other task penalties, shock, distraction or tactical timing. Those are intentional resolution steps, explained alongside the relevant controls. Scenery and the suitability of a chosen feat remain GM decisions.

Action 2, pp. 32–35; Basic Set, p. B550. These settings select your table's interpretation. The automatic-result convention is explained on [Choose the result and begin again \(p. 11\)](#).

PRINTABLE QUICK REFERENCE

The GM's table reference

Keep this page open while playing. The tracker's **Next action** panel remains the immediate prompt; this reference catches the steps that are easy to forget.

Before the first round

Set: name, starting band and declaration mode.

Add: one active independent unit per side, with correct DX-based skill and top speed in yards/second.

Check: leaders, drivers, fallback skill, player control, SR, Gunslinger, foot skills and saved Rules choices.

Share: Manage chase → Show to players. Then Start chase.

Each round

- 1. Declare.** Quarry, then pursuer; or accept both private commitments and Reveal manoeuvres.
- 2. Resolve.** GM scene decisions first, then pursuer actions, then quarry actions. Record every stunt and confirm foot-feat difficulty. Finish defences, damage, control results, opposed passenger outcomes and crew changes where relevant.
- 3. Review the target.** Use Chase target details → Adjust modifiers for shock, stun, distraction, complementary results and other effects. These numerical adjustments reset each round. Check forced static and recovery due.
- 4. Ask whether anyone still wants an optional action.** Continue · pass unused actions passes everything still optional on both sides. Then make one Chase Roll per leader.
- 5. Choose the result.** Use the offered outcome. A failed Reverse uses its original dice. A normal result begins the next round and applies queued transfers; check leaders afterwards.

When the story changes

Need	Control / reminder
Tactical combat, then return	Pause / tactical combat → resolve → Resume chase. No automatic time or token movement.
Capture, escape or a ruled outcome	Manage chase → GM range / end. Required reason. Ends the chase or advances the round.
Driver goes down	Use the required replacement / wreck task. An ad hoc replacement can be created in the same form.
Takeover recovery	Scheduled for the round after the change takes effect. Earlier recovery already due is retained.
New leader after rolling	Choose Leader → Next chase round. The original leader and contest remain intact until the outcome.
Leave a vehicle	Confirm foot skill and Leave the old vehicle behind. Crew reasons are saved; the empty vehicle and leadership are handled together.