



County of San Diego, Planning & Development Services STANDARD ADU CHECKLIST GUIDANCE BUILDING DIVISION

GUIDANCE FOR SHEET SP-1

By using these standard plans, the user agrees to release the County of San Diego from any and all claims, liabilities, suits, and demands on account of any injury, damage, or loss to persons or property, including injury or death, or economic losses, arising out of the use of these construction documents. The user of these plans does not estimate or reduce the user's responsibility to verify any and all information.

1 **7**

2 **3** **4** **5** **6** **8** **9**

ITEM 1: PROVIDE A COMPLETE PLOT PLAN

The plot plan shows the general layout of the lot. See Minimum Plot Plan Information (PDS 090) for a checklist of required items and a sample plot plan.

ITEM 2: PROVIDE VICINITY MAP

This map should show the area around your property. Show the general location of your property in relation to streets, highways, and landmarks. Scale can be approximate.

ITEM 3: PROVIDE OWNER and CONTACT INFORMATION

Fill out all items under "Owner Information" and "Contact Information." If the owner is also the main contact for the permit, the information in the two areas will be the same.

ITEM 1: PROVIDE A COMPLETE PLOT PLAN

The plot plan shows the general layout of the lot. See Minimum Plot Plan Information (PDS 090) for a checklist of required items and a sample plot plan.

ITEM 2: PROVIDE VICINITY MAP

This map should show the area around your property. Show the general location of your property in relation to streets, highways, and landmarks. Scale can be approximate.

ITEM 3: PROVIDE OWNER and CONTACT INFORMATION

Fill out all items under "Owner Information" and "Contact Information." If the owner is also the main contact for the permit, the information in the two areas will be the same.

GUIDANCE FOR SHEET SP-1 CONTINUED

ITEM 4: PROVIDE PROJECT INFORMATION and PROJECT SCOPE

- Project Scope: This is a description of what is to be permitted. Please select the type of dwelling unit proposed:
 - ADU (Accessory Dwelling Unit):
Select this option if the permitted structure WILL NOT be the primary residence.
 - SFD (Single Family Dwelling):
Select this option if the permitted structural WILL be the primary residence.
- APN: This is the property's assessor parcel number. It can be found on your tax bill.
- Identify utilities serving the property by circling Yes (Y) or No (N) for each item.
- Show fuel modification if your property is in a Wildfire area.
 - This information can be found on the Property Summary Report from this site:
https://publicservices.sandiegocounty.gov/CitizenAccess/Report/ReportParameter.aspx?module=LUEG-PDS&reportID=2844&reportType=LINK_REPORT_LIST
 - You will need your APN to run this report. If the Fire Hazard Severity Zone is anything other than "Urban Unzoned," your property will require fuel modification.

COUNTY OF SAN DIEGO PLANNING & DEVELOPMENT SERVICES PROPERTY SUMMARY REPORT	
GENERAL PARCEL INFORMATION	
APN:	
ADDRESS:	
PARCEL AREA:	
CENSUS TRACT:	
DOMAIN:	
PLANNING AREA:	
GENERAL PLAN DESIGNATION:	
EXPIRED PERMITS:	
FLAGS:	
AGENCY INFORMATION For agency contact information refer to PDS 804	
EXISTING SEWER:	
FIRE DISTRICT:	
ELEMENTARY SCHOOL DISTRICT:	
HIGH SCHOOL DISTRICT:	
WATER DISTRICT:	
SANITATION DISTRICT:	
CONSTRUCTION DESIGN INFORMATION	
FIRE HAZARD SEVERITY ZONE:	
CEC CLIMATE ZONE:	
CBC & CRC SEISMIC DESIGN CATEGORY:	
ALQUIST-PRIOLO EARTHQUAKE FAULT ZONE:	
STORMWATER MANAGEMENT INFORMATION	
EXISTING STRUCTURAL BMP:	
PRIORITY DEVELOPMENT PROJECT	
ENVIRONMENTALLY SENSITIVE AREA	
HILLSIDE DEVELOPMENT	
LAND DEVELOPMENT INFORMATION	
FLOOD:	
DRAINAGE DISTRICT:	
COUNTY MAINTAINED ROAD:	
REGIONAL CATEGORY:	
TIF REGIONAL CATEGORY:	
For information regarding Transportation Impact Fees (TIF) visit the TIF webpage. For an estimate of TIF or Drainage fees please refer to the QIPW Impact Fee Schedule .	
LEGAL LOT	
LEGAL LOT STATUS:	

RUN DATE: 06/15/2023
SOURCE: ACA

5510 Overland Ave. San Diego, CA 92123
www.sdcodes.com

Page 1 of 3

GUIDANCE FOR SHEET SP-1 CONTINUED

ITEM 5: FILL OUT THE PERVIOUS AREA TABLE

- This table shows all constructed pervious surfaces. These surfaces, such as pavers, allow water infiltration into the soil. See “Sample Presentation for Stormwater Impervious Area Plan” (PDS 272, Page 2) for a sample and detailed requirements.
- This table is only needed if you are trying to reduce your impervious area to comply with stormwater requirements.

ITEM 6: FILL OUT IMPERVIOUS AREA TABLE and LAND DISTURBANCE QUANTITY

- Impervious Area Table: This table shows all constructed impervious surfaces. These surfaces, such as building roofs and concrete driveways, reduce water infiltration into the soil. See “Sample Presentation for Stormwater Best Management Practices (BMPs) Plan” (PDS 272, Page 1) for a sample and detailed requirements.
- Land Disturbance: This area includes all activity areas that change the land's physical condition. Note that projects proposing a total land disturbance area of 1 acre or more must provide a waste discharge number (WDID) obtained from the State Water Resources Control Board (SWRCB).

ITEM 7: PROVIDE BMP PLAN

- Proposed locations of all stormwater Best Management Practices (BMPs) per the Standard Storm Water Quality Management Plan must be shown on the plot plan. See “Sample Presentation for Stormwater Best Management Practices (BMPs) Plan” (PDS 272, Page 1) for a sample and detailed requirements.
- The BMPs shown on the Plot Plan must match the BMPs selected in the “Stormwater Quality Management Plan (SWQMP) for Standard Projects” form (see Item 4 on Page 7 of this document).

ITEM 8: PROVIDE ENERGY EFFICIENCY SPECIAL FEATURES

- Energy Efficiency Special Features are design elements that have been inputted in compliance software for Energy Code compliance.
- These items can be found under the “Required Special Features” section on the first few pages of the energy compliance form (CF1R). List these items in the space provided.

ITEM 9: PROVIDE ENERGY EFFICIENCY HERS VERIFICATION

- HERS is the California Home Energy Rating System. When HERS verification is required, a HERS rater must be hired by the owner/contractor to perform field verification and diagnostic testing. This is required to demonstrate compliance with the Energy Code.
- The items requiring HERS Verification can be found under the “HERS Feature Summary” section on the first few pages of the energy compliance form (CF1R). List these items in the space provided.

GUIDANCE FOR SHEET A-3/A-4

[illegible]

ITEM 1: PROVIDE ROOFING INFORMATION


Specify roof material and underlayment. Also specify ICC, UL, or equivalent listing report number and manufacturer for roofing material (tile, metal, built-up, etc.).

ITEM 2: PROVIDE EXTERIOR WALL FINISH

Specify exterior wall finish. It may need to be noncombustible material (stucco, cement fiber board, masonry, etc.) if the project is in a wildfire area.

ITEM 3: PROVIDE ROOF PITCH

Pitch is the ratio of rise (V, vertical change) to run (H, horizontal change) of the roof. See below for examples. Specify the proposed roof pitch and verify that the specified roof material is adequate for the selected roof pitch.



GUIDANCE FOR SHEET A-5

GABLE END TRUSS ID: _____

TRUSS ID: _____

TRUSS ID: _____

TRUSS ID: _____

TRUSS ID: _____

TRUSS ID: _____

TRUSS ID: _____

TRUSS ID: _____

GABLE END TRUSS ID: _____

1

SOLAR READY KEY NOTES

WHEN ANY OPTION NOT REQUIRED FOR ENERGY EFFICIENCY OR PERFORMANCE OF THE SYSTEMS COMPLETED

1. MIN SOLAR ZONE AREA
2. DEDICATED SOLAR ZONE AREA LOCATED BETWEEN 110 AND 270 DEGREES OF TRUE NORTH - USE AREA A OF A ADU RESIDUAL
3. NO OBSTRUCTIONS - INCLUDING VENTS, CHIMNEYS, REFRIGERATORS, AIR CONDITIONERS, ROOF-MOUNTED EQUIPMENT - LOCATED WITHIN SOLAR ZONE
4. 3" MIN FIRE RATED ASSEMBLY
5. 3" MIN VENTILATION DISTANCE AT RIDGE

ATTIC VENTILATION

REQUIRED MINIMUM NET FREE VENT AREA (NFVA) (SEE NOTE 4 & 5 OF SHEET A4)

NET FREE VENTILATION AREA = $\sum A_{vnt}$

NET FREE VENTILATION AREA = $\sum A_{vnt} \geq 200 \text{ SF} \times 144 \text{ IN}^2/\text{SF} = 28,800 \text{ IN}^2$

1. GABLE VENT (MIN THE VENT AT EACH GABLE END)

MANUFACTURER: _____

MODEL: _____

CFM: _____

VENT AREA PROVIDED = _____

2. EAVE VENT

MANUFACTURER: _____

MODEL: _____

CFM: _____

VENT AREA PROVIDED = _____

3. ROOF VENT

MANUFACTURER: _____

MODEL: _____

CFM: _____

VENT AREA PROVIDED = _____

4. PROVIDE BETWEEN 48" AND 60" OF THE REQUIRED NET FREE VENT AREA A MINIMUM OF 3 FEET BELOW THE RIDGE OR THE HIGHEST POINT OF THE SPACE (MEASURED HORIZONTALLY), AND PROVIDE THE BALANCE OF THE REQUIRED VENTILATION IN THE CENTRAL ONE-THIRD OF THE ATTIC SPACE.

2

ROOF PLAN / TRUSS LAYOUT
3/16" = 1'-0"

PDS 671 (REV. 01/01/2023)

County of San Diego, Planning & Development Services
DWELLING UNIT (Plan F - 600 SF)
BUILDING DIVISION

A5


ITEM 1: PROVIDE TRUSS IDENTIFICATION NUMBERS

Truss identification numbers are shown on truss calculations/layout by the manufacturer. Transfer these numbers to the Truss Layout or attach an 11x17 copy of the manufacturer's truss layout to the ADU plans.

ITEM 2: PROVIDE TRUSS ATTIC VENTILATION INFORMATION

- Select a combination of gable, eave, and roof vents that meet the minimum required net free vent area (NFVA) calculation and Note 4 requirements.
- Fill out the information for the chosen vents.
 - For vent types that are not selected, write "N/A."
- Add the vent area provided by each vent type (Gable, Eave, and Roof) to determine the "Total Vent Area Provided." Use this value to fill in the blank in the box at the top of this section.

GUIDANCE FOR SHEET A-6



ITEM 1: PROVIDE WALL INSULATION

Fill in the insulation for the WALLS and check that the framing has enough cavity space to fit the chosen insulation. Also, check that the selected insulation matches the one shown on the energy calculations (TITLE-24).

ITEM 2: PROVIDE ROOF/CEILING INSULATION

Fill in the insulation for the ROOF/CEILING and check that the framing has enough cavity space to fit the chosen insulation. Also, check that the selected insulation matches the one shown on the energy calculations (TITLE-24).

ITEM 3: SPECIFY VAPOR RETARDER

- Determine the project's climate zone based on zip code or Property Summary Report. If located in climate zone 14, circle "Y" (yes).
- The following website can be used to determine the climate zone based on zip code:
<https://www.energy.ca.gov/programs-and-topics/programs/building-energy-efficiency-standards/climate-zone-tool-maps-and>

GUIDANCE FOR ADDITIONAL REQUIREMENTS

ITEM 1: PROVIDE COMPLETE ENERGY CALCULATIONS (TITLE-24)

- Plans and specifications must show compliance with the state of California energy regulations (current California Building Energy Efficiency Standards). Compliance is demonstrated through energy calculation documentation.
- The appropriate documentation, forms, and calculations must be submitted when the application is submitted.
- Completed energy forms must be a permanent part of plans. The compliance statements must be signed.
- For projects requiring HERS verification and/or diagnostic testing, forms must be registered.
- Note that energy calculation documentation (typically a CF1R-PRF-01-E certification) is completed by a third party.

ITEM 2: CALL FOR SITE INSPECTION

- A site inspection is used to determine any possible site constraints that would cause difficulties when building the structure.
- A site inspection can be requested after a record identification number (i.e., plan check number) is obtained from a Building Permit Technician. Follow the instructions on the Conditions of Approval obtained from the Technician to request the inspection.
- Note that additional requirements may result from a site inspection.

ITEM 3: PROVIDE STORMWATER INTAKE FORM

- This form can be obtained at the county website at https://www.sandiegocounty.gov/content/dam/sdc/dpw/watershed_protection_program/watershedpdf/dev_sup/intake_form.pdf
- Additional guidance for filling out this form is available at https://www.sandiegocounty.gov/content/dam/sdc/dpw/WATERSHED_PROTECTION_PROGRAM/watershedpdf/Dev_Sup/Intake_Form_Inst.pdf

ITEM 4: PROVIDE STANDARD PROJECT STORM WATER QUALITY MANAGEMENT PLAN (SWQMP)

- This form can be obtained at the county website at https://www.sandiegocounty.gov/content/dam/sdc/dpw/watershed_protection_program/watershedpdf/dev_sup/standard_swqmp.pdf
- The document above includes instructions for filling out the form.

ITEM 5: PROVIDE TRUSS CALCULATIONS

- Submit two sets of the manufacturer's truss drawings and calculations that are signed and stamped by a state of California-registered Professional Engineer.
- The truss drawings and calculations must be coordinated with the truss layout.
- Note that these calculations are performed and provided by a third party.