1. Statistics

SUM : Summing data values

SUMIF : Summing data with a condition

SUMIFS: Summing data with various conditions

SUBTOTAL : Statistics function only apply on fields that appear

AVERAGE : Calculating averages

AVERAGEIF: Calculating averages with a condition

AVERAGEIFS: Calculating averages with various conditions

COUNT : Count filled cells (number)

COUNTIF : Count filled cells (number) with a condition

COUNTIFS : Count filled cells (number) with various conditions

COUNTA : Count filled cells (text / number)

MIN : Calling the lowest value
MAX : Calling the highest value

SMALL : Calling the lowest value in order
LARGE : Calling the highest value in order

ROUND : Decimal round function

ROUNDUP : Decimal round up function

ROUNDDOWN : Decimal round down function

MEDIAN : Calling the median
MODE : Calling the mode



2. Lookup

VLOOKUP : Calling values from another table (Vertical)
HLOOKUP : Calling values from another table (Horizontal)

XLOOKUP : Calling values from other tables with various positionsINDEX : Calling values from a range based on columns and rows

MATCH : Calling the position (index) of data

3. Logic Function / IF

IF : Logic function with a condition

IFS : Logic function with various conditions

IFERROR : Function to resolve Logic Error

AND : Logic function TRUE or FALSE (TRUE + FALSE = FALSE)

OR : Logic function TRUE or FALSE (TRUE + FALSE = TRUE)

4. Array

LEN : Count the number of characters in the cell

SUBSTITUTE : Replace a word with another word (Find & Replace)

ROW : Calling the row index of a cell

ROWS : Count the number of rows in a range
COLUMN : Calling the column index of a cell

COLUMNS : Count the number of column in a range

RANK : Calling ranking data from a range RAND : Calling a random value (decimal)

RANDBETWEEN: Calling a random value with a range (decimal)

Muhammad Farras Rizki



5. Text

LEFT : Calling a character from the left

MID : Calling a character from a specific position

RIGHT : Calling a character from the right

" & " : Used to join text / value

FIND : Calling the character position of the searched word (Sensitive)

SEARCH : Calling the character position of the searched word (Insensitive)

WILDCARD (*) : Represents 1 or more characters

WILDCARD (?) : Represents 1 characters

TRIM : Removing redundant spaces in an Array

UPPER : Uppercase text LOWER : Lowercase text

PROPER : Uppercase the first character in word

6. Date

TODAY : Calling the current date

DATE : Creating manual dates

Calling day of date

Calling month of date

Calling year of date

NOW : Calling the current date and time

TIME : Creating manual clocks
SECOND : Calling seconds in time
MINUTE : Calling minutes in time
HOUR : Calling hours in time

Muhammad Farras Rizki



7. Others

VSTACK : Joining tables/arrays

Double Unary : Convert TRUE or FALSE value to 1 or O (CTRL + SHIFT + ENTER)

Operator (--)

Muhammad Farras Rizki

