

# Applied Stochastic Processes (M1, 2016–17)

## Mid-term Exam (Oct 14, 2016)

You can use the following functions in your answers without further evaluation,

$$\begin{aligned}\text{Standard normal PDF: } \phi(x) &= e^{-x^2/2}/\sqrt{2\pi} \\ \text{Standard normal CDF: } \Phi(x) &= \int_{-\infty}^x \phi(s)ds.\end{aligned}$$

1. **[3 pts] Itô's calculus**

Which of the following quantity is same as  $(dB_t)^2$  ?

- (a)  $\sqrt{dt}$       (b)  $dt$       (c)  $dt/2$       (d)  $(dt)^2/2$

2. **[3 points] Martingale, Polya's urn**

A box has 1 red ball and 9 blue balls. Pick up one ball randomly. If it is red, put it back and add one more red ball into the box. If it is blue, put it back and add one more blue ball into the box. If  $Y_n$  is the proportion of the red balls in the box after the process is repeated  $n$  times ( $Y_0 = 0.1$ ), show that  $\{Y_n\}$  is a martingale. So what is the expected number of the red balls after you repeat the process 100 times?

3. **[3 points] Wald's equation**

When  $\{X_k\}$  are independent identically distributed random variable and  $N$  is a random variable taking positive integer values, Wald's equation says

$$E(X_1 + X_2 + \cdots + X_N) = E(N) E(X_1)$$

if either (i)  $N$  is independent from  $\{X_k\}$  or (ii)  $N$  is a stopping time with respect to  $\{X_k\}$ .

Consider an example where  $X_k = 0$  or  $1$  with 50% and 50% probability and  $N$  is given as

$$N = X_1 + X_2 + 1.$$

Obviously,  $E(X_k) = 1/2$  and  $E(N) = 2/2 + 1 = 2$ . Find  $E(X_1 + X_2 + \cdots + X_N)$  and explain why Wald's equation does not hold in this example.

4. **[3 points] Volatility on holidays**

In the class, we covered the relation between the daily volatility  $\sigma_d$  and the annual volatility  $\sigma_y$  as

$$\sigma_y = \sqrt{256} \sigma_d = 16 \sigma_d,$$

where we assume the stock price is moving only on the 256 trading days in one year.

In this problem, we want to make it slightly more complicated. The stock price is usually more volatile on Mondays because new information, e.g., news related to the stock, economy, etc, is accumulated over the weekend and make the price move on Monday when the stock market is open. What would be the relation between the daily volatility  $\sigma_d$  and the annual volatility  $\sigma_y$  if we assume Monday's price is 50% more volatile than the other trading days, i.e.,  $1.5 \sigma_d$  on Mondays? Assume there are 52 Mondays in one year (so the rest of the trading days are  $256 - 52 = 204$ ).

5. **[3 points] Asian option**

Asian option is an option where the payoff at maturity  $T$  is derived from the average of the underlying prices at a given set of times before and at the maturity,

$$\left( \frac{1}{N} \sum_{k=1}^N S(t_k) - K \right)^+ \quad \text{for } 0 < t_1 < \cdots < t_N = T.$$

When  $N = 4$  and  $t_k = k/4$  ( $T = 1$ ) (a quarterly averaged Asian option), find the price of the Asian option. Assume the underlying stock price follows BM process,  $dS(t) = \sigma dB(t)$ , and the option price is given as  $C = 0.4\sigma\sqrt{T}$  (at-the-money strike, zero interest rate and zero dividend rate). How much the price of this Asian option is cheaper (or more expensive) to that of the European option with the same maturity and the same volatility?

6. [4 points] **Brownian motion with drift**

**Proposition** The maximum of BM with drift  $\mu < 0$ ,  $M_\mu = \max_{t \geq 0}(B_t + \mu t)$ , has exponential distribution

$$P(M_\mu > x > 0) = e^{-2|\mu|x}.$$

(a) Using the above proposition, prove that,

$$\text{Prob}(B_t \leq at + b \text{ for all } t > 0) = 1 - e^{-2ab} \quad \text{for } a, b > 0$$

(b) Using a proper change of variable, scaling of BM and etc, extend the result of (a) for BM with volatility,  $\sigma B_t$ .

7. [4 points] **SDE (modified from Exercise 9.2)**

Solve the SDE for the starting value  $X_0$

$$dX_t = -t X_t dt + \sigma e^{-t^2/2} dB_t.$$

What is the mean and the variance of the process when  $t \rightarrow \infty$ ?

8. [3 points] **SDE (Between normal and lognormal)**

Solve the SDE for the starting value  $X_0$  and  $0 < \beta < 1$ ,

$$\frac{dX_t}{X_t^\beta} = \sigma dB_t + \frac{\sigma^2 \beta}{2} X_t^{\beta-1} dt$$

9. [4 points] **Joint distribution of  $B_t^m$  and  $B_t$**

We are going to derive the price of the binary call option with knock-out (down-and-out) feature under BM (normal) model. Assume that the underlying stock follows the process  $S_t = S_0 + \sigma B_t$ . The option will pay you \$1 at the expiry  $T$  if  $S_T > K$  for a strike price  $K$  **and** the stock price  $S_t$  has never been below  $K_O$  for  $K_O < \min(S_0, K)$  anytime before the expiry,  $0 \leq t \leq T$ . In other words, this option knocks out (expires worthless) if  $S_t$  falls below  $K_O$  any time before the expiry  $T$ .

(a) In the class (and in the textbook), we derived the joint CDF for  $B_T$  and  $B_T^M = \max_{0 \leq t \leq T} B_t$ ,

$$P(B_T^M < v, B_T < u) = \Phi(u/\sqrt{t}) - \Phi((u - 2v)/\sqrt{t}), \quad v \geq \max(0, u)$$

Using this result, derive the joint CDF for BM with volatility,  $\sigma B_t$ ,

$$P(\sigma B_T^M < v, \sigma B_T < u).$$

(b) Using the symmetry that  $-\sigma B_t$  has the same distribution as  $\sigma B_t$ , drive the probability

$$P(\sigma B_T^m > v, \sigma B_T > u), \quad v \leq \min(0, u)$$

where  $B_T^m$  is the running **minimum**,  $B_T^m = \min_{0 \leq t \leq T} B_t$ .

(c) Finally find the price of the binary call option with knock-out feature? Assume that interest rate and dividend rate is zero. How much is this derivative cheaper (or more expensive) than the regular binary call option **without** knock-out feature?