

Introduction to Discrete Math

Felipe P. Vista IV



Chonbuk National University

- 1 -

Global Frontier College

Reminder

- Everybody, make sure that your name in ZOOM is in the following format:
 - Ex: 202054321 Juan Dela Cruz

Not changing your name to this format

* you **will** be marked Absent * → absent?



- Mathematical Thinking
 - Convincing Arguments, Find Example, Recursion, Logic, Invariants
- Probability & Combinatorics
 - Counting, Probability, Random Variables
- Graph Theory
 - Graphs (cycles, classes, parameters)
- Number Theory & Cryptography
 - Arithmetic in modular form
 - Intro to Cryptography

Mathematical Thinking – Combinatorics & Probability

Advanced Counting

PROBLEMS IN COMBINATORICS

- Distributing Assignments to People
- Distribution of Candies to Kids
- Numbers with Fixed Sum of Digits
- Numbers with Non-Increasing Digits
- Splitting into Working Groups

Distributing Assignments to People

Problem

Suppose there are 4 people and 9 different assignments. Each person should receive one assignment. Assignments for different people should be different. How many ways are there to do it?

Distributing Assignments to People

Problem

Suppose there are 4 people and 9 different assignments. Each person should receive one assignment. Assignments for different people should be different. How many ways are there to do it?

- We have count selections of assignments for 4 people



Distributing Assignments to People

Problem

Suppose there are 4 people and 9 different assignments. Each person should receive one assignment. Assignments for different people should be different. How many ways are there to do it?

- We have count selections of assignments for 4 people
- In this problem, people are different, so selection is ordered

Distributing Assignments to People

Problem

Suppose there are 4 people and 9 different assignments. Each person should receive one assignment. Assignments for different people should be different. How many ways are there to do it?

- We have count selections of assignments for 4 people
- In this problem, people are different, so selection is ordered
- No assignment given to two persons simultaneously, so no repetitions



Distributing Assignments to People

Problem

Suppose there are 4 people and 9 different assignments. Each person should receive one assignment. Assignments for different people should be different. How many ways are there to do it?

- We have count selections of assignments for 4 people
- In this problem, people are different, so selection is ordered
- No assignment given to two persons simultaneously, so no repetitions
- Hence, we are dealing with k -permutations



Distributing Assignments to People

Problem

Suppose there are 4 people and 9 different assignments. Each person should receive one assignment. Assignments for different people should be different. How many ways are there to do it?

Distributing Assignments to People

Problem

Suppose there are 4 people and 9 different assignments. Each person should receive one assignment. Assignments for different people should be different. How many ways are there to do it?

<i>Persons</i>	1	2	3	4
<i>Number of options</i>				

Distributing Assignments to People

Problem

Suppose there are 4 people and 9 different assignments. Each person should receive one assignment. Assignments for different people should be different. How many ways are there to do it?

<i>Persons</i>	1	2	3	4
<i>Number of options</i>	9			

Distributing Assignments to People

Problem

Suppose there are 4 people and 9 different assignments. Each person should receive one assignment. Assignments for different people should be different. How many ways are there to do it?

<i>Persons</i>	1	2	3	4
<i>Number of options</i>	9	8		

Distributing Assignments to People

Problem

Suppose there are 4 people and 9 different assignments. Each person should receive one assignment. Assignments for different people should be different. How many ways are there to do it?

<i>Persons</i>	1	2	3	4
<i>Number of options</i>	9	8	7	

Distributing Assignments to People

Problem

Suppose there are 4 people and 9 different assignments. Each person should receive one assignment. Assignments for different people should be different. How many ways are there to do it?

<i>Persons</i>	1	2	3	4
<i>Number of options</i>	9	8	7	6

Distributing Assignments to People

Problem

Suppose there are 4 people and 9 different assignments. Each person should receive one assignment. Assignments for different people should be different. How many ways are there to do it?



Distributing Assignments to People

Problem

Suppose there are 4 people and 9 different assignments. Each person should receive one assignment. Assignments for different people should be different. How many ways are there to do it?

- Answer is $9 \times 8 \times 7 \times 6 = 3,024$



Distributing Assignments to People

Problem

Suppose there are 4 people and 9 different assignments. Each person should receive one assignment. Assignments for different people should be different. How many ways are there to do it?

- Answer is $9 \times 8 \times 7 \times 6 = 3,024$
- Need to count permutations



Distributing Assignments to People

Problem

There are 4 people & 9 different assignments. Need to distribute all assignments among them. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

* arbitrary – random choice, no reason or system

Distributing Assignments to People

Problem

There are 4 people & 9 different assignments. Need to distribute all assignments among them. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

* arbitrary – random choice, no reason or system

- Each person receives several assignments

Distributing Assignments to People

Problem

There are 4 people & 9 different assignments. Need to distribute all assignments among them. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

* arbitrary – random choice, no reason or system

- Each person receives several assignments
- Can try to look at persons one by one

Distributing Assignments to People

Problem

There are 4 people & 9 different assignments. Need to distribute all assignments among them. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

* arbitrary – random choice, no reason or system

- Each person receives several assignments
- Can try to look at persons one by one
- The first person assigned arbitrary subset

Distributing Assignments to People

Problem

There are 4 people & 9 different assignments. Need to distribute all assignments among them. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

* arbitrary – random choice, no reason or system

- Each person receives several assignments
- Can try to look at persons one by one
- The first person assigned arbitrary subset
 - *we know how to count number of subsets*



Distributing Assignments to People

Problem

There are 4 people & 9 different assignments. Need to distribute all assignments among them. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

* arbitrary – random choice, no reason or system

- Each person receives several assignments
- Can try to look at persons one by one
- The first person assigned arbitrary subset
 - *we know how to count number of subsets*
- For second person, the number of options left



Distributing Assignments to People

Problem

There are 4 people & 9 different assignments. Need to distribute all assignments among them. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

* arbitrary – random choice, no reason or system

- Each person receives several assignments
- Can try to look at persons one by one
- The first person assigned arbitrary subset
 - *we know how to count number of subsets*
- For second person, the number of options left
 - *depends on what we chose for the first person*



Distributing Assignments to People

Problem

There are 4 people & 9 different assignments. Need to distribute all assignments among them. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

Distributing Assignments to People

Problem

There are 4 people & 9 different assignments. Need to distribute all assignments among them. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

- Seems tricky



Distributing Assignments to People

Problem

There are 4 people & 9 different assignments. Need to distribute all assignments among them. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

- Seems tricky
- **Idea:** Look from the other point of view



Distributing Assignments to People

Problem

There are 4 people & 9 different assignments. Need to distribute all assignments among them. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

- Seems tricky
- **Idea:** Look from the other point of view
- Do not give assignments to people

Distributing Assignments to People

Problem

There are 4 people & 9 different assignments. Need to distribute all assignments among them. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

- Seems tricky
- **Idea:** Look from the other point of view
- Do not give assignments to people
 - *Assign people to assignments instead*



Distributing Assignments to People

Problem

There are 4 people & 9 different assignments. Need to distribute all assignments among them. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

Distributing Assignments to People

Problem

There are 4 people & 9 different assignments. Need to distribute all assignments among them. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

<i>Assignment</i>	1	2	3	4	5	6	7	8	9
<i>Number of options</i>									

Distributing Assignments to People

Problem

There are 4 people & 9 different assignments. Need to distribute all assignments among them. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

<i>Assignment</i>	1	2	3	4	5	6	7	8	9
<i>Number of options</i>	4								

Distributing Assignments to People

Problem

There are 4 people & 9 different assignments. Need to distribute all assignments among them. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

<i>Assignment</i>	1	2	3	4	5	6	7	8	9
<i>Number of options</i>	4	4							

Distributing Assignments to People

Problem

There are 4 people & 9 different assignments. Need to distribute all assignments among them. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

<i>Assignment</i>	1	2	3	4	5	6	7	8	9
<i>Number of options</i>	4	4	4						

Distributing Assignments to People

Problem

There are 4 people & 9 different assignments. Need to distribute all assignments among them. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

<i>Assignment</i>	1	2	3	4	5	6	7	8	9
<i>Number of options</i>	4	4	4	4					

Distributing Assignments to People

Problem

There are 4 people & 9 different assignments. Need to distribute all assignments among them. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

<i>Assignment</i>	1	2	3	4	5	6	7	8	9
<i>Number of options</i>	4	4	4	4	4				

Distributing Assignments to People

Problem

There are 4 people & 9 different assignments. Need to distribute all assignments among them. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

<i>Assignment</i>	1	2	3	4	5	6	7	8	9
<i>Number of options</i>	4	4	4	4	4	4			

Distributing Assignments to People

Problem

There are 4 people & 9 different assignments. Need to distribute all assignments among them. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

<i>Assignment</i>	1	2	3	4	5	6	7	8	9
<i>Number of options</i>	4	4	4	4	4	4	4		

Distributing Assignments to People

Problem

There are 4 people & 9 different assignments. Need to distribute all assignments among them. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

<i>Assignment</i>	1	2	3	4	5	6	7	8	9
<i>Number of options</i>	4	4	4	4	4	4	4	4	

Distributing Assignments to People

Problem

There are 4 people & 9 different assignments. Need to distribute all assignments among them. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

<i>Assignment</i>	1	2	3	4	5	6	7	8	9
<i>Number of options</i>	4	4	4	4	4	4	4	4	4

Distributing Assignments to People

Problem

There are 4 people & 9 different assignments. Need to distribute all assignments among them. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

Distributing Assignments to People

Problem

There are 4 people & 9 different assignments. Need to distribute all assignments among them. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

- So the answer is $4^9=262\ 144$

Distributing Assignments to People

Problem

There are 4 people & 9 different assignments. Need to distribute all assignments among them. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

- So the answer is $4^9=262\ 144$
- Just needed to count tuples

Distributing Assignments to People

Problem

There are 4 people & 9 different assignments. Need to distribute all assignments among them. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

- So the answer is $4^9=262\ 144$
- Just needed to count tuples
- But need also to look from the other side



- Distributing Assignments to People
- **Distribution of Candies to Kids**
- Numbers with Fixed Sum of Digits
- Numbers with Non-Increasing Digits
- Splitting into Working Groups

Distribution of Candies to Kids

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids?

- Given each candy, we choose one of 7 kids

Distribution of Candies to Kids

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids?

- Given each candy, we choose one of 7 kids
- Repetitions are allowed

Distribution of Candies to Kids

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids?

- Given each candy, we choose one of 7 kids
- Repetitions are allowed
 - *Same kid can receive a candy several times*

Distribution of Candies to Kids

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids?

- Given each candy, we choose one of 7 kids
- Repetitions are allowed
 - *Same kid can receive a candy several times*
- Candies are identical

Distribution of Candies to Kids

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids?

- Given each candy, we choose one of 7 kids
- Repetitions are allowed
 - *Same kid can receive a candy several times*
- Candies are identical
 - *Order do not matter*



Distribution of Candies to Kids

Problem

There are *15* identical candies. How many ways are there to distribute them among *7* kids?

- Given each candy, we choose one of *7* kids
- Repetitions are allowed
 - *Same kid can receive a candy several times*
- Candies are identical
 - *Order do not matter*
- We are dealing in combinations with repetitions!



Distribution of Candies to Kids

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids?

Distribution of Candies to Kids

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids?

- Number of candies is the size of a combination



Distribution of Candies to Kids

Problem

There are *15* identical candies. How many ways are there to distribute them among *7* kids?

- Number of candies is the size of a combination
- Number of kids is the number of options

Distribution of Candies to Kids

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids?

- Number of candies is the size of a combination
- Number of kids is the number of options
- Hence, answer is:

Distribution of Candies to Kids

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids?

- Number of candies is the size of a combination = k
- Number of kids is the number of options = n
- Hence, answer is:

$$\binom{k+n-1}{n-1}$$

$$15 + 7 - 1 = 21 \\ 7 - 1 = 6 \Rightarrow \binom{21}{6}$$

Distribution of Candies to Kids

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids?

- Number of candies is the size of a combination
- Number of kids is the number of options
- Hence, answer is:

$$\binom{15 + (7 - 1)}{(7 - 1)} = \binom{21}{6} = 54,264$$

Distribution of Candies to Kids

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids in such a way that each kid receives at least 1 candy?

Distribution of Candies to Kids

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids in such a way that each kid receives at least 1 candy?

- Previous solution does not work, we have additional restriction

Distribution of Candies to Kids

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids in such a way that each kid receives at least 1 candy?

- Previous solution does not work, we have additional restriction
- But we can reduce this problem to the previous one

Distribution of Candies to Kids

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids in such a way that each kid receives at least 1 candy?

- Previous solution does not work, we have additional restriction
- But we can reduce this problem to the previous one
- We have to give each kid at least one candy

Distribution of Candies to Kids

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids in such a way that each kid receives at least 1 candy?

- Previous solution does not work, we have additional restriction
- But we can reduce this problem to the previous one
- We have to give each kid at least one candy
- So, let us just do it!

Distribution of Candies to Kids

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids in such a way that each kid receives at least 1 candy?

- Now, we are left with $15 - 7 = 8$ candies

- We can distribute them same as previous problem! \leftarrow

- Combination with repetitions, $k = 15, n = 7 \rightarrow k = 8$

- Combination size: 8; Options size: 7

- So, answer is
$$\binom{8 + (7 - 1)}{(7 - 1)} = \binom{14}{6} = \underline{3,003}$$

$$\begin{aligned} \#1 : 15 &\rightarrow 7 \\ \#2 : 15 &\rightarrow 7, \\ &\rightarrow 8 \end{aligned}$$



Distribution of Candies to Kids

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids in such a way that each kid receives at least 1 candy?

- So, answer is: $\binom{8+(7-1)}{(7-1)} = \binom{14}{6} = 3,003$

Distribution of Candies to Kids

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids in such a way that each kid receives at least 1 candy?

- So, answer is: $\binom{8+(7-1)}{(7-1)} = \binom{14}{6} = 3,003$
- Compare answer to previous problem: 54,264

Distribution of Candies to Kids

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids in such a way that each kid receives at least 1 candy?

- So, answer is: $\binom{8+(7-1)}{(7-1)} = \binom{14}{6} = 3,003$
- Compare answer to previous problem: 54,264
- Lots of ways to share candies that will leave some of the kids without a candy

- Distributing Assignments to People
- Distribution of Candies to Kids
- **Numbers with Fixed Sum of Digits**
- Numbers with Non-Increasing Digits
- Splitting into Working Groups

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below $10,000$ such that their sum of digits is equal to 9 ?

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below $10,000$ such that their sum of digits is equal to 9 ?

- Consider numbers as sequences of 4 digits

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below $10,000$ such that their sum of digits is equal to 9 ?

- Consider numbers as sequences of 4 digits
- We can look at the problem from the side of numbers

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below $10,000$ such that their sum of digits is equal to 9 ?

- Consider numbers as sequences of 4 digits
- We can look at the problem from the side of numbers
- None options for the first one

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below $10,000$ such that their sum of digits is equal to 9 ?

- Consider numbers as sequences of 4 digits
- We can look at the problem from the side of numbers
- None options for the first one
 - *But already unclear for the second one*

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below $10,000$ such that their sum of digits is equal to 9 ?

- Consider numbers as sequences of 4 digits
- We can look at the problem from the side of numbers
- None options for the first one
 - *But already unclear for the second one*
- **Idea:** Look from the other side



Numbers with Fixed Sum of Digits

* * * *

- There are four positions

Numbers with Fixed Sum of Digits

* * * *

- There are four positions
- We split the weight 9 among them

Numbers with Fixed Sum of Digits

0 0 0 0

- There are four positions
- We split the weight 9 among them
- Assume they are “0” in the beginning, then add “1” nine times

Numbers with Fixed Sum of Digits

0 0 0 0

- There are four positions
- We split the weight 9 among them
- Assume they are “0” in the beginning, then add “1” nine times
- Each time we pick one of the digits to increase

Numbers with Fixed Sum of Digits

* * * *

- There are four positions
- We split the weight 9 among them
- Assume they are “0” in the beginning, then add “1” nine times
- Each time we pick one of the digits to increase
- Order does not matter, there are repetitions
- We have combinations of size $\overset{+k}{9}$ among $\overset{+1}{4}$ options
- The answer is $\binom{9+(4-1)}{(4-1)} = \binom{12}{3} = 220$

Numbers with Fixed Sum of Digits

* * * *

- There are four positions
- We split the weight 9 among them
- Assume they are “ 0 ” in the beginning, then add “ 1 ” nine times
- Each time we pick one of the digits to increase
- Order does not matter, there are repetitions

Numbers with Fixed Sum of Digits

* * * *

- There are four positions
- We split the weight 9 among them
- Assume they are “ 0 ” in the beginning, then add “ 1 ” nine times
- Each time we pick one of the digits to increase
- Order does not matter, there are repetitions
- We have combinations of size 9 among 4 options

Numbers with Fixed Sum of Digits

* * * *

- There are four positions
- We split the weight 9 among them
- Assume they are “ 0 ” in the beginning, then add “ 1 ” nine times
- Each time we pick one of the digits to increase
- Order does not matter, there are repetitions
- We have combinations of size 9 among 4 options
- The answer is

Numbers with Fixed Sum of Digits

* * * *

- There are four positions
- We split the weight 9 among them
- Assume they are “0” in the beginning, then add “1” nine times
- Each time we pick one of the digits to increase
- Order does not matter, there are repetitions
- We have combinations of size 9 among 4 options
- The answer is $\binom{9+(4-1)}{(4-1)} = \binom{12}{3} = 220$

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below 10,000 such that their sum of digits is equal to 10?

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below 10,000 such that their sum of digits is equal to 10?

- This looks very similar to the previous one

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below 10,000 such that their sum of digits is equal to 10?

- This looks very similar to the previous one
- Distribute ten ones between four positions

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below 10,000 such that their sum of digits is equal to 10?

- This looks very similar to the previous one
- Distribute ten ones between four positions
- Combinations of size 10 from 4 options

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below 10,000 such that their sum of digits is equal to 10?

- This looks very similar to the previous one
- Distribute ten ones between four positions
- Combinations of size 10 from 4 options
- The answer is

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below 10,000 such that their sum of digits is equal to 10?

- This looks very similar to the previous one
- Distribute ten ones between four positions
- Combinations of size 10 from 4 options
- The answer is $\binom{10+(4-1)}{(4-1)} = \binom{13}{3} = 286$ /



Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below 10,000 such that their sum of digits is equal to 10?

- This looks very similar to the previous one
- Distribute ten ones between four positions
- Combinations of size 10 from 4 options
- The answer is $\binom{10+(4-1)}{(4-1)} = \binom{13}{3} = 286$
- Is everything ok? **Let's check!**



Numbers with Fixed Sum of Digits

The following code searches through all combinations:

```
import itertools as it
count = 0
for d in it.product(range(10), repeat = 4):
    if sum(d) == 10:
        count += 1
print(count)
```

Numbers with Fixed Sum of Digits

The following code searches through all combinations:

```
import itertools as it
count = 0
for d in it.product(range(10), repeat = 4):
    if sum(d) == 10:
        count += 1
print(count)
```

// OUTPUT

282

Numbers with Fixed Sum of Digits

The following code searches through all combinations:

```
import itertools as it
count = 0
for d in it.product(range(10), repeat = 4):
    if sum(d) == 10:
        count += 1
print(count)

// OUTPUT
282
```

Answer is off by 4

Numbers with Fixed Sum of Digits

The following code searches through all combinations:

```
import itertools as it
count = 0
for d in it.product(range(10), repeat = 4):
    if sum(d) == 10: ~ (9)
        count += 1
print(count)

// OUTPUT
282
```

Answer is off by 4

What went wrong?

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below 10,000 such that their sum of digits is equal to 10?

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below 10,000 such that their sum of digits is equal to 10?

- With our approach, we can assign all ten ones to the same position

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below 10,000 such that their sum of digits is equal to 10?

- With our approach, we can assign all ten ones to the same position
- But digits should be at most 9

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below 10,000 such that their sum of digits is equal to 10?

- With our approach, we can assign all ten ones to the same position
- But digits should be at most 9
- What should we know

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below 10,000 such that their sum of digits is equal to 10?

- With our approach, we can assign all ten ones to the same position
- But digits should be at most 9
- What should we know
- Just subtract the number of things that we should not have counted

Numbers with Fixed Sum of Digits

* * * *

- What we should not have counted

Numbers with Fixed Sum of Digits

* * * *

- What we should not have counted
- Assignments of all ten ones to the same digit

Numbers with Fixed Sum of Digits

* * * *

- What we should not have counted
- Assignments of all ten ones to the same digit
- But there are just 4 of them!

Numbers with Fixed Sum of Digits

10 0 0 0

- What we should not have counted
- Assignments of all ten ones to the same digit
- But there are just 4 of them!

Numbers with Fixed Sum of Digits

0 10 0 0

- What we should not have counted
- Assignments of all ten ones to the same digit
- But there are just 4 of them!

Numbers with Fixed Sum of Digits

0 0 10 0

- What we should not have counted
- Assignments of all ten ones to the same digit
- But there are just 4 of them!

Numbers with Fixed Sum of Digits

0 0 0 10

- What we should not have counted
- Assignments of all ten ones to the same digit
- But there are just 4 of them!

Numbers with Fixed Sum of Digits

0 0 0 10

- What we should not have counted
- Assignments of all ten ones to the same digit
- But there are just 4 of them!
- So our previous answer was off by just 4



Numbers with Fixed Sum of Digits

* * * *

- What we should not have counted
- Assignments of all ten ones to the same digit
- But there are just 4 of them!
- So our previous answer was off by just 4
- The correct answer is $286 - 4 = \underline{282}$

- Distributing Assignments to People
- Distribution of Candies to Kids
- Numbers with Fixed Sum of Digits
- **Numbers with Non-Increasing Digits**
- Splitting into Working Groups

Numbers with Non-Increasing Digits

Problem

How many four-digit numbers are there such that their digits are not increasing? Three-digit numbers are also four-digit, they just start with 0.

Numbers with Non-Increasing Digits

Problem

How many four-digit numbers are there such that their digits are not increasing? Three-digit numbers are also four-digit, they just start with 0.

- If we try to count options for each position and apply product rule, there are problems

Numbers with Non-Increasing Digits

Problem

How many four-digit numbers are there such that their digits are not increasing? Three-digit numbers are also four-digit, they just start with 0.

- If we try to count options for each position and apply product rule, there are problems
- Ten options for first position

Numbers with Non-Increasing Digits

Problem

How many four-digit numbers are there such that their digits are not increasing? Three-digit numbers are also four-digit, they just start with 0.

- If we try to count options for each position and apply product rule, there are problems
- Ten options for first position
 - *but number of options for second number depends on first number*



Numbers with Non-Increasing Digits

Problem

How many four-digit numbers are there such that their digits are not increasing? Three-digit numbers are also four-digit, they just start with 0.

- If we try to count options for each position and apply product rule, there are problems
- Ten options for first position
 - *but number of options for second number depends on first number*
- **Idea:** Look from the other side



Numbers with Non-Increasing Digits

* * * *

- We pick digits from 0 to 9 to be in our number

Numbers with Non-Increasing Digits

* * * *

- We pick digits from 0 to 9 to be in our number
- Once we pick four digits, our number is uniquely determined

Numbers with Non-Increasing Digits

* * * *

We picked 3, 4, 3, 7

- We pick digits from 0 to 9 to be in our number
- Once we pick four digits, our number is uniquely determined



Numbers with Non-Increasing Digits

7 4 3 3

We picked 3, 4, 3, 7

- We pick digits from 0 to 9 to be in our number
- Once we pick four digits, our number is uniquely determined
- Order of picks do not matter, repetition is allowed



Numbers with Non-Increasing Digits

* * * *

- We pick digits from 0 to 9 to be in our number
- Once we pick four digits, our number is uniquely determined
- Order of picks do not matter, repetition is allowed
- We have combinations of size 4 from 10 options

Numbers with Non-Increasing Digits

* * * *

- We pick digits from 0 to 9 to be in our number
- Once we pick four digits, our number is uniquely determined
- Order of picks do not matter, repetition is allowed
- We have combinations of size 4 from 10 options
- The answer is

Numbers with Non-Increasing Digits

* * * *

- We pick digits from 0 to 9 to be in our number
- Once we pick four digits, our number is uniquely determined
- Order of picks do not matter, repetition is allowed
- We have combinations of size 4 from 10 options
- The answer is $\binom{4 + (10 - 1)}{(10 - 1)} = \binom{13}{9} = 715$



- Distributing Assignments to People
- Distribution of Candies to Kids
- Numbers with Fixed Sum of Digits
- Numbers with Non-Increasing Digits
- Splitting into Working Groups

Splitting into Work Groups

Problem

There are 12 students in the class. How many ways are there to split them into working groups of size 2 to work on the same assignment?

Splitting into Work Groups

Problem

There are 12 students in the class. How many ways are there to split them into working groups of size 2 to work on the same assignment?

- This problem is more tricky

Splitting into Work Groups

Problem

There are 12 students in the class. How many ways are there to split them into working groups of size 2 to work on the same assignment?

- This problem is more tricky
- There are several ways to solve it

Splitting into Work Groups

Problem

There are 12 students in the class. How many ways are there to split them into working groups of size 2 to work on the same assignment?

- This problem is more tricky
- There are several ways to solve it
- But we need to combine several ideas!

Splitting into Work Groups

- One solution goes by looking from the position of working groups

$$\rightarrow 12 \frac{0}{2} = 2 \text{ Grs} \leftarrow \frac{1}{1} \text{ Assignment}$$

P

Splitting into Work Groups

- One solution goes by looking from the position of working groups
- We have to pick 2 people out of 12 in a working group



Splitting into Work Groups

- One solution goes by looking from the position of working groups
- We have to pick 2 people out of 12 in a working group
- Order in the group do not matter, so combinations, $\binom{12}{2}$ ways to do it



Splitting into Work Groups

- One solution goes by looking from the position of working groups
- We have to pick 2 people out of 12 in a working group
- Order in the group do no matter, so combinations, $\binom{12}{2}$ ways to do it
- For second group, there are 10 people left, so there are $\binom{10}{2}$ options



Splitting into Work Groups

- One solution goes by looking from the position of working groups
- We have to pick 2 people out of 12 in a working group
- Order in the group do no matter, so combinations, $\binom{12}{2}$ ways to do it
- For second group, there are 10 people left, so there are $\binom{10}{2}$ options
- And so on...



Splitting into Work Groups

- One solution goes by looking from the position of working groups
- We have to pick 2 people out of 12 in a working group
- Order in the group do no matter, so combinations, $\binom{12}{2}$ ways to do it
- For second group, there are 10 people left, so there are $\binom{10}{2}$ options
- And so on...
- Overall, we have $\binom{12}{2} \times \binom{10}{2} \times \binom{8}{2} \times \binom{6}{2} \times \binom{4}{2} \times \binom{2}{2}$ options



Splitting into Work Groups

- One solution goes by looking from the position of working groups
- We have to pick 2 people out of 12 in a working group
- Order in the group do no matter, so combinations, $\binom{12}{2}$ ways to do it
- For second group, there are 10 people left, so there are $\binom{10}{2}$ options
- And so on...
- Overall, we have $\binom{12}{2} \times \binom{10}{2} \times \binom{8}{2} \times \binom{6}{2} \times \binom{4}{2} \times \binom{2}{2}$ options
- Are we done? No!

Splitting into Work Groups

$$\{3, 7\}, \{1, 5\}, \{6, 9\}, \{11, 2\}, \{8, 12\}, \{4, 10\}$$

- Enumerate people as numbers 1 to 12



Splitting into Work Groups

$$\{3, 7\}, \{1, 5\}, \{6, 9\}, \{11, 2\}, \{8, 12\}, \{4, 10\}$$

- Enumerate people as numbers 1 to 12
- For example, we count this splitting into groups



Splitting into Work Groups

→ $\{3, 7\}, \{1, 5\}, \{6, 9\}, \{11, 2\}, \{8, 12\}, \{4, 10\}$

→ $\{1, 5\}, \{3, 7\}, \{6, 9\}, \{11, 2\}, \{8, 12\}, \{4, 10\}$

- Enumerate people as numbers 1 to 12
- For example, we count this splitting into groups

Splitting into Work Groups

$$\left[\begin{array}{l} \{3, 7\}, \{1, 5\}, \{6, 9\}, \{11, 2\}, \{8, 12\}, \{4, 10\} \\ \{1, 5\}, \{3, 7\}, \{6, 9\}, \{11, 2\}, \{8, 12\}, \{4, 10\} \end{array} \right]$$

- Enumerate people as numbers 1 to 12
- For example, we count this splitting into groups
- Order between **groups** also do not matter



Splitting into Work Groups

$\{3, 7\}, \{1, 5\}, \{6, 9\}, \{11, 2\}, \{8, 12\}, \{4, 10\}$

$\{1, 5\}, \{3, 7\}, \{6, 9\}, \{11, 2\}, \{8, 12\}, \{4, 10\}$

- Enumerate people as numbers 1 to 12
- For example, we count this splitting into groups
- Order between groups also do not matter
- What to do?

Splitting into Work Groups

$\{3, 7\}, \{1, 5\}, \{6, 9\}, \{11, 2\}, \{8, 12\}, \{4, 10\}$

$\{1, 5\}, \{3, 7\}, \{6, 9\}, \{11, 2\}, \{8, 12\}, \{4, 10\}$

- Enumerate people as numbers 1 to 12
- For example, we count this splitting into groups
- Order between groups also do not matter
- What to do?
- Apply old idea!


Splitting into Work Groups

$\{3, 7\}, \{1, 5\}, \{6, 9\}, \{11, 2\}, \{8, 12\}, \{4, 10\}$

$\{1, 5\}, \{3, 7\}, \{6, 9\}, \{11, 2\}, \{8, 12\}, \{4, 10\}$

$$\begin{pmatrix} 12 \\ 2 \end{pmatrix} = \binom{2}{2}$$

- Enumerate people as numbers 1 to 12
- For example, we count this splitting into groups
- Order between **groups** also do not matter
- What to do?
- Apply old idea!
 - We have counted each splitting **6! times**, for each permutation of 6 groups



Splitting into Work Groups

- In our first attempt, the answer was:



Splitting into Work Groups

- In our first attempt, the answer was:

$$\binom{12}{2} \times \binom{10}{2} \times \binom{8}{2} \times \binom{6}{2} \times \binom{4}{2} \times \binom{2}{2}$$

Splitting into Work Groups

- In our first attempt, the answer was:

$$\binom{12}{2} \times \binom{10}{2} \times \binom{8}{2} \times \binom{6}{2} \times \binom{4}{2} \times \binom{2}{2}$$

- Then, we count each splitting $6!$ times



Splitting into Work Groups

- In our first attempt, the answer was:

$$\binom{12}{2} \times \binom{10}{2} \times \binom{8}{2} \times \binom{6}{2} \times \binom{4}{2} \times \binom{2}{2}$$

- Then, we count each splitting $6!$ times
- Hence, the right answer is



Splitting into Work Groups

- In our first attempt, the answer was:

$$\binom{12}{2} \times \binom{10}{2} \times \binom{8}{2} \times \binom{6}{2} \times \binom{4}{2} \times \binom{2}{2} =$$

- Then, we count each splitting $6!$ times
- Hence, the right answer is

$$\begin{aligned} &= \binom{12}{2} \times \binom{10}{2} \times \binom{8}{2} \times \binom{6}{2} \times \binom{4}{2} \times \binom{2}{2} \times \frac{1}{6!} \\ &= \frac{12 \times 11}{2} \times \frac{10 \times 9}{2} \times \frac{8 \times 7}{2} \times \frac{6 \times 5}{2} \times \frac{4 \times 3}{2} \times \frac{2 \times 1}{2} \times \frac{1}{6!} \\ &= \frac{12!}{2^6 \times 6!} = 10\,395 \end{aligned}$$

Splitting into Work Groups

- In our first attempt, the answer was:

$$\binom{12}{2} \times \binom{10}{2} \times \binom{8}{2} \times \binom{6}{2} \times \binom{4}{2} \times \binom{2}{2}$$

- Then, we count each splitting $6!$ times
- Hence, the right answer is

$$\begin{aligned} &= \binom{12}{2} \times \binom{10}{2} \times \binom{8}{2} \times \binom{6}{2} \times \binom{4}{2} \times \binom{2}{2} \times \frac{1}{6!} \\ &= \frac{12 \times 11}{2} \times \frac{10 \times 9}{2} \times \frac{8 \times 7}{2} \times \frac{6 \times 5}{2} \times \frac{4 \times 3}{2} \times \frac{2 \times 1}{2} \times \frac{1}{6!} \\ &= \frac{12!}{2^6 \times 6!} = 10\,395 \end{aligned}$$

Summary

- We have discussed several standard settings in Combinatorics
- Vast majority of counting problems we meet in practice fall into these setting
- There are more complicated situations that we have not discussed
- There are situations that are so complicated, they stay unresolved
- Next topic, we proceed to Probability

Thank you.