# FRONTEND TESTING REPORT

## School Admission System - EduFlow

Manual functional testing and concurrent hold test

| Report details | Value |
|---|---|
| Test date | 11 November 2026 |
| Test cases | 5 |
| Evidence images | 23 |
| Test method | Manual UI verification and frontend-triggered concurrent requests |
| Document version | 1.0 |

This report explains what I tested, the expected behaviour, the result I observed, and the screenshots I captured. The screenshots are included directly under each test case.

# 1. Test overview

I tested the main admission flow from the student's point of view. I checked seat booking, the reservation timer, confirmation, cancellation, automatic expiration, full class handling and a 500-request stress test.

# 2. Test environment

| Item | Details |
|---|---|
| Application | EduFlow - School Admission System |
| Interface | Web browser frontend |
| API / database | School Admission backend and PostgreSQL |
| Student identification | Birth Registration Number |
| Evidence | 23 screenshots supplied and named by test case |
| Execution type | Manual browser checks; concurrent requests initiated from frontend |

# 3. Overall test checklist

| ID | Scenario | Result |
|---|---|---|
| TC-01 | Booking, hold timer and admission confirmation | PASS |
| TC-02 | Seat cancellation | PASS |
| TC-03 | Automatic hold expiration | PASS |
| TC-04 | Full class capacity | PASS |
| TC-05 | Frontend-triggered concurrent hold stress test | PASS |

PASS means the described behaviour is supported by the screenshots from this test run. These screenshots are manual testing evidence, not an automated frontend test suite.

# 4. Detailed test cases

# TC-01 — Booking, hold timer and admission confirmation

## Objective

Verify that a student can reserve a seat, see the hold timer, confirm admission and view the updated seat counts.

## Test steps and screenshot evidence

Step 1. The student portal asks for a Birth Registration Number before opening the student's application information.





*Figure 01.1 — test-1-1.png*

Step 2. Before booking, Class 6 – Morning Shift shows 0 held seats and 3 confirmed seats.





*Figure 01.2 — test-1-2.png*

Step 3. After clicking Book Seat, the student is taken to My Applications, where the hold timer, Pay Admission Fee and Cancel options are shown.





*Figure 01.3 — test-1-3.png*

Step 4. The class list now shows 1 held seat after the booking.





*Figure 01.4 — test-1-4.png*

Step 5. Trying to book another class with the same student identity shows an already-reserved-seat message.





*Figure 01.5 — test-1-5.png*

Step 6. Confirming the reservation displays a congratulations message.





*Figure 01.6 — test-1-6.png*

Step 7. After confirmation, the held count returns to 0 and confirmed seats increase from 3 to 4.





*Figure 01.7 — test-1-7.png*

Step 8. A further booking attempt displays an already-admitted message.





*Figure 01.8 — test-1-8.png*

Step 9. The student enters their Birth Registration Number in My Applications.





*Figure 01.9 — test-1-9.png*

Step 10. The My Applications page displays the student's application records.





*Figure 01.10 — test-1-10.png*

## Expected result

Booking, hold timer, confirmation and class counts behave as shown in the screenshots.

## Actual result

Booking, hold timer, confirmation and class counts behave as shown in the screenshots. The related screenshots show this result.

Test status: PASS — manual UI evidence

# TC-02 — Seat cancellation

## Objective

Verify that cancelling a held application releases the reserved seat.

## Test steps and screenshot evidence

Step 1. Before booking, the selected morning-shift class shows 0 held seats and 1 confirmed seat.





*Figure 02.1 — test-2-1.png*

Step 2. A new student books a seat and the held application appears with its timer.





*Figure 02.2 — test-2-2.png*

Step 3. The class count changes to 1 held seat and 1 confirmed seat.





*Figure 02.3 — test-2-3.png*

Step 4. After clicking Cancel, the application interface shows the cancellation result.





*Figure 02.4 — test-2-4.png*

Step 5. The held seat count returns to 0 while confirmed seats remain at 1.





*Figure 02.5 — test-2-5.png*

## Expected result

The held seat is released after cancellation; confirmed seats do not change.

## Actual result

The held seat is released after cancellation; confirmed seats do not change. The related screenshots show this result.

Test status: PASS — manual UI evidence

# TC-03 — Automatic hold expiration

## Objective

Verify that a hold expires after its time limit and that the payment and cancellation actions are no longer available.

## Test steps and screenshot evidence

Step 1. Before booking, the selected morning-shift class shows 0 held seats and 1 confirmed seat.





*Figure 03.1 — test-3-1.png*

Step 2. The new reservation appears on the My Applications page.





*Figure 03.2 — test-3-2.png*

Step 3. The class count increases to 1 held seat and 1 confirmed seat.





*Figure 03.3 — test-3-3.png*

Step 4. After the timer finishes, the application displays EXPIRED and the payment and cancellation buttons disappear.





*Figure 03.4 — test-3-4.png*

Step 5. The class count returns to 0 held seats; the confirmed count remains 1.





*Figure 03.5 — test-3-5.png*

## Expected result

The expired reservation no longer occupies a seat and the UI disables further actions.

## Actual result

The expired reservation no longer occupies a seat and the UI disables further actions. The related screenshots show this result.

Test status: PASS — manual UI evidence

# TC-04 — Full class capacity

## Objective

Verify that a class becomes unavailable for booking when HELD and CONFIRMED seats together reach the total capacity.

## Test steps and screenshot evidence

Step 1. The selected class is shown as FULL and the Book Seat action is not available.





*Figure 04.1 — test-4-1.png*

## Expected result

Full classes do not offer the Book Seat action.

## Actual result

Full classes do not offer the Book Seat action. The related screenshots show this result.

Test status: PASS — manual UI evidence

# TC-05 — Frontend-triggered concurrent hold stress test

## Objective

Check that a class with 120 available seats does not accept more than 120 successful holds when 500 requests are initiated from the frontend.

## Test steps and screenshot evidence

Step 1. Before the test: selected class has 120 available seats, with 500 requests configured.





*Figure 05.1 — test-5-1.png*

Step 2. After the test: 120 successful holds, 380 HTTP 409 rejections, 0 unexpected/network errors; available seats fall to 0.





*Figure 05.2 — test-5-2.png*

## Expected result

No more than 120 successful holds are accepted.

## Actual result

The test page reported 500 requests, 120 successful holds, 380 rejected requests (HTTP 409), and 0 unexpected or network errors. The initial available seat count was 120 and the final available seat count was 0.

| Metric | Result |
|---|---|
| Total requests | 500 |
| Seats available before test | 120 |
| Successful holds | 120 |
| Rejected (HTTP 409) | 380 |
| Unexpected / network errors | 0 |
| Capacity exceeded | No |

Test status: PASS — recorded browser test; backend multi-instance test remains separate

# 5. Findings and limitations

All five documented scenarios show the expected result in the supplied screenshots. The class counts were checked before and after booking, confirmation, cancellation and expiration.

The stress test is a browser-triggered test. A browser may queue network requests, so this is not proof that 500 requests reached the backend at the exact same instant. A separate automated backend concurrency test, ideally using two API processes with the same PostgreSQL database, is still needed.

The screenshots do not by themselves prove a complete automated frontend test suite or every possible edge case, such as a server outage or repeated browser refresh. Those checks should be recorded separately if performed.

# 6. Conclusion

The frontend worked as expected in the five documented test scenarios. A student could reserve a seat, see the hold timer, confirm or cancel the application, and view the updated class counts. An expired hold released its seat, and a full class no longer showed the booking option. In the 500-request test, only 120 holds succeeded when 120 seats were available. The remaining 380 requests were rejected, with no unexpected errors reported.

These results support the tested frontend flows. The automated backend tests and the two-instance concurrency check should be documented in the separate Backend Testing Report.