MRN # 1007



REQUEST FOR RETURN MATERIALS FROM SITE

CLIENT NAME: Port of fujairah PROJECT NO.:

LOCATION: Fujairah SALESMAN'S NAME:- HO Maintenance

SALESMAN'S MOB# :-

Sales Order# 348685

Store: FGS/RMS DN# 2016276

	Item Description QTY REMARKS	8720 - Y-Strainer 2", Ductile Iron, Flanged Ends ANSI B16.1 Drilled to 125, W/P 300 Psi, Red Painted with Stainless Steel Screen AISI 304 Without Paint, UL/ULC Listed, Mod. SD-YS300FF-D - Shield
DIA# 20102/0	Item De	11222508720 - Y-Strainer 2", Ductile Ir Class 125, W/P 300 Psi, Red Paintec Without Paint, UL/ULC Liste
* 25	#IS	1

Subject to QC approval

H-solur

Prepared by : Zahir Hussain Date: 31/05/2023

Eng. Naseem Abu Rajab

Shameem Abdul Rahman

Electromechanical Co. L.L.C. Dubai PO Box 25801, Dubai, United Arab Emirates Tei.: +971 4 815 1111 / +971 4 815 2510 Fax: +971 4 815 1222 / +971 4 815 2503 Email: info@naffco.com, www.naffco.com

ص به: ۲۰۸۵، دیسي، الامار هاتف: ۲۱۱۱ ۱۱۸ ، ۲۷۲ هاکس: ۲۲۲ ۱۱۸ ، ۲۷۶ شركة نافك الأنظ 2 الكهروميكانيكية ذ-م.م.دبي +4V1 & A10 YO1.

> NOTE DELIVERY

0 N NO 02 03 CV D yed Kynt ---10

276

W

03 1-4 ---42-01-Port c 1823 400042 NML -Ref. Name Shipment R Customer N Account

W 60 00 00 0 -SSSSS S C B S o prof AU

forms

W

rint ::26-1 Date 04 r of r Date Date t Due Numbel

4424 3 02 1 13 1 13 1 13 -MAY-23 -MAY-23 e : 25-Report D Delivery D Payment

Oty 4.4 0 PH (1) TOI 02 0 a good 40 04 CLI 00 De (1) ppo O CH 4 2) (2 1 00

governig

4

0

led to Painte AISI isted, Y-Strainer 2", Ductile Iron, Flanged Ends ANSI B16.1 Drill Class 125, W/P 300 Psi, Red Pwith Stainless Steel Screen A 304 Without Paint, UL/ULC Lis Mod. SD-YS300FF-D - Shield

Name 1-1 0) 1 a grad DT . No 0 ruck

Dat

0

Time

日

0.504 00

> W 0 Not Any Without CO * 40 *** Cond Good Received i Tel Phone: Remarks: (

airah .13 E. 4.9

DY (IR H. Zerated NJF. ZAHI CL

D

Approved E BLIJAYSON

Name Date Time No.

0

Mobil With gnature 17

				,						<u>J</u> Əuu
				Totel				Sales	MRN.	
Remarks	ΥΤΟ.ιЭЯ	ΥΤΩ.ϽϽΑ	Section	ΥТД	Store Desc	Item Category	ltem Code	Order	οN	р
					Y-Strainer 2", Ductile Iron,					
					Flanged Ends ANSI B16.1 Drilled					
					to Class 125, W/P 300 Psi, Red					
		1			ləət2 szəlnist2 dtiw bətnis9					
		1			Screen AISI 304 Without Paint,					
1 1					UL/ULC Listed, Mod. SD-YS300FF-	Finished Goods				
	}		AC Store	τ	Dl-ihleld	Strainer Valves	11222508720	348685	Z00T	77