	E-Connect											
	Ref.	Order.				Item	Return					
ld	No	No	ItemCode	ItemCategory	LM Description	Quty	Reason	Section	Remarks			
					Medium Velocity Water Spray			Section Cabinet Pump				
					Nozzle, K-22 (1.54) x 120 Deg. Spray			ELV FM 200/DP Hose Reel Fire	18			
					Angle, 1/2" BSPT, Max. W/P 12 Bar			Hose Hydrant VT Pump CO2				
				Finished Goods	(175 Psi), Nickel Chrome Finish,			IG Fabrication Security System				
				Wet Sprinkler	UL/FM Approved, Model: MV-A -		Not	Foam Fan SMS BMS Safety				
114	1057	907701	10559322380	System	Shield	12	Required	QC Store				

Material Movement Report Date: <u>99-06-2023</u> MKN # 1057 90770 MMR No. <u>60257</u> Project No. <u>33367</u> Project Name: <u>G+2+Roof</u> Regidential Building **Vehicle & Driver Detail** Plate No. 37293 Capacity Hilux 1 Ton Trella Other Departure Time _____ Arrival Time: ___ Mobile No. 0198925130 Driver Emp. No. 12 445 Driver Name Johangis **Type of Material** Scrap Samples Furniture & Fixture Machines & Tools Equipment Pipes & Fittings Type of Movement For Modification/Fabrication For Transfer to other Project Project No. For Repairing For Replacement Not Required Resurred as per site. Not Movement Reasons: -Accepted Accepted Rejected Received Transfer Qty. Qty. **Item Description** S. No. Item Code (TME/NFC) Qty. UOM Qty. Qty. (PROJECT) 10559322380 Medium velocity Water Spray Nigle 0 11 an NP.100/3

Site In charge Name & Signature

Driver's Signature

Store Keeper Signature

Material Coordinator

Q. C. Inspector

E-Connect												
MRN.	Sales				Totel		ACC.	REJ.				
No	Order	Item Code	Item Category	Store Desc	QTY	Section	QTY	QTY	Remarks			
			Finish ad Canda	Angle, 1/2" BSPT, Max. W/P 12 Bar								
		l										
1057	007701				12	OC Store	12					
		No Order	No Order Item Code	No Order Item Code Item Category Finished Goods Wet Sprinkler	MRN. Sales No Order Item Code Item Category Store Desc Medium Velocity Water Spray Nozzle, K-22 (1.54) x 120 Deg. Spray Angle, 1/2" BSPT, Max. W/P 12 Bar (175 Psi), Nickel Chrome Finish, Wet Sprinkler UL/FM Approved, Model: MV-A -	MRN. Sales No Order Item Code Item Category Store Desc OTY Medium Velocity Water Spray Nozzle, K-22 (1.54) x 120 Deg. Spray Angle, 1/2" BSPT, Max. W/P 12 Bar (175 Psi), Nickel Chrome Finish, Wet Sprinkler UL/FM Approved, Model: MV-A -	MRN. Sales No Order Item Code Item Category Store Desc OTY Section Medium Velocity Water Spray Nozzle, K-22 (1.54) x 120 Deg. Spray Angle, 1/2" BSPT, Max. W/P 12 Bar (175 Psi), Nickel Chrome Finish, Wet Sprinkler UL/FM Approved, Model: MV-A -	MRN. Sales No Order Item Code Item Category Store Desc Totel Medium Velocity Water Spray Nozzle, K-22 (1.54) x 120 Deg. Spray Angle, 1/2" BSPT, Max. W/P 12 Bar (175 Psi), Nickel Chrome Finish, Wet Sprinkler UL/FM Approved, Model: MV-A -	MRN. Sales No Order Item Code Item Category Store Desc Totel OTY Section QTY Medium Velocity Water Spray Nozzle, K-22 (1.54) x 120 Deg. Spray Angle, 1/2" BSPT, Max. W/P 12 Bar (175 Psi), Nickel Chrome Finish, Wet Sprinkler UL/FM Approved, Model: MV-A -			

Alakko 23