Electromechanical Co. L.L.C. Dubai PO Box 25801, Dubai, United Arab Emirates Tel.: +971 4 815 1111 / +971 4 815 2510 Fax: +971 4 815 1222 / +971 4 815 2503 Email: info@naffco.com, www.naffco.com



شركة نافك و الأنظمـــة الكهروميكانيكيةذ-م.م.دبي ص.ب: ١٠٨٠١، دبي، الإمــارات العربية المـتحدة هاتف. ما ١٧١٠ ما ١٨١٠ ها ١٩٠٠ ها ١٩٠٤ هاتف. قالمـــــــــــ فاكس، ١٢٢١ ما ١٨٠٠ ما ١٨٠٠ هاتف. و الأنظم شركة نافك

SALE S ORDER

Customer Abu Dhabi
HALA ISSAM
APOS175100
NEM LIC 80 K No : internationa 908504 11 Gen. Cont 101 3-AUG-

AHMAD MABROK Report Delivery Ordered Page port Date very Date ered Date Currency AUG-

N

w

10

(4)

Location Salesman

PO

No.

Fire Doo 1-1 Pro ject 23-AED

ine# der Type tem Code Item Name Unit Qty Price Tota -Amt

Un 46607 5100 all Accessories
per Attached
Specification **
MD-01 ** Fire Rasingle Complete Rated Door Set Steel with * * S PCS on N 00 9 1 ..000 4 47 0.000

Un 46607 5100 Fire Rated Ste Single Door Complete Set w all Accessorie per Attached Specification Stee es with * S S PCS 10 10 ~1 16.000 Un 432.000

MD-02

Ne + Total TAX
Total AED 19, N 19,902.00 995.10 20,897.10

11

11

lemarks Payment t Terms : 23119: Hotel 1 90 Days PDC SH-Q-01-R1-R1-A0-D1000K 1 1194 1 A Marfa (1) 0 rvic 0 Apartment

Approved Ву

Prepared Вy

Rece ived By


A&M INTERNATIONAL GENERAL CONTRACTING L.L.C.



ايه اندام انترناشيونال للمقاولات العامة ذ.م.م

PURCHASE ORDER (SUBCONTRACT)

Authorized Signature's aminternational.ae	Authorized o@aminterna	Email : inf	7740 / Fax026667781 F	026667740 / Fa	P.O.BOX: 111949, Abu Dhabi, United Arab Emirates / Tel :026667740 / Fax026667781 Email : info@aminternational.ae	.O.BOX: 111949, Abu E	
Activities Gell. Colle. LEC	משליו ווונו. פ		od Signaturo's	Authoriz	Approved By	Prepared By	
en Cont III	ARM OH O		A&M Intl-Gen Cont IIC	A&M Inti	Procurement Manager	Procurement Officer	_
A.j.			jistered supplier	liers from VAT reg	-2023 To 21-Sep-2023 UAE VAT Applicable as per LAW for suppliers from VAT registered supplier	ration: 21-Aug	Contract Du Other terms 'Value Adde
20,090.020					NED ABOVE	Delivery terms : Payment terms : AS MENTIONED ABOVE	Deliver Paymer
995.05	%	5.00	Vat @	VE ONLY	AED TWENTY THOUSAND EIGHT HUNDRED NINETY-SIX AND FILS FIVE ONLY	/ENTY THOUSAND EIGHT	AED TV
19,901.00		mount	Sub total Taxable Amount				
0 3,353.00	479.000	7.00	NOS	y.	415STD / Supply and Installation of Master Keying For All doors. Payment Terms:	415STD / Supply and Install Payment Terms:	2
	479.000	7.00	NOS	9 1	tallation of Master Keying For All doors	415510 / Supply and Ins	N
		[•	Including Frame and All Accessories As Per Authority Approval 4155TD / Supply and Installation of Mactor Keyling For All Johnson	415STD / Supply and Incl	J
16	2,364.000	7.00	SON	Doors	415STD / Supply and Installation of 120 minute Fire Rated Steel Doors	415STD / Supply and Ins	
e Gross	Rate	V ty	Cnit			S.No. Description	S.No
1T HOTEL 1600003	APARTMENT HOTEL : 100457000600003	RN	Our TRN		ω	: 100039127400003	TRN
1194-AL MARFA SERVICE	: 1194-AL M	¥	Project		FAX :	*•	IEL.
		o :	MRF.No				
1	: Page 1 of 1	No.	Page No.				
100)23	: APOS175100 : 13/08/2023	No.)ate	LPO. No. LPO Date		NICAL CO L.L.C	TO , NAFFCO ELECTRO MECHANICAL CO L.L.C	TO,



PROJECT NO.	1303230032		
OPPORTUNITY NO.	1323030116		
ROTNARD \ TNELLO	H.H. SHEIKH SUROOR BIN MOHAMMED AL NAHYAN		
CONSULTANT	PIONEER ENGINEERING CONSULTANCY		
ЯОТЭАЯТИОЭ ИІАМ	A\$M INTERNATIONAL GENERAL CONTRACTING L.L.C		
PROJECT	RESIDENTIAL MIXED USED BUILDING SECTOR# AL MARFA PLOT# P512 AL MARFA WESTERN REGION ABU DHABI		
QUOTATION REF.	231193-5H-Q-01-RY-P0-D1000K	3TAQ	£SQS-puA-A

01.7e8	50°																			[Jnsls92 no				
01.29	66										cuats	וופח ואושו		VAT @ 5% for the	iomnoາl gni	onjouj] - [səu	s with Fran	Steel Doors	wolloH be	of above mentione	Supply o	; əq1 Guipni	pul] - letc)T bns1
19,902.00	L													TAM ROH JATOT										
					-						чкроми —	IICE BKE	ЕИD ОЕ ЬВ											
5,432.00	7	2,716.00	00.674	2,237.00	1-TB2	-	-	82-120	-	-	SWING	ı	SEAL	MINERAL WOOL	2.0	5.1	200	2300	1100	GALVALUME	A	Z0-QW	-	7
0.074,41	S	2,894.00	00.674	2,415.00	r-T38	-	-	BS-120	-	-	SWING	ı	JA∃S	MINERAL WOOL	2.0	5.1	200	2300	1200	GALVALUME	A	10-QM	-	ı
TOTAL AMOUNT (AED)	QUANTITY (NOS)	ЭТАЯ ТІИО ЯООО ЯОЭ ТЭЗ (СЭА)	UNIT RATE FOR IRONMONGERY [EXCLUDING LEAF, FRAME AND INSTALLATION] (AED)	UNIT RATE FOR DOOR LEAF, FRAME AND INSTALLATION EXCLUDING IRONMONGERY] (AED)	IRONMONGERY SET REFERENCE [REFER SECTION-3]	TRR RATING	STC RATING	LISTING / CLASSIFICATION LABEL - FIRE INTEGRITY	LOUVER [Width X Height] (mm)	VISION PANEL EXPOSED PORTION [Width X Height] (fmm)	OPERATION OF THE DOOR	NO. OF LEAF(S) IN THE DOOR	SILENCER / SEAL [SELF- ADHESIVE MEDIUM TEMPERATURE SMOKE SEAL] / KERF FRAME	LEAF INFILL	FRAME MATERIAL THCIKNESS (mm)	LEAF FACESHEET THCIKNESS (mm)	JAMB DEPTH (mm)	MASONRY OPENING HEIGHT (mm)	MASONRY OPENING WIDTH (mm)	DOOR FRAME AND LEAF - BASE MATERIAL	SPECIFICATION TYPE REFERENCE [REFER SECTION-2]	DOOR TYPE CLIENT'S REFERENCE.	DOOR TYPE - NAFFCO'S REFERENCE.	S lefoT bnsið G gnibulonl]
				e W									аэшпа	оинээт лагаэтам үяд	MIAI									
									ST	NATED LAIS	HETAM YA	AMIRA										ABLE-1]	/T] / r-NC	SECTIC

OOFITIAN TO PROTECT

Opening and the Frames does not exceed a maximum clearance of 5 mm] Fire Rated Doors have been considered to have Fire Rated Polyurethane expanding foam; Brand and Specification is limited to Manufacturer's

ON S

Polyurethane Expanding Foam Frame Infili tor 1 Single Leaf Door [based on the assumption that the Jamb Depth of Frame does not exceed 150 mm and pased on the assumption that the Cleanance between the Masonny

MAIN DESCRIPTION

	SECTION-1A		
рколест ио.	1303530032		
OPPORTUNITY NO.	310202251		
ЯОТИАЯЭ \ ТИЕЛО	NAYHAN JA QƏMMAHOM NIB ROORUS HXIƏHS ,H,H		
CONSULTANT	PIONEER ENGINEERING CONSULTANCY		
яотраятиор иіам	A8M INTERNATIONAL GENERAL CONTRACTING L.L.C		
PROJECT	RESIDENTIAL MIXED USED BUILDING SECTOR# AL MARRA PLOT# P512 AL MARRA WESTERN REGION ABU DHABI		
допотатіои веғ.	X0001G-0A-1A-10-0-H2-EE11E2	DATE	£202-2u4-4

Unit Prices for Optional / Provisional Materials which is not Included in the Above Quote / Original Package - [To be added as Additional to the above price as required by the Contractor]

JBT

TOTAL IN AED


TBC

(NOS)

YTITNAUD

250,00

UNIT PRICE IN AED



4-Aug-2023

DATE	231193-SH-G-01-R1-A0-D1000K	допотьтіои веғ.

	PECTION-2
РВОЈЕСТ ИО.	1303230032
орровтииту ио.	1323030116
CLIENT / GRANTOR	H'H' SHEIKH 2NBOOK BIN MOHAWMED AF NAHAAN
TNATJUSNOO	PIONEER ENGINEERING CONSULTANCY
ЯОТЭАЯТИОЭ ИІАМ	A&M INTERNATIONAL GENERAL CONTRACTING L.L.C
PROJECT	RESIDENTIAL MIXED USED BUILDING SECTOR# AL MARFA PLOT# P512 AL MARFA WESTERN REGION ABU DHABI

Not Applicable / Not explicitly demanded in the Provided Project Documents / Excluded from this Quote	CLADDING / CLADDING PREPARATION
Not Applicable / Not explicitly demanded in the Provided Project Documents / Excluded from this Quote	[мневелев інсгпрер ін весцон-і] голлев
Not Applicable / Not explicitly demanded in the Provided Project Documents / Excluded from this Quote	[МНЕВЕЛЕВ ІИСГПДЕД ІИ ЗЕСЦІОИ-1] GTV23
Manufacturer's Standard Stretch Wrap [Stacked on Flat Bed unenclosed Wooden Pallet]	PACKING
mm Or	LEAF UNDERCUT
Inverted Channel	LEAF BOTTOM CHANNEL
Inverted Channel	LEAF ТОР СНАИИЕL
Pan and Lid Construction with Facesheets Mechanically Interlocked with Synthetically Filled Seamless Lock Formed Vertical edges and Seamless Flush Face	LEAF СОИЗТRUСТОИ
SP	ГЕРЕ ТНІСКИЕЗЗ [іл шш]
Manufacturer's Standard Bubble Wrap	PACKING
In built 4 mm Frame Back Plate - with [10 x 72] mm Steel Heavy Duly Expansion Shield Anchor Bolt	РАРМЕ РИСНОВІИС
As pet Manufacturer's Standard for Frames with Wraparound	ERAME BACKBEND
As per Manufacturer's Standard	ГРАМЕ 5ТОР, FACE AND RETURN
Three Sided Frame - Miltre Knockdown Field Assembly Type for Frames Double Wraparound	РРАМЕ СОИЗТЯПСТІОИ
Double Rabetted Frame - With Double Side Wrapsround / Inbuilt Architave Extensions - Without Kert	39YT 3MAЯЯ
Hollow Metal Construction	DOOR-SET CONSTRUCTION
Steel (Galvalume Type) Sheet As Pet ASTA MYSQ Dased on Coating Designation AZ 150	DOOR FRAME AND LEAF - BASE MARTERIAL
NAFFCO	DOOR MODEL/BRAND
SPECIFICETION (TYPE) - A	
SPECIFICATIONS FOLLOWED IN THE OFFER	

OODELETANO PROTECT

САЛГКІЙС	Not Applicable / Excluded from this Quote / Falls under the Scope of the Main Contractor if required	
БRAME ІИГІL / GROUTING	Excluded from this Cuote / Falls under the Scope of the Main Contractor - [Not a Mandatory Requirement for Fire Rated Doors] At-notinged Optionally in Section-1A	
SIFICON SEALANT	Silicon Sealant has been included based on the assumption that Clearance between the Masonry Opening and the Frames does not exceed a maxit Coloured one; Brand Pyroplex	num clearance of 5 mm, Fire Rated Doors have been considered to have Fire Rated Silicor
SECURITY REQUIREMENTS	Not Applicable / Not explicitly demanded in the Provided Project Documents / Excluded from this Quote - [Not Mandatory for Fire Raised Doors]	
BLAST / BALLISTIC REQUIREMENTS	Not Applicable / Not explicitly demanded in the Provided Project Documents / Exchaded from this Quote - (Not Mandatory for Fire Railed Doors)	
етизмент яецт учить тали в тали не в тали в	Not Applicable / Not explicitly demanded in the Provided Project Documents / Exchaded from this Quote - [Not Mandalory for Fire Railed Doors]	
SMOKE / DRAFT CONTROL	Not Applicable / Not explicitly demanded in the Provided Project Documents / Excluded from this Ouste - [Not Mandatory for Fire Railed Doors]	
NOITAJUSNI JAMA∃HT	Not Applicable / Not explicitly demanded in the Provided Project Documents / Excluded from this Ousle - [Not Mandatory for Fire Rated Doors]	
эипая яят	Not Applicable / Not explicitly demanded in the Provided Project Documents / Excluded from this Quote - [Not Mandatory for Fire Railed Doors]	
эипля этг	NOT APPLICABLE / NOT DEMANDED IN THE PROVIDED PROJECT DOCUMENTS / EXCLUDED FROM THIS GUOTE	
гіяе іитесяіту	AS INDICATED IN SECTION-1 / TABLE-1	
Finish for Frame and Leaf	Primer + Single Coat Of TGIC Polyester Powder Coat to Engineer's approved flon Metallic RAL Colour coated by Electrostailc Po One Selected Colour is 40. For projects with total quantity of Doors less than 30, RAL Colours are limited to Non-Metallic - 3026, 300	ıder Coaling, Gloss - As pet WAFFCO Standards only, DFT: 80 Microns, The mir 0, 5015, 9000, 9001, 9010, 1013, 9006, 7032, 7038, 8025, 8028
рколест ио.	1303230032	
орроктииту ио.	1122030116	
CLIENT / GRANTOR	H.H. SHEIKH SUROOR BIN MOHAMMED AL NAHYAN	
CONSULTANT	PIONEER ENGINEERING CONSULTANCY	
мыи соиткастоя	D.L.C CONTRACTING L.L.C	
PROJECT	RESIDENTIAL MIXED USED BUILDING SECTOR# AL MARFA PLOT# P512 AL MARFA WESTERN REGION ABU DHABI	

OEOFIELANO TO PROTECT

PROJECT NO.	1303230032	
OPPORTUNITY NO.	1323030116	
SOTNAR9 \ TN3IJO	H.H. SHEIKH SUROOR BIN MOHAMMED AL NAHYAN	
СОИЅПСТАИТ	PIONEER ENGINEERING CONSULTANCY	
МАІИ СОИТРАСТОР	D.L.C.	
PROJECT	RESIDENTIAL MIXED USED BUILDING SECTOR# AL MARKA PLOT# P\$12 AL MARFA WESTERN REGION ABU DHABI	

	IRONMONGERY SETS	
	геслои-3	

00.674	ΠΞΑ					I-T3E 39AWQDAH 934 3TAN TINU	
							NOTES:
5.3	5.32	SILLY	ı	PIECE	sss	Door Stop, Floor Mounted, S/Steel 304	SS100-SQ-iZS
00.83	00.88	אוררג	ı	PIECE	MUJA	Alaminum Threshold with Rubber Bumper, 1°Z x "Z t", Aluminum MIII Finish	SOLTIZS
43.50	43.50	ATTIZ	ı	PIECE	MUJA	Atiomatic Doot Bottom Seal, UL Listed, Aluminum Mill Finish	XXEBOZS
165.53	165,531	ATIZ	ι	PIECE /	ONLY WITH SSS COVER	Overhead Surface Mounted Rack and Pinion Type Door Closer; UL Listed: Adjustable Power Range of AMS! 1 to 5; Adjustable Closing Speed and Latching Speed; Adjustable Backcheck; Non-Hold Open; Tri-Packed; Pull Side Installation and Parallel From Push Side Installation; Non-handed; with SSS Cover Only	SZ-DCF8915-BC
11.07	11.07	צוררג	ı	PIECE	dNS	Euro Profile Double Cylinder, Both Side Key Access, 35/35mm, 70mm Length, 30 Deg. Cam, 6 Pin Tumbler, Master-Keyed	SZ!-DBL003-MK
25.33	Z2'33	בוררג	ι	AIA9	SSS	Spring Assisted, Securely Bushed Lever Handle pair on Rose; CE Certified; Stainless Steel Grade 304 Material: Escurcheon; Hollow Tube Type, D-Shaped Safety Lever Handle, 19 mm da, 1 mm	505-861-600422-HJT-IS
55.55	52.55	ZIIF	ı	PIECE	(FOREND)	Europrofile Medium Sile Mortice Sashlock, EM 12209 Certified, Approved for fire-rated doors based on EM1634 Standard; CE Certified, Lock case size as per DN1 18251-1; Sine Plated dosed case; Reversible Latch Handing; 12 mm Latch Throw and 20 mm Dead bolt Throw; 8 mm Follower; 72 mm Centre distance; 55 mm Backset; 24 mm Forend; With Strikeplate, Strikebox and screws; Suitable for Metal and Wooden Doors; SS304	ZZYSS-IZS
Þ1.28	62.12	בוררג	Þ	PIECE	sss	2-Ball Bearing Butt Hinges, Size: 4,5" x 4" x 3,4mm, S/Sicel 316 grade, Template Drilled, Removable Pin, Non-Rising Pin, Square Edged, ANSI/BHMA A156,1, UL Listed, Finish US32D	916-464034-1Z8
JATOT GBA TNUOMA	TINU 3TAЯ G3A	QNARB V	MOU	won	FINISH	WAIN DESCRIPTION	PRODUCT CODE
						P-T3S 3AAWGAAH	

RESIDENTIAL MIXED USED BUILDING SECTOR# AL MARFA PLOT# P512 AL MARFA WESTERN REGION ABU DHABI

1323030116

H.H. SHEIKH SUROOR BIN MOHAMMED AL NAHYAN PIONEER ENGINEERING CONSULTANCY

A&M INTERNATIONAL GENERAL CONTRACTING L.L.C

231193-SH-Q-01-R1-A0-D1000K

орровтиитт ио.

CLIENT / GRANTOR

CONSULTANT MAIN CONTRACTOR

QUOTATION REF.

PROJECT

Any Further required changes apart from Details and Specification stated in this quote will attract further variation.	5	
At-notback and in Section is indicated in the Market state in the Indicated in the Market is a secretion when it is secretion in the Section is indicated in the Market is a factor of the Market is a secretion in the Section in the Section in the Section is a factor of the Market is a secretion in the Section in the Section in the Section is a secretion in the Section in the Section in the Market is a secretion in the Section in the Secti	8	
easis BrinnaqO farutuuris as batarquaini naed aari NOB arti ni easis arti NOB arti ni easis arti IIA	7	
Though the Project Specilication for Doors (Section 1870) demands for the Doors to be Fire Rated based on BNS LUL Standards and Though MRFFCO can provide the Same, Fire Rated Doors have been changed to be Fire Rated based on BS / EN Standards on BS / EN Standards for the Hardware have been specified in the Hardware I frommongery Specification [Soction 087000] wherein most of the Hardware have been specified to perform based on BS / EN Standards	9	
Removal of Existing Doors / Hardware, Refurbishment of Wall, Repairing the Wall, Plastering, Tiling Works, Cladding Works, Resizing the Wall to above mentioned dimensions, Dry wall works and Wall Painting Falls under the Scope of Main/Civil Works Contractor.	9	
Electrical, Electronic, Electronic, Electronical, Power Supply, Access Control, Security System, Card Reader, Writing, Cabling and any other Electrified Hardware / Ironmongery are excluded from this Quote since the same talks under time scope or Work of this control. Access Control Sub-Contractor / MEP Sub-Contractor / MEP Sub-Contractor / Mere Sub-C	Þ	TNATAO9MI 83TON
Since Hardware / Ironmongery Schedule for the Doors have not been provided in the given Documents, all Doors have been proposed with Ironmongery to suit their location; Also, Brand and Origin of Hardware / Ironmongery Schedule for the Doors have not been provided in this Quote.		
Wherever Fire Door Test Standards and Subsequent Civil Defence Requirements conflicts with the Project Requirements, the Former Iwo has been given Precedence	ε	
Details such asHardware / Ironmongery Section Details, Jamb Details, Jamb Details and Such have not been provided and hence not referred / followed wherein all details related to those documents have been proposed based on Door Manufacturer's Standards	7	
DOB (c b) Evanion Drawings / Door Schedule [PEFERENCE: A-409] b) Elevation Drawings / Door Schedule [PEFERENCE: SECTION 08110 - HOLLOW METAL DOORS AND FRAMES] d) Door Hardware / Ironmongery Specification [PEFERENCE: SECTION 087000 - DOOR HARDWERE]	L	
The Following documents have been referred to while dratting this Offer wherein only relevant and feasible data have been followed in conjunction with the Below Deviations, Notes, Civil Defence Requirements, Feasibilities, Fire Standards, NAFFCO Standards and Availability		
IMPORTANT NOTES		
SECTION-4	-	
IMPORTANT NOTES The Following documents have been referred to while drafting this Offer wherein only relevant and feasible data have been followed in conjunction with the Below Deviations. Notes, Civil Defence Requirements, Feasibilities, Fire Standards, NAFFCO Standards and Availability DOG	ı	
700077001		ECT NO.
1303230032		311 202

3TAQ

4-Aug-2023



4.16 Any kind of Laboratory / Field Testing

37 7			
1 hart That I Service / Product That I			
4.13 Partial Delivery, Partial Production and			
4.12 Seismic, Structural and Load Calculati	culation; Design and Design Calculation		
4.11 Master Key Cabinets			
4.10 Wining, Cabling, Interfacing, Programm	ramming and Configuration of Electrified Hardware and Access / Security Control Systems; Linking of Electrified Hardware / Ironmongery and Access / Security Control Systems / BMS System		
4,9 Electriffed, Electrical, Electronic, Electr	Electro-Magnetic, Electro-Mechanical, Power Supply, Access Control, Security System, Card Reader, Wring, Cabling and any other Electrified Hardware (Tronnongery		
4.8 Protection of Materials, after Installation	allation andror Hand-over, Any Special Protection other than Manutacturer's Standard Protection		
4.7 Any Special Documentation Charges in	ges incurted owing to the requirement of additional documents from the client.		
	s, Special Pass / Permits Site Entry Fees, Any Special Site Access Charges incurred due to special PPE requirements		
	t of Goods in Site; Forkfilt, Hoisting Crane, Ladders, Equipments, Scalfoldings and related Equipments / Makeria's Works		
	ition; Site Stotage of Malerials; Site Accompdation		
4.3 Any Other Sealing Works other than th	an the Silron Sealant Indicated in Section-2 of this Quote		
4.2 Grouting and Frame Infilling Works			
4.1 Caulking, Civil Works, Cement / Concr	Jonorete Works, Wall Works, Sub-Frame Structures, Structural Works		
4 EXCFINIONS			
3.2 Delivery lead-time, terms and condition	ditions - As mutually agreed upon, before/during the finalisation of the order		
3.1 TO THE ABOVE MENTIONED PROJE	30 JECT SITE WITHIN THE CITY LIMITS OF BAD DHABI - JUE		
3 DELIVERY DETAILS			
2.1 Standard Manufacturer's Warranty for	y for 12 Months from the Date of Delivery, only against Manufacturing Defects		
YTUARRAW S			
1.1 15 days from date of this Offer			
1 OFFER VALIDITY			
ERMS AND CONDITIONS			
PROJECT NO.	1303530035		
ON YTINUTRO99C	11323030116		
SOTNARD \ TNELL	H.H. SHEIKH SUROOR BIN MOHAMMED AL NAHYAN		
TNATJU2NOC	PIONEER ENGINEERING CONSULTANCY		
AOTDARTNOD NIAN	D.L.C		
TOJECT	RESIDENTIAL MIXED USED BUILDING SECTOR# AL MARFA PLOT# P612 AL MARFA WESTERN REGION ABU DHABI		
диотатои яег.	231133-SH-Q-01-R1-A0-D1000K	3TAQ	£202-puA-4

7.12 Every Term and Condition is to be read in conjunction with every other Term and Condition and all the details mentioned in this offer

For branch and the funds that the control for the comment of the control for the comment of the	вые выборывает выполняться уче вое поитими сиб вземного ям! То по уче в рабовы уче вое всемного и по поитим в по по поитим в по по по поитим в по по поитим в по по поитим в по по поитим в		
on the unavailability of the indicated Hardware Model / Product Code, an equivalent material with similar and equivalent specification of different brand and model/product code may be provided. The Finish indicated for the Hardware is only for the exposed portion	qU - babubni si yagnomnon Naswats H aoni 2 ot. 7		
retain the prices in this offer. The variation in thre prices, upon the expriy of the offer, may be subject to may be subject.	7.9 Upon the expry of the offer, NAFFCO does not assure to		
Thermophous Officer in this case, the selboard (but accepts OCFF Will have been experient in charming the fourthing of but define the COFF All the propagation in the fourthing of the first but COFF All the propagation in the fourthing of the first but COFF All the propagation in the fourthing of the first but COFF All the propagation in the fourthing of the first but COFF All the propagation in the fourthing of the first but COFF All the propagation in the fourthing of the first but COFF All the propagation in the fourthing of the first but COFF All the propagation in the fourthing of the first but COFF All the propagation in the fourthing of the first but COFF All the propagation in the first	7.8 Construction and Details of all the materials supplied by TMFPO		
discountprice structure is based on bulk delivery quantities accomodating maximum quantity of materials in each trip. Requirement for shipments with fewer materials may imply price variations			
sestibilities of humanicomputer error are distinct. We advise customer to recheck.	7.6 While upmost care is taken during quote, the po		
assumption that the Shop Drawings for all the Doors will be approved at a Single Instant by the client. Partial approvals may imply price variations caused due to complication caused during partial productions	7.5 The offered discount/price structure is based or		
Structural Stac(s) indicated in this Offer, Variations in sizes andfort increase in no. of sizes may imply price variations	7.4 The offered discount/price structure is based on		
7.5 Materials quoted, in this Offer, conform only to the specifications taked herein the offer. Any required emedation(s) may entail price valuations			
quantity for one/more type) by more than 15% and/or increase in no. of types by more than 10% may entail price variations	7.2 Reduction in quantify las in total quantify and/or		
chicage raid offer specific	7 OTHER GENERAL TERMS 7.1 The offered discount/price structure is quantity-s		
ime, ferms and conditions - As mutually agreed upon, beforeduring the finalisation of the order			
iene Jenne and conditione. As mutually astreed unon theforethining the finalisation of the order	NOTALLATION 8		
ale walls and are not supposed to be modified on site, without the consent of the Manufacturer			
Stutischinet And in tocopy and interest and	£.d		
be strictly goverened by the Certification/Labeling Standards, WAFFCO Standards and AHJ [only in UAE, Oman]	5.2 Certification/Labeling for Fire Rated Doors shall		
amesarned drawlifies; remesarined sizes and reworked sbeen be an it be remessaried dails	or no based vino balloaxe executed only based on re		
	S GENERAL TERMS		
1303230032	рвојест ио.		
1323030116	OPPORTUNITY NO.		
H'H' SHEIKH ROISOOB BIN WOHEWWED YT NYHAYN	СГІЕИТ / СКАЛТОЯ		
DIONEEK ENGINE CONZOLTANCY	соизигтьит		
ABM INTERNATIONAL GENERAL CONTRACTING LL.C	мыи соиткастоя		
RESIDENTIAL MIXED USED BUILDING SECTOR# AL MARRA PLOT# PS12 AL MARRA WESTERN REGION ABU DHABI	PROJECT		
231193-5H-Q-01-R1-R0-D1000K	диотатіои REF.		
5205-guA-4 aTAG			