

# RMA REQUEST REPORT

## Material Return Note (MRN)

<b>MRN NO</b>	1103	<b>SO,NO</b>	93625
<b>CUSTOMER NAME</b>	Bayan Construction LLC	<b>MMR NO</b>	0
<b>DEPARTMENT</b>	Sales	<b>CREATED DATE</b>	6/15/2023 3:29:57PM
<b>LOCATION</b>		<b>PRINT DATE</b>	6/16/2023 7:35:43AM

ITEMCODE	DESCRIPTION	QTY	ACCEPTED QTY	REJECTED QTY	REASON
10559322380	Medium Velocity Water Spray Nozzle, K-22 (1.54) x 120 Deg. Spray Angle, 1/2" BSPT, Max. W/P 12 Bar (175 Psi), Nickel Chrome Finish, UL/FM Approved, Model: MV-A - Shield	24 ✓	24		Not Required
10550522079	Sprinkler Head 79 Deg. Pendent, 1/2" NPT, Brass Finish, Standard Response, UL/ULC/FM/Watermark Approved, Model: SD1010SR - Shield	20 ✓	20		Not Required
11000108581	OS&Y Gate Valve 3", Ductile Iron Body to AWWA C515, Rising Stem with EPDM Coated Resilient Wedge, Flanged Ends to ANSI B16.1, Class 125, FF Flange, W/P 200 Psi, RED RAL3000 FBE Coating, UL / FM Approved, Model: SD-OSY200FF-D - Shield	1 ✓	1		Not Required
10562522080	Deluge Valve 3" (80NB), UL Listed, Model: SD-DVA - Shield	1 ✓	1		Not Required

*Signature*  
20/06/2023

# RMA REQUEST REPORT

## Material Return Note (MRN)

MRN NO	1103	SO,NO	93625
CUSTOMER NAME	Bayan Construction LLC	MMR NO	0
DEPARTMENT	Sales	CREATED DATE	6/15/2023 3:29:57PM
LOCATION		PRINT DATE	6/16/2023 7:35:43AM

ITEMCODE	DESCRIPTION	QTY	ACCEPTED QTY	REJECTED QTY	REASON
10562522530 ✓	Basic Trim for Wet Pilot and Electric w/ Test & Alarm Actuation Trim (without Solenoid Valve) for 3" (80NB) Deluge Valve, Model: SD-DVA (UL Listed) - Shield	1 ✓			Not Required

**Return By**

Edger

**Approved By**

HASSAN CHEHADE

**Prepared By**

Iurul Amin Sulthan Ahme

*Signature*  
21/06/23



MRN # 1103

**REQUEST FOR RETURN MATERIALS /**  
**SAMPLES FORM SITE**


CLIENT NAME	Bayan Construction LLC	
PROJECT NAME	FOR PROPOSED 3B+G+12+HC+FLOOR BUILDING ON PLTO#648-8569 @ WADI AL SAFA-5, DUBAI.	
CONTACT PERSON	Mr. Mohd - 055-399-0224.	
SALES MAN' NAME	<i>Bimal Koshy</i>	
MOB. NUMBER		
SALES ORDER	93625	

Line	DESCRIPTION	QTY	REMARKS
107.1	10559322380 - Medium Velocity Water Spray Nozzle, K-22 (1.54) x 120 Deg. Spray Angle, 1/2" BSPT, Max. W/P 12 Bar (175 Psi), Nickel Chrome Finish, UL/FM Approved, Model: MV-A – Shield	24 ✓	Not Required
108.1	10550522079 - Sprinkler Head 79 Deg. Pendent, 1/2" NPT, Brass Finish, Standard Response, UL/ULC/FM/Watermark Approved, Model: SD1010SR – Shield	20 ✓	Not Required
114.1	11000108581 - OS&Y Gate Valve 3", Ductile Iron Body to AWWA C515, Rising Stem with EPDM Coated Resilient Wedge, Flanged Ends to ANSI B16.1, Class 125, FF Flange, W/P 200 Psi, RED RAL3000 FBE Coating, UL / FM Approved, Model: SD-OSY200FF-D – Shield	1 ✓	Not Required

**Credit note after QC Inspection**

Prepared By : Edger. 

Date : 14/06/2023

Requested by/Sales man	Approval - Accounts	Manager – Dispatch Approval
		



**REQUEST FOR RETURN MATERIALS /**  
**SAMPLES FORM SITE**

CLIENT NAME	Bayan Construction LLC	
PROJECT NAME	FOR PROPOSED 3B+G+12+HC+FLOOR BUILDING ON PLTO#648-8569 @ WADI AL SAFA-5, DUBAI.	
CONTACT PERSON	Mr. Mohd - 055-399-0224.	
SALES MAN' NAME	Bimal Koshy	
MOB. NUMBER		
SALES ORDER	93625	

Line	DESCRIPTION	QTY	REMARKS
109.1	10562522080 - Deluge Valve 3" (80NB), UL Listed, Model: SD-DVA - Shield	1	As per site required 2"
110.1	10562522530 - Basic Trim for Wet Pilot and Electric w/ Test & Alarm Actuation Trim (without Solenoid Valve) for 3" (80NB) Deluge Valve, Model: SD-DVA (UL Listed) - Shield	1	As per site required 2

**Credit note after QC Inspection**

Prepared By : Edger. 

Date : 12/06/2023

Requested by/Sales man	Approval - Accounts	Manager - Dispatch Approval
	