


E-Connect

Id	Ref. No	Order. No	ItemCode	ItemCategory	LM Description	Item Qty	Return Reason
52	1026	150535	10562522818	Finished Goods Deluge Sprinkler System Dry Sprinkler System	Basic Wet Pilot Trim 8" c/w Test & Alarm Trim and Drip & Drain Trim Suitable for Horizontal Mounting Model: SD-DVH3 Deluge Valve, Model: SH3-NTW - Shield	2 ✓	Not Delivered, DN # 2004473
53	1026	150535	11000108701	Finished Goods Gate Valves-Hand Open - Valve	OS&Y Gate Valve 8", Ductile Iron Body to AWWA C515, Rising Stem with EPDM Coated Resilient Wedge, Flanged Ends to ANSI B16.1, Class 125, FF Flange, W/P 200 Psi, RED RAL3000 FBE Coating, UL/FM Approved, Model: SD-OSY200FF-D - Shield	2 ✓	Not Delivered, DN # 2004473
54	1026	150535	10562522208	Finished Goods Deluge Sprinkler System Dry Sprinkler System	Deluge Valve 8" (200NB), Ductile Iron, Horizontal/Vertical Mounting Flanged to ANSI B 16.42, Class 150, 250 Psi, UL Listed, Model: SD-DVH3 - Shield	1 ✓	Not Delivered, DN # 2004473
55	1026	150535	10555522120	Finished Goods Wet Sprinkler System	Escutcheon Plate 1/2", Two Piece, Chrome Finish, UL/FM Approved, Model: SD-ESC-2 - Shield	456 ✓	Not Delivered, DN # 2004473
56	1026	150535	10551022268	Finished Goods Wet Sprinkler System	Sprinkler Head 68 Deg. Upright, 1/2" NPT, Chrome Finish, Standard Response, UL/ULC/FM/Watermark Approved, Model: SD1015SR - Shield	51 ✓	Not Delivered, DN # 2004473

MPN # 1026

FCO

Building Manufacturing FZCO
Dubai, United Arab Emirates
P.O. Box 11111, Fax: +971 4 815 1222
info@fco.com, www.fco.com



تلفون

الشركة الوطنية لصناعة معدات مكافحة الحريق ش.م.ح
ص.ب: ١٧٠١٤، دبي، الإمارات العربية المتحدة
هاتف: ١١١١ ٨١٥ ٩٧١، فاكس: ١٢٢٢ ٨١٥ ٩٧١

DELIVERY NOTE

Document Ref. : 01-01-99909 No : 2004473
Customer Name : Cavite Biofuel Producers Inc
Account No. : 220820
PO No. : 2023-C-039
Invoice No. : 3431946, 3431947
SO No. : 150535
Export Ship.No: 106/6973/2023
Destination : Philippines
Export Ship.Term :
Export Ship.Mode :

Page : 10 / 57
Number Of Print : 1
Report Date : 11-MAY-23 09:12 AM
Delivery Date : 10-MAY-23
Payment Due Date : 10-MAY-23

SI#	Item Code	Description	Store	Unit	Qty.
96.1	13006438060	Fire Alarm Bell 6", Motor Driven Type, Red Colour, 24V DC, 20-30mA Current Consumption, UL listed, Model: FB1000C6, Shield	FGS	EAH	1
98.1	13007138720	Horn/Strobe, Outdoor, 75 Fixed Candela, Wall Mount, Shipped with GOE Enclosure, Red, UL listed, Model : SH-HSOR - Shield	FGS	PCS	1
99.1	13006738270	Outdoor Strobe Only, Fixed 75 Candela, Wall Mount, Shipped with GOE Enclosure, Red, UL listed, Model: SH-STOR - Shield	FGS	PCS	1
100.1	30309975025	Power Supply Unit 24V, 3A	FGS	PCS	1
105.1	10550522068	Sprinkler Head 68 Deg. Pendant, 1/2" NPT, Brass Finish, Standard Response, UL/ULC/FM/Watermark Approved, Model: SD1010SR - Shield	FGS	PCS	96
107.1	10562522818	Basic Wet Pilot Trim 8" c/w Test & FGS Alarm Trim and Drip & Drain Trim Suitable for Horizontal Mounting Model: SD-DVH3 Deluge Valve, Model:	PCS		

MRN # 1026

Received in Good Condition Without Any Notes.
Tel Phone:

Remarks: Lobo Lobo Bio Refinery Project - Philippines

Approved By
NJF.SHIVAM


Prepared By
NJF.VIPIN

Received By

Name :
Date :
Time :
Mobile No. :
Signature with Seal :

FCO[®]

ing Manufacturing FZCO
Abd, United Arab Emirates
1111, Fax: +971 4 815 1222
office.com, www.naffco.com



تافكو

الشركة الوطنية لصناعة معدات مكافحة الحريق ش.م.ح
ص.ب. ١٨٠١٤، دبي، الإمارات العربية المتحدة
هاتف: ٨١٥ ١١١١ فاكس: ٨١٥ ١٢٢٢

DELIVERY NOTE

Document Ref. : 01-01-59909 No : 2004473
Customer Name : Cavite Biofuel Producers Inc
Account No. : 220820
PO No. : 2023-C-039
Invoice No. : 3431946, 3431947
SO No. : 150535
Export Ship.No: LOG/0973/2023
Destination : Philippines
Export Ship.Term :
Export Ship.Mode :
Page : 11 / 57
Number Of Print : 1
Report Date : 11-MAY-23 09:12 A
Delivery Date : 10-MAY-23
Payment Due Date : 10-MAY-23

SI#	Item Code	Description	Store	Unit	Qty.
-----	-----------	-------------	-------	------	------

SH3-NTW - Shield

108.1	10558522120	Water Motor Alarm Gong, UL/FM Approved, Model # SDGA - Shield	FGS	PCS	1
110.1	11000108701	OS&Y Gate Valve 8", Ductile Iron Body to AWWA C515, Rising Stem with EPDM Coated Resilient Wedge, Flanged Ends to ANSI B16.1, Class 125, FF Flange, W/P 200 Psi, RED RAL3000 FBE Coating, UL/FM Approved, Model: SD-OSY200FF-D - Shield	FGS	PCS	1
111.1	10559022710	Tamper Switch (Supervisory) with 1 FGS x SPDT Contact for Gate Valves, Model: SD-SVS OSY-1, UL/FM Approved	FGS	PCS	1
114.1	11110108050	Globe Valve 2" Bronze, UL Listed, Model: SD-GV50, Shield	FGS	PCS	1
118.1	10562522208	Deluge Valve 8" (200NB), Ductile Iron, Horizontal/Vertical Mounting Flanged to ANSI B 16.42, Class 150, 250 Psi, UL Listed, Model: SD-DVH3	FGS	PCS	1

MRN # 1026

MRN # 1026

Received in Good Condition Without Any Notes.
Tel Phone:
Remarks: Lobo Lobo Bio Refinery Project - Philippines

Approved By
NJF.SHIVAM

Prepared By
NJF.VIPIN

Received By

Name :
Date :
Time :
Mobile No. :
Signature with Seal :

FCO

ighting Manufacturing FZCO
Dubai, United Arab Emirates
815 1111, Fax: +971 4 815 1222
anaffco.com, www.naffco.com



تافةكو

الشركة الوطنية لصناعة معدات مكافحة الحريق ش.م.ع
ص.ب. ١٧٠١٤، دبي، الإمارات العربية المتحدة
هاتف: ٨١٥ ١١١١ فاكس: ٨١٥ ١٢٢٢ +٩٧١

DELIVERY NOTE

Shipment Ref. : 01-01-59909 No : 2004473
Customer Name : Cavite Biofuel Producers Inc
Account No. : 220820
PO No. : 2023-C-039
Invoice No. : 3431946, 3431947
SO No. : 150535
Export Ship.No: LOG/0973/2023
Destination : Philippines
Export Ship.Term :
Export Ship.Mode :

Page : 12 / 57
Report Date : 11-MAY-23 09:12 AM
Delivery Date : 10-MAY-23
Payment Due Date : 10-MAY-23

SI#	Item Code	Description	Store	Unit	Qty.
-----	-----------	-------------	-------	------	------

- Shield

119.1 10562522818 Basic Wet Pilot Trim 8" c/w Test & FGS PCS

Alarm Trim and Drip & Drain Trim
Suitable for Horizontal Mounting
Model: SD-DVH3 Deluge Valve. Model:
SH3-NTW - Shield

MRN # 1026

120.1 10558522120 Water Motor Alarm Gong, UL/FM FGS PCS

Approved. Model # SDGA - Shield
OSky Gate Valve 8", Ductile Iron
Body to AWWA C515, Rising Stem with
EPDM Coated Resilient Wedge.
Flanged Ends to ANSI B16.1, Class
125, FF Flange, W/P 200 Psi, RED
RAL3000 FBE Coating, UL/FM

MRN # 1026

Approved, Model: SD-OSY200FF-D -
Shield

123.1 10559022710 Tamper Switch (Supervisory) With 1 FGS PCS

X SPDT Contact for Gate Valves.
Model: SD-SVS OSY-1, UL/FM Approved
- Shield

Received in Good Condition without Any Notes.
Tel Phone:

Remarks: Lobo Lobo Bio Refinery Project - Philippines

Approved By
NJF.SHIVAM


Prepared By
NJF.VIPIN

Received By

Name :
Date :
Time :
Mobile No. :
Signature with Seal :

FCO®

Trading Manufacturing FZCO
Dubai, United Arab Emirates
P.O. Box 11111, Fax: +971 4 815 1222
info@fco.com, www.fco.com



تافكو

الشركة الوطنية لمصناعات مكافحة الحريق ش.م.ح
ص.ب: ١٧٠١٤، دبي، الإمارات العربية المتحدة
هاتف: ٠١١١ ٤٨١٥ ١١١١ فاكس: ٠١٧١ ٤٨١٥ ١٢٢٢

DELIVERY NOTE

Document Ref. : 01-01-59909 No : 2004473
Customer Name : Cavite Biofuel Producers Inc
Account No. : 220820
PO No. : 2023-C-039
Invoice No. : 3431946, 3431947
SO No. : 150535
Export Ship.No: LOG/0973/2023
Destination : Philippines
Export Ship.Term :
Export Ship.Mode :

Page : 19 / 57
Number Of Print : 1
Report Date : 11-MAY-23 09:12 AM
Delivery Date : 10-MAY-23
Payment Due Date : 10-MAY-23

SI#	Item Code	Description	Store	Unit	Qty.
		Model : SD-SVS OSY-1, UL/FM Approved			
		- Shield			
167.1	13000938230	Conventional Extinguishing Control Panel 230V, Red-SHIELD A-XT, UL Listed, Model:S230R-EXT - SHIELD	FGS	PCS	2
168.1	13009990875	Weather Proof Polycarbonate Enclosure with Back Plate & Key Lock for Panels, Model: STI7550 - STI Europe	FGS	PCS	2
171.1	30309975025	Power Supply Unit 24V, 3A	FGS	PCS	2
173.1	10550522568	Sprinkler Head 68 Deg. Pendant, 1/2" NPT, Chrome Finish, Quick Response, UL/ULC/FM/Watermark Approved, Model: SD1030QR - Shield	FGS	PCS	90
174.1	10555522120	Escutcheon Plate 1/2", Two Piece, Chrome Finish, UL/FM Approved, Model: SD-ESC-2 - Shield	FGS	PCS	84
176.1	10555522120	Escutcheon Plate 1/2", Two Piece, Chrome Finish, UL/FM Approved, Model: SD-ESC-2 - Shield	FGS	PCS	104

MRN # 1026

Received in Good Condition Without Any Notes.

Tel Phone:

Remarks: Lobo Lobo Bio Refinery Project - Philippines

Approved By
NJF.SHIVAM


Prepared By
NJF.VIPIN

Received By

Name :
Date :
Time :
Mobile No. :
Signature with Seal :

FCO®

Engineering Manufacturing FZCO
Dubai, United Arab Emirates
815 1111, Fax: +971 4 815 1222
enaffco.com, www.naffco.com



تافكو

الشركة الوطنية لصناعة معدات مكافحة الحريق ش.م.ع
ص.ب. ٨٧٠١٤، دبي، الإمارات العربية المتحدة
هاتف: ٨١٥ ١١١١ و ٩٧١ ٤ ٨١٥ ١٢٢٢ فاكس

DELIVERY NOTE

Shipment Ref. : 01-01-59909 No : 2004473
Customer Name : Cavite Biofuel Producers Inc
Account No. : 220820
PO No. : 2023-C-039
Invoice No. : 3431946.3431947
SO No. : 150535
Export Ship.No: LOG/0973/2023
Destination : Philippines
Page : 20 / 57
Report Date : 11-MAY-23 09:12 AM
Delivery Date : 10-MAY-23
Payment Due Date : 10-MAY-23
Export Ship.Term :
Export Ship.Mode :

SI#	Item Code	Description	Store	Unit	Qty.
177.1	10551022268	Sprinkler Head 68 Deg. Upright, 1/2" NPT, Chrome Finish, Standard Response, UL/ULC/FM/Watermark Approved, Model: SD1015SR - Shield	FGS	PCS	31
179.1	10551522279	Sprinkler Head, Horizontal Sidewall, 1/2" NPT, 79 Degree C, Standard Response, Chrome Finish, UL/ULC/FM Approved, Model: SD1133SR	FGS	PCS	274
180.1	10555522120	Escutcheon Plate 1/2", Two Piece, Chrome Finish, UL/FM Approved, Model: SD-FSC-2 - Shield	FGS	PCS	268
183.1	10555722010	Sprinkler Wrench For Upright/Pendent Sprinkler Head - SHIELD	FGS	PCS	6
184.1	10557022082	Wet Alarm Valve 3" (80NB), Flanged Ends, W/P 250 Psi, UL/FM Approved, Mod. SDH-AVA - Shield	FGS	PCS	3
185.1	10557022562	Basic Trim for Wet Alarm Valve 6" (150NB), Constant Pressure Type, Model: SDH-AVA - Shield	FGS	PCS	3

Received in Good Condition Without Any Notes.
Tel Phone:

Remarks: Lobo Lobo Bio Refinery Project - Philippines

Approved By
NJF.SHIVAM

Prepared By
NJF.VIPIN

Received By

Name :
Date :
Time :
Mobile No. :
Signature with Seal :