





RELAY OUTPUT


Relay RT214024:
Coild Data: 24VDC / 1440 ohm -> Current: 16mA
Relay HF46F-G/024-HS1T:
Coil Data: 24VDC / 2880 ohm -> Current: 8.3mA
Relay HF46F-G/012-HS1T:
Coil Data: 12VDC / 720 ohm -> Current: 16.67mA




Sheet: /Digital Outputs/
File: Digital Outputs.kicad_sch

Title:		
Size: A3	Date:	Rev:
KiCad E.D.A. 9.0.7		Id: 2/24

6 DIGITAL INPUTS





Sheet: /Digital Inputs/Hysteresis1/
File: Comparator_Hysteresis.kicad_sch

Title:


Size: A4

Date:

Rev:

KiCad E.D.A. 9.0.7

Id: 5/24



Sheet: /Digital Inputs/Hysteresis/
 File: Comparator_Hysteresis.kicad_sch

Title:


Size: A4

Date:

Rev:

KiCad E.D.A. 9.0.7

Id: 15/24



Sheet: /Digital Inputs/Hysteresis2/
File: Comparator_Hysteresis.kicad_sch

Title:


Size: A4

Date:

Rev:

KiCad E.D.A. 9.0.7

Id: 16/24



Sheet: /Digital Inputs/Hysteresis3/
File: Comparator_Hysteresis.kicad_sch

Title:


Size: A4

Date:

Rev:

KiCad E.D.A. 9.0.7

Id: 17/24



Sheet: /Digital Inputs/Hysteresis4/
File: Comparator_Hysteresis.kicad_sch

Title:


Size: A4

Date:

Rev:

KiCad E.D.A. 9.0.7

Id: 18/24



Sheet: /Digital Inputs/Hysteresis5/
 File: Comparator_Hysteresis.kicad_sch

Title:


Size: A4

Date:

Rev:

KiCad E.D.A. 9.0.7

Id: 19/24



Sheet: /Digital Inputs/Hysteresis6/
File: Comparator_Hysteresis.kicad_sch

Title:


Size: A4

Date:

Rev:

KiCad E.D.A. 9.0.7

Id: 20/24



Sheet: /Digital Inputs/Hysteresis7/
 File: Comparator_Hysteresis.kicad_sch

Title:


Size: A4

Date:

Rev:

KiCad E.D.A. 9.0.7

Id: 21/24



Sheet: /Digital Inputs/Hysteresis8/
 File: Comparator_Hysteresis.kicad_sch

Title:


Size: A4


Date:


Rev:


KiCad E.D.A. 9.0.7


Id: 22/24
























Celdas de carga(in analog): +10vdc
Sensor Namur (in digital): +8vdc
Reles salidas: +24vdc
Sensor LVDT(in analog): +10vdc

Lineal Regulator 10V:

- UA7810CKTTR IN: 7-25V / OUT: 10V / I = 1.5A / DROP: 2V / TO-263-2 DPAK
- L78M10ABDT-TR IN: max 35V / OUT: 10V / I = 0.5A / DROP: 2V / TO-252-2 DPAK

8V:

- 78D08L
- L78M08CDT-TR DPAK / C158076



Sheet: /Fuente/
File: Fuente.kicad_sch


Title:

Size: A4
KiCad E.D.A. 9.0.7

Date:

Rev:

Id: 6/24



Sheet: /Ethernet/
File: Ethernet.kicad_sch

Title:

Size: A4
KiCad E.D.A. 9.0.7

Date:

Rev:

Id: 14/24

