



AHSANULLAH UNIVERSITY OF SCIENCE & TECHNOLOGY

Department of Computer Science & Engineering

Course Name: Distributed Database System Lab

Course No: CSE4126

Project Name: MedicAid

Submitted By

Asif Imtiaz Shaafi 15-01-04-136

Team Members

Farzana Eva 15-01-04-116

Abdus Sayef Reyadh 15-01-04-128

Year : 4th

Semester : 1st

Section : C1

Tables of Contents

- Introduction
- Project Overview
- Features
- Report of Project
 - Entity Relationship Diagram
 - Database and Table Creation (Global Schema)
 - Fragmentation Schema
 - Insertion of Dummy Data
 - Creating Database Link
 - Procedure
 - Functions
 - Operator Tree
 - Semi Join
 - Database Trigger
- Screenshots of Project
- Contribution and My Thoughts
- Conclusion

Introduction

As the population of Bangladesh continues to grow, so too does the need for health care services and options. The current population of Bangladesh is 165.37 million as of Friday, December 1, 2017, based on the latest United Nations estimates and it will increase to 185.10 million by the end of 2020. This, in turn, will result in a swell in the number of patients seeking care at medical facilities, hospitals, wellness centers and physicians' practices.

While patient growth certainly has its benefits, it also creates new challenges for facility administrators and their staff. Processes and procedures that previously were adequate may no longer be effective in handling a rise in new patients, prompting administrators to seek out alternatives and new technology and techniques to assist them and their patients.

Project Overview


We propose to build a system where we are going to implement a distributed database system of a hospital management system. There will be a global database, and we will save some information from various sites. So that there is a co-current access with various users.

Features

- Doctor's information is stored in various sites.
- Co-current access from various sites.
- Accessing multiple databases from various sites.
- PL-SQL used from the distributed database.

Report of Project

Entity Relationship Diagram



Database and Table Creation (Global Schema)

We have created a database named hospital_management. There we have created some tables with these attributes.

- USERTABLE (user_id, user_name, email_id, address, phn_no)
- HOSPITAL (hospital_id, hospital_name, address, location, phn_no)
- PHARMACY (pharmacy_id, pharmacy_name, address, location, phn_no)
- ADMINTABLE (admin_id, password)
- RECEPTIONIST (recep_id, recep_type, work_start, work_end)
- EMERGENCY (emergency_id, emergency_name, location, phn_no)
- DOCTOR (doc_id, hospital_id, doc_name, qualification, designation, dept, visit_time)
- APPOINTMENT (appoint_id, user_id, doc_id, appoint_time, status)

Fragmentation Schema

- AdminTable :
 1. Admin1 : SL id<4 AdminTable
 2. Admin2 : SL id>=4 and id <7 AdminTable
 3. Admin3 : SL id>=7 AdminTable
- Hospital :
 1. Hospital1 : SL location = "Dhanmondi" Hospital
 2. Hospital2 : SL location = "Uttara" Hospital
 3. Hospital3 : SL location = "Sylhet" Hospital
- UserTable :
 1. User1: PJ userid,pass,email UserTable
 2. User2: PJ userid,address,phn_no UserTable
- Pharmacy :
 1. Pharmacy1 : SL location = "Banani" Pharmacy
 2. Pharmacy2 : SL location = "Motijhil" Pharmacy
 3. Pharmacy3 : SL location = "Tejgaon" Pharmacy
- Receptionist :
 1. Receptionist1 : SL type_work = "full-time" Receptionist
 2. Receptionist2 : SL type_work = "part-time" Receptionist
- Emergency :
 1. Emergency1 : SL location = "Dhanmondi" Emergency
 2. Emergency2 : SL location = "Tejgaon" Emergency
 3. Emergency3 : SL location = "Bashundhara" Emergency
- Doctor :
 1. Doctor1 : Sl dept = "cardiology" PJ docId , hosId , dept , visit Doctor
 2. Doctor2 : Sl dept = "Neurology" PJ docId , hosId , dept , visit Doctor
 3. Doctor3 : Sl dept = "Dermatology" PJ docId , hosId , dept , visit Doctor
 4. Doctor4 : Sl dept = "Pediatrics" PJ docId , hosId , dept , visit Doctor
 5. Doctor5 : Sl dept = "Diabetes" PJ docId , hosId , dept , visit Doctor
 6. Doctor6 : PJ docId ,doc_name,qualification,designation Doctor
- Appointment :
 1. Appointment1 : SL stats = "Confirm" Appointment
 2. Appointment2 : SL stats = "Pending" Appointment
 3. Appointment3 : SL stats = "Cancel" Appointment

Insertion of Dummy Data

In all tables, we have inserted some dummy data manually so that we can check the functionality of the system.

Creating Database Link

1. At site we will first install oracle 10g and notepad++
2. Then we will create the required tables with dummy data.
3. Then we will turn off the firewall of the site
4. From host send a ping to site's IP address
5. After that at site, in this folder we will open the listener.ora on notepad++
C:\oracle\app\oracle\product\10.2.0\server\NETWORK\ADMIN\
6. After opening we will add following these two portions.

Inside SID_LIST_LISTENER

```
(SID_DESC =  
  (SID_NAME = XE  
    (ORACLE_HOME = C:\oracle\app\oracle\product\10.2.0\server\)  
  )  
)
```

And inside LISTENER → DESCRIPTION_LIST → DESCRIPTION

```
(ADDRESS = (PROTOCOL = TCP) (HOST = HOST'S IP) (PORT = 1521))
```

7. Then we will run cmd in administrators mode.
8. In cmd we will stop the listener with this command : lsnrctl stop
9. After the success message we will start the listener with this command : lsnrctl start
10. Create database link using the following command

```
drop database link site_link;
```

```
create database link site_link
```

```
  connect to system identified by "123"
```

```
  using '(DESCRIPTION =
```

```
    (ADDRESS_LIST =
```

```
      (ADDRESS = (PROTOCOL = TCP)
```

```
        (HOST = HOST's IP)
```

```
        (PORT = 1521))
```

```
    )
```

```
    (CONNECT_DATA =(SID = XE)))';
```

Procedure

1. Given doctor name, department, qualifications and designation, check if doctor already exists, if not then insert new doctor with the details into doctor table. Visit time will be the last visit time of the last doctor in the table + 1.
2. Given doctor id and user id, if doctor available, find the last appointment time of the doctor, then increase it by 1, and insert the new appointment time, user id, doctor id, hospital id into appointment table
3. Given receptionist name and type, get the last receptionist end time of the same type, and insert the receptionist in the table where the start time is the last time of the last receptionist and end time will be start time + 30.


Functions

1. Given appointment time and doctor id, find out how many patients are left after that time with the user id.
2. Given hospital name and department name, find out the doctors name, visit time of that hospital and that department.
3. Given appointment id, return user name, doctor name and appointment status. If status is negative, then also return appointment time.


Operator Tree

Operator Tree - 1


Q : PJ doc_name SL dept = "cardiology" Doctor




Using Canonical Expression




Applying Cr-1 and Cr-2



Applying Algebra of Qualified Relation




Applying Cr-3




Simplified Q : PJ doc_name (PJ DocId SL dept = "cardiology" JN DocId = DocId PJ DocId, doc_name Doctor6)

Operator Tree - 2


Q: PJ user_name UserTable JN user_id = user_id PJ user_id SL status = "cancel" Appointment




Using Canonical Expression




Applying Cr-1 and Cr-2



Applying Algebra of Qualified Relation



Applying Cr-3



Simplified Q : PJ user_name (PJ user_id,user_name User1 JN user_id = user_id PJ user_id SL status = "cancel" Appointment3)

Update Operation

U1 : Update recep_type to Part Time from Receptionist whose recep_id is 1

The data is in Receptionist1 fragment.

Receptionist1

recep_id	recep_type	work_start	work_end
1	'full-time'	'09:00:00'	'17:00:00'

We have to copy this data to Receptionist2 which is horizontally fragmented with Part Time receptionist except the recep_type which will be Part time then we will delete the data from Receptionist1

Receptionist2

recep_id	recep_type	work_start	work_end
1	'part-time'	'09:00:00'	'17:00:00'

U2 : Update status to confirm from Appointment whose appoint_id is 2

The data is in Appointment2 fragment.

Appointment2

appoint_id	user_id	doc_id	appoint_time	status
2	3	5	20:00:00	pending

We have to now copy it from Appointment2 to Appointment1 change the status to confirm then delete it from Appointment2

Appointment1

appoint_id	user_id	doc_id	appoint_time	Status
2	3	5	20:00:00	Confirm

Semi Join

For the semi join application we have made a global join and break it into semi join

Global Join : PJ doctor_name Doctor JN hos_id = hos_id Hospital

Semi Join : PJ doc_name Doctor3 JN (Hospital3 SJ hospital3.hos_id = Doctor3.hos_id (PJ hos_id Doctor3)

Database Trigger

We have made a trigger for receptionist if any receptionist start_time and end_time is invalid format than it will trigger as invalid date and time format.

Screenshots of Project

The top screenshot shows a Visual Studio Code editor with a PL/SQL script in the 'insert_hospital_2_site_2.sql' file. The script declares a cursor 'hospital_cur' and a loop to insert data into the 'HOSPITAL_2' table. The 'Select Oracle SQLPLUS' window shows the execution of the script, resulting in the successful completion of the PL/SQL procedure and the display of the 'HOSPITAL_2' table data.

The bottom screenshot shows a terminal window with the same SQLPLUS session. It displays the creation of a database link and the execution of a query to insert data into the 'HOSPITAL_2' table. The query results show the insertion of three records into the table.

```

SQL> select * from hospital_2@site_2;
no rows selected

SQL> @C:\ddbProject\insert_hospital_2_site_2.sql;
PL/SQL procedure successfully completed.

SQL> select * from hospital_2@site_2;
HOSPITAL_ID
-----
HOSPITAL_NAME
-----
ADDRESS
-----
LOCATION
-----
PHN_NO
-----
3
Saphena General Hospital Limited
11 DIT Rd, Dhaka 1217
HOSPITAL_ID
-----
HOSPITAL_NAME
-----
ADDRESS
-----
LOCATION
-----
PHN_NO
-----
Malibag
01711-500347
SQL>
  
```

```

SQL> @D:\ddb assignment\project\sites\site_3.sql
Database link dropped.

Database link created.

SQL> select * from doctor_6@site_3;
DOC_ID DOC_NAME
-----
QUALIFICATION
-----
DESIGNATION
-----
1 Dr. Shams Munwar
MBBS, MRCP (UK), D.Card (London)
Senior Consultant
2 Dr. Alim Akhtar Bhuiyan
MBBS, DTM,H(UK),MD(USA),Board Certified in Neurology(USA)
Coordinator,Senior Consultant
3 Prof.Dr. Mohammad Samiul Huq
MBBS,DDSc(UK), MSc - Dermatology,(UK)
Consultant
4 Dr.Md. Masudur Rahman
MBBS (DMC), FCPS, MRCP (UK)
Consultant
5 Professor Dr. Zafar A. Latif
MBBS, FCPS
Professor
  
```

```
Oracle SQLPLUS
SQL> insert into doctor_6@site_3 values (6, 'Dr. Jubair', 'MBBS, MRCP (Canada)', 'Senior Consultant');
1 row created.
SQL> select * from doctor_6@site_3;

   DOC_ID DOC_NAME
-----
1 Dr. Shams Munwar
MBBS, MRCP (UK), D.Card (London)
Senior Consultant
2 Dr. Alim Akhtar Bhuiyan
MBBS, DTM,H(UK),MD(USA),Board Certified in Neurology(USA)
Coordinator,Senior Consultant
3 Prof.Dr. Mohammad Samiul Huq
MBBS,DDSc(UK), MSc - Dermatology,(UK)
Consultant
4 Dr.Md. Masudur Rahman
MBBS (DMC), FCPS, MRCP (UK)
5 Professor Dr. Zafar A. Latif
MBBS, FCPS
Professor
6 Dr. Jubair
MBBS, MRCP (Canada)
Senior Consultant

6 rows selected.
```

```
C:\oracle\app\oracle\product\10.2.0\server\BIN\sqlplus.exe

SQL> @E:\4.1\DD8\Lab\Project\project\sites\site_1.sql

Database link dropped.

Database link created.

SQL> desc usertable_1@site_1;
Name                               Null?    Type
-----
USER_ID                             NOT NULL NUMBER
USER_NAME                           VARCHAR2(70)
EMAIL_ID                             VARCHAR2(70)

SQL> select * from usertable_1@site_1;

no rows selected

SQL> @E:\4.1\DD8\Lab\Project\project\insert_site1.sql

PL/SQL procedure successfully completed.

SQL> select * from usertable_1@site_1;

   USER_ID
-----
USER_NAME
-----
EMAIL_ID
-----
1
Farzana Eva
Farzana0023@gmail.com

2
Abdus Sayef Reyadh
sayef@gmail.com

   USER_ID
-----
USER_NAME
-----
EMAIL_ID
-----
```

```
E:\4.1\DD8\Lab\Project\project\update.sql - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
DB sql update.sql func.txt mainF.txt insert_site1.sql insert_site2.sql edit_insert3.sql callUpdate.sql
1 create or replace function updateRecep
2 (theRecepId in number)
3 return varchar2
4 is
5 theMsg varchar(50);
6 flag number;
7 cursor status_cur is
8 select * from Appointment_2@site_3 where appoint_id = theRecepId;
9 theApp status_cur%rowtype;
10 BEGIN
11 flag:= 0;
12 open status_cur;
13 loop
14 fetch status_cur into theApp;
15 exit when status_cur%notfound;
16 flag := 1;
17 INSERT into Appointment_1@site_1 values(theApp.appoint_id,theApp.user_id,
18 theApp.doc_id,theApp.appoint_time,'confirm');
19 INSERT into Appointment_1@site_2 values(theApp.appoint_id,theApp.user_id,
20 theApp.doc_id,theApp.appoint_time,'confirm');
21 end loop;
22 close status_cur;
23 if flag=0
24 then
25 theMsg:='No appointment found with this id';
26
27 else
28 theMsg:='Appointment updated';
29 end if;
30 return theMsg;
31 DELETE Appointment_2@site_3 where appoint_id = theRecepId;
32
Structured Query Language file length: 861 lines: 33 Ln: 30 Col: 32 Sel: 0|0 Windows (CR LF) UTF-8 INS

C:\oracle\app\oracle\product\10.2.0\server\BIN\sqlplus.exe
SQL> @E:\4.1\DD8\Lab\Project\project\update.sql
Function created.
SQL>
```


mainQueryProcedure.sql - project - Visual Studio Code

File Edit Selection View Go Debug Tasks Help

```

1  -- Q: PJ doc_name SL dept = "Cardiology" Doctor
2
3  set serveroutput on;
4  CREATE OR REPLACE PROCEDURE GetCardiologyDoctors
5  is
6      doctor_name varchar2(70);
7
8      CURSOR doctor_cur is
9          select doc_name from DOCTOR@site_3
10         where dept = 'Cardiology';
11
12 BEGIN
13
14     DBMS_OUTPUT.PUT_LINE('From Main Procedure');
15
16     OPEN doctor_cur;
17
18     LOOP
19
20         FETCH doctor_cur INTO doctor_name;
21
22         EXIT WHEN doctor_cur%notfound;
23
24         DBMS_OUTPUT.PUT_LINE('Doctor Name : || doctor_name);
25
26     END LOOP;
27
28     CLOSE doctor_cur;
29
30 END;
31 /

```

Oracle SQLPLUS

```

SQL> @"D:\ddb assignment\project\operatorTreeProcedures\mainQueryProcedure.sql"
Procedure created.
SQL> @"D:\ddb assignment\project\operatorTreeProcedures\simplifiedQueryProcedure.sql"
Procedure created.
SQL> @"D:\ddb assignment\project\operatorTreeProcedures\mainCall.sql"
From Main Procedure
Doctor Name Dr. Shams Munwar
From Simplified Procedure
Doctor Name Dr. Shams Munwar
PL/SQL procedure successfully completed.
SQL>

```

Ln 10, Col 5 Tab Size: 4 UTF-8 CRLF SQL MSSQL Disconnected

simplifiedQueryProcedure.sql - project - Visual Studio Code

File Edit Selection View Go Debug Tasks Help

```

1  set serveroutput on;
2
3  -- Simplified Q: PJ doc_name (PJ DocId SL dept = "cardiology"
4
5  CREATE OR REPLACE PROCEDURE GetCardiologyDoctorsSimplified
6  is
7      doctor_name varchar2(50);
8
9      CURSOR doctor_cur is
10         select doc_name from doctor_6@site_3 doc6
11         INNER JOIN doctor_1@site_2 doc1 ON
12         doc6.doc_id = doc1.doc_id where doc1.dept = 'Cardiology';
13
14 BEGIN
15
16     DBMS_OUTPUT.PUT_LINE('From Simplified Procedure');
17
18     OPEN doctor_cur;
19
20     LOOP
21
22         FETCH doctor_cur INTO doctor_name;
23
24         EXIT WHEN doctor_cur%notfound;
25
26         DBMS_OUTPUT.PUT_LINE('Doctor Name : || doctor_name);
27
28     END LOOP;
29
30     CLOSE doctor_cur;
31
32 END;
33 /

```

Oracle SQLPLUS

```

SQL> @"D:\ddb assignment\project\operatorTreeProcedures\mainQueryProcedure.s
Procedure created.
SQL> @"D:\ddb assignment\project\operatorTreeProcedures\simplifiedQueryProce
Procedure created.
SQL> @"D:\ddb assignment\project\operatorTreeProcedures\mainCall.sql"
From Main Procedure
Doctor Name Dr. Shams Munwar
From Simplified Procedure
Doctor Name Dr. Shams Munwar
PL/SQL procedure successfully completed.
SQL>

```

Ln 11, Col 5 Spaces: 4 UTF-8 CRLF SQL MSSQL Disconnected

The screenshot shows a Visual Studio Code window with a project named 'semiJoin.sql'. The editor displays a PL/SQL script with the following content:

```
1 set serveroutput on;
2
3 DECLARE
4
5     doc_name varchar2(50);
6
7     CURSOR doc_cur is
8     SELECT doc_name FROM doctor@site_3 doc INNER JOIN hospital@site_3 hos ON doc.hospital_id = hos.hospital_id;
9
10    CURSOR doc_cur_semi_join is
11    SELECT doc_name FROM doctor@site_3 doc JOIN (hospital@site_3 hos LEFT JOIN
12    (select hospital_id from Doctor@site_3) doc3 ON doc3.hospital_id = hos.hospital_id) ON doc.hospital_id = hos.hospital_id;
13
14 begin
15
16     DBMS_OUTPUT.PUT_LINE('Without semi join applied: ' || chr(10));
17
18     OPEN doc_cur;
19
20     Loop
21
22         FETCH doc_cur INTO doc_name;
23         EXIT WHEN doc_cur%notfound;
24
25         DBMS_OUTPUT.PUT_LINE(doc_name);
26
27     end loop;
28
29     CLOSE doc_cur;
30
31     OPEN doc_cur_semi_join;
32
33     DBMS_OUTPUT.PUT_LINE(chr(10) || 'With semi join applied: ' || chr(10))
34     Loop
35
```

The right-hand pane shows the Oracle SQLPLUS output:

```
SQL> @D:\ddb assignment\project\semiJoin.sql
Without semi join applied:
Dr. Shams Munwar
Dr. Alim Akhtar Bhuiyan
Prof.Dr. Mohammad Samiul Huq
Dr.Md. Masudur Rahman
Professor Dr. Zafar A. Latif

with semi join applied:
Dr. Alim Akhtar Bhuiyan
Dr. Shams Munwar
Dr. Alim Akhtar Bhuiyan
Dr. Shams Munwar
Dr.Md. Masudur Rahman
Prof.Dr. Mohammad Samiul Huq
Dr.Md. Masudur Rahman
Prof.Dr. Mohammad Samiul Huq
Professor Dr. Zafar A. Latif

PL/SQL procedure successfully completed.
SQL>
```

Contribution and My Thoughts

I have mainly worked on site 1 fragmentations, creating the database link between different sites and some function and procedure, the semi join programs and one of the operator tree. The main problems were lack of resources. We faced some connection trouble during our work. The fragments weren't creating in the sites as expected. We had some cases when we created a fragment fine in one site again tried to create the same fragments just changing the link part but it failed in different site. Syntax error was too tricky to find and the errors. In this short measure of time, we attempted our best to influence our venture as proper as we to can. We haven't been able to implement the machine learning rating system for doctors. We wish to do it in future. There are as yet numerous areas that we can enhance and actualize more highlights. Later on, we will attempt to make it more proficient and make an appropriate application utilizing this database.

```
semijoin.sql - project - Visual Studio Code
File Edit Selection View Go Debug Tasks Help


main.sql semijoin.sql x DB.sql update.sql callUpdate.sql

1 set serveroutput on;
2
3 DECLARE
4
5     doc_name varchar2(50);
6
7     CURSOR doc_cur is
8     SELECT doc_name FROM doctor@site_3 doc INNER JOIN hospital@site_3 hos ON doc.hospital_id = hos.hospital_id;
9
10    CURSOR doc_cur_semi_join is
11    SELECT doc_name FROM doctor@site_3 doc JOIN (hospital@site_3 hos LEFT JOIN
12    ((select hospital_id from Doctor@site_3) doc3 ON doc3.hospital_id = hos.hospital_id) ON doc.hospital_id = hos.hospital_id;
13
14 begin
15
16     DBMS_OUTPUT.PUT_LINE('Without semi join applied: ' || chr(10));
17
18     OPEN doc_cur;
19
20     Loop
21
22         FETCH doc_cur INTO doc_name;
23         EXIT WHEN doc_cur%notfound;
24
25         DBMS_OUTPUT.PUT_LINE(doc_name);
26
27     end loop;
28
29     CLOSE doc_cur;
30
31     OPEN doc_cur_semi_join;
32
33     DBMS_OUTPUT.PUT_LINE(chr(10) || 'With semi join applied: ' || chr(10));
34     Loop
35
Oracle SQLPLUS
SQL> @D:\ddb assignment\project\semijoin.sql
Without semi join applied:
Dr. Shams Munwar
Dr. Alim Akhtar Bhuiyan
Prof.Dr. Mohammad Samiul Huq
Dr.Md. Masudur Rahman
Professor Dr. Zafar A. Latif
With semi join applied:
Dr. Alim Akhtar Bhuiyan
Dr. Shams Munwar
Dr. Alim Akhtar Bhuiyan
Dr. Shams Munwar
Dr.Md. Masudur Rahman
Prof.Dr. Mohammad Samiul Huq
Dr.Md. Masudur Rahman
Prof.Dr. Mohammad Samiul Huq
Professor Dr. Zafar A. Latif
PL/SQL procedure successfully completed.
SQL>


C:\oracle\app\oracle\product\10.2.0\server\BIN\sqlplus.exe
SQL> @E:\4.1\DOB\Lab\Project\project\sites\site_1.sql
Database link dropped.
Database link created.
SQL> desc usertable_1@site_1;
          Name                Null?    Type
-----
USER_ID                NOT NULL  NUMBER
USER_NAME
EMAIL_ID                VARCHA2(70)
VARCHA2(70)
SQL> select * from usertable_1@site_1;
no rows selected
SQL> @E:\4.1\DOB\Lab\Project\project\insert_site1.sql
PL/SQL procedure successfully completed.
SQL> select * from usertable_1@site_1;
          USER_ID
-----
USER_NAME
EMAIL_ID
-----
1
Farzana Eva
farzana0023@gmail.com
2
Abdus Sayef Reyadh
sayef@gmail.com
          USER_ID
-----
USER_NAME
EMAIL_ID
-----
```

Operator Tree - 1


Q : PJ doc_name SL dept = "cardiology" Doctor




Using Canonical Expression




Applying Cr-1 and Cr-2



Applying Algebra of Qualified Relation



Applying Cr-3



Simplified Q : PJ doc_name (PJ DocId SL dept = "cardiology" JN DocId = DocId PJ DocId, doc_name Doctor6)

Conclusion

We can assume by 2020 Bangladesh will face a lot of problems in medical sectors, due to rising numbers of patients. As it may seem challenging for the authorities to give proper treatment to those patients. We know most of the patients who can afford go outside of Bangladesh in search of better treatment. This harms in economic and development of our country. There are a lot of well known doctors in Bangladesh. A system which tells us about the expertise and rating of the doctor is a dire need in our county nowadays. This will lead our doctors to give their best in their profession.