CEH- Lab Manual Assignment
Docker Desktop on Windows Setup

Name: Faseeha Siddiqui

<u>Objective:</u> To successfully install Docker Desktop and run containerized applications using the Command Prompt (CMD)

<u>Requirements:</u>

OS: Windows 10/11 64-bit (Home, Pro, Enterprise, or Education).
Processor 64-bit Intel/AMD processor
RAM 4 GB
Storage 20 GB free disk space

<u>STEPS:</u>

STEP 1: Install Docker for Windows:

- Go to google and type docker for desktop and click https://docs.docker.com/desktop/setup/install/windows-install/



STEP 2: Download Docker Desktop for Windows -x86_64.

- It will download a 591MB installer.exe file. Open the file after it downloads and continue to click “next” without changing any settings.



STEP 3: Configuring the correct settings

- Click on your start menu and search “Windows Features” and make sure to enable windows sub system for linux and Hyper -V, but if you don't have that option then just enable the first one since your laptop model has already configured Hyper -V. And then restart your PC, but make sure docker installation is complete.



STEP4: Verify Download

- After downloading it, verify by opening the file explorer and you can see a linux component has been created which contains your Docker Desktop files. Another way is to verify is to use command prompt and type ***docker --version***.







STEP 5: Open the Docker Desktop shortcut created on your Desktop

- It will take you to docker Desktop GUI. Make sure to sign in with your email.
- Explore the different tabs and check out the docker hub option which contains all the images.





STEP 6: Pulling Docker images

- First search on Docker hub for the image of the tool you need. It will show you the command to run that image.





- Open CMD and copy the name of the image you want to pull and then on the cmd type ***docker pull kalilinux/kali-rolling***
- To check the images you pulled type ***docker images***



```
C:\Users\fasee>docker images
                                                                                    i Info →   U  In Use
IMAGE                          ID            DISK USAGE   CONTENT SIZE   EXTRA
kalilinux/kali-rolling:latest  287cd5cfa409       187MB         52.2MB
ubuntu:latest                  d1e2e92c075e       119MB         31.7MB
```

STEP 7: Running the image in the container

- To run the image and open an interactive terminal to use kali linux type ***docker run -it (Image name you pulled above)***. This will create a container and open a linux terminal so you can run commands.

- To exit the terminal just enter ***exit***

```
C:\Users\fasee>docker run -it kalilinux/kali-rolling:latest
┌──(root㉿9943f7d9c8d9)-[/]
└─# ls
bin  boot  dev  etc  home  lib  lib64  media  mnt  opt  proc  root  run  sbin  srv  sys  tmp  usr  var

┌──(root㉿9943f7d9c8d9)-[/]
└─# echo "hi this is Faseeha"
hi this is Faseeha

┌──(root㉿9943f7d9c8d9)-[/]
└─# exit
exit

C:\Users\fasee>
```

- Make sure to terminate the container you created to avoid costs.

- To check all the containers you created, type ***docker ps -a*** on your CMD. This will show you the list of containers you created. The ps in the command means present state and -a means all. So basically show all containers present state.

```
C:\Users\fasee>docker ps -a
CONTAINER ID   IMAGE                          COMMAND   CREATED        STATUS                     PORTS     NAMES
9943f7d9c8d9   kalilinux/kali-rolling:latest  "bash"    3 minutes ago  Exited (0) 45 seconds ago            reverent_curie

C:\Users\fasee>
```

STEP 8: Terminating the container and removing images

- To stop a container from running type ***docker stop (container id).***
  This will only stop the container, but it will not remove it.
- To remove the container type ***docker rm (container id)*** and verify if the container was deleted by typing the ***docker ps -a*** command.
- Now to remove the image you pulled by typing ***docker rmi (image name)***

```
C:\Users\fasee>docker stop 9943f7d9c8d9
9943f7d9c8d9

C:\Users\fasee>
```

```
C:\Users\fasee>docker rm 9943f7d9c8d9
9943f7d9c8d9

C:\Users\fasee>docker ps -a
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS     NAMES

C:\Users\fasee>
```

```
C:\Users\fasee>docker images

IMAGE                          ID             DISK USAGE   CONTENT SIZE   EXTRA
kalilinux/kali-rolling:latest  287cd5cfa409        187MB         52.2MB
ubuntu:latest                  d1e2e92c075e        119MB         31.7MB

C:\Users\fasee>docker rmi kalilinux/kali-rolling:latest
Untagged: kalilinux/kali-rolling:latest
Deleted: sha256:287cd5cfa409e258e9ec3661db4dff0bfbb45fc95734e82d3b270a0f749629ca

C:\Users\fasee>docker images

IMAGE           ID             DISK USAGE   CONTENT SIZE   EXTRA
ubuntu:latest   d1e2e92c075e        119MB         31.7MB

C:\Users\fasee>
```