Assignment 3

Name: Faseeha Siddiqui






TryHackMe | What is Networkin
tryhackme.com/room/whatisnetworking
TryHackMe | Dashb...
HTB Account
Room progress (63%)
Answer the questions below
What does the term "IP" stand for?
Internet Protocol
Correct Answer
What is each section of an IP address called?
Octet
Correct Answer
How many sections (in digits) does an IPv4 address have?
4
Correct Answer
What does the term "MAC" stand for?
Media Access Control
Correct Answer
THM{YOU_GOT_ON_TRYHACKME}
Bob
Alice
MAC Address
00:12:32:2F:33:39
MAC Address
00:12:32:2F:33:39
Request Site
Free Hotel Wifi


TryHackMe | What is Networkin
tryhackme.com/room/whatisnetworking
TryHackMe | Dashb...
HTB Account
Room progress (63%)
Octet
Correct Answer
How many sections (in digits) does an IPv4 address have?
4
Correct Answer
What does the term "MAC" stand for?
Media Access Control
Correct Answer
Deploy the interactive lab using the "View Site" button and spoof your MAC address to access the site. What is the flag?
THM{YOU_GOT_ON_TRYHACKME}
Correct Answer
Task 4
Ping (ICMP)
THM{YOU_GOT_ON_TRYHACKME}
Bob
Alice
MAC Address
00:12:32:2F:33:39
MAC Address
00:12:32:2F:33:39
Request Site
Free Hotel Wifi

TryHackMe | What is Netwo

tryhackme.com/room/whatisnetworking

TryHackMe | Dashb... HTB Account

Room progress (90%)

have sent six ICMP packets, all of which were received with an average time of 4.16 milliseconds.

Now you are going to do the same thing to ping the address of "**8.8.8.8**" on the deployable website in this task. Pinging the correct address will reveal a flag to answer the following question below.

Answer the questions below

What protocol does ping use?

ICMP

✓ Correct Answer

What is the syntax to ping 10.10.10.10?

ping 10.10.10.10

✓ Correct Answer

What flag do you get when you ping 8.8.8.8?

THM{I_PINGED_THE_SERVER}

✓ Correct Answer

IP Address

Send Ping Request

```
user@thm:~$ ping -c 4 8.8.8.8
PING 8.8.8.8 (8.8.8.8) 56(84) bytes of data
64 bytes from 8.8.8.8: icmp_seq=1 ttl=56 time=8.18 ms
64 bytes from 8.8.8.8: icmp_seq=1 ttl=56 time=8.41 ms
64 bytes from 8.8.8.8: icmp_seq=1 ttl=56 time=7.69 ms
64 bytes from 8.8.8.8: icmp_seq=1 ttl=56 time=9.67 ms
--- 8.8.8.8 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 4006ms
rtt min/avg/max/mdev = 8.132/9.428/10.957/1.057 ms
Flag: THM{I_PINGED_THE_SERVER}
user@thm:~$ ping -c 4
```

Free Hotel Wifi Network Ping