
APPARELWERKS

Pattern DXF file inspection and ANSI/AAMA-292 compliance evaluation

fields-visible-ac1027_pieces.dxf

Analyzed 24 October 2026

Detected format	ANSI/AAMA-292 (high confidence)
Checked against	ANSI/AAMA-292 (AAMA-292 form: no D6673 declaration, and AAMA-292 defines no version identifier)
Producer	dxfrw 0.6.3



All pieces, rearranged to fit on the page.

The file's owner can view all information for fields-visible-ac1027_pieces.dxf at https://aw.fyi/dxf. This report includes 7 of the 15 available analysis images.

Overview

DXF version	AC1027
Units	MM — read as millimeters
Encoding	UTF-8
Extents	13290.25 × 620.00
Unit check	declared MM; largest piece 290.3 x 620.0 — geometry consistent with millimeters

ANSI/AAMA-292 (1993) pattern interchange: the fourteen-layer, block-per-piece model that ASTM D6673 adopted in 2001. It predates the ASTM additions (the system-text grammar and version identifier, notch-type layers 80-83, validation curves 84-87, the grade-rule table file). Checked against ANSI/AAMA-292; D6673 requirements added later are reported as not applicable.

Layers

2 block definitions; modelspace holds 2 placements and 1 direct entity.

Layer	Meaning	Msp ent	Msp ins	Blocks	Blk ent	Types
1	Boundary / cut line	1	2	2	12	LWPOLYLINE, TEXT
4	Notches	—	—	2	4	LINE
7	Grain line	—	—	2	2	LINE
8	Internal lines (draw/ink/sew)	—	—	2	4	LWPOLYLINE

Comments

- `dxfrw 0.6.3`

Header variables

$ACADVER	AC1027	$DWGCODEPAGE	UTF-8	$INSBASE	0
$EXTMIN	1e+20	$EXTMAX	-1e+20	$LIMMIN	0
$LIMMAX	420	$ORTHOMODE	0	$REGENMODE	1
$FILLMODE	1	$QTEXTMODE	0	$MIRRTEXT	0
$LTSCALE	1.0	$ATTMODE	0	$TEXTSIZE	2.5
$TRACEWID	15.68	$TEXTSTYLE	STANDARD	$CLAYER	1
$CELTYPE	BYLAYER	$CECOLOR	256	$CELTSCALE	1.0
$DISPSILH	0	$DIMSCALE	1.0	$DIMASZ	2.5
$DIMEXO	0.625	$DIMDLI	3.75	$DIMRND	0.0
$DIMDLE	0.0	$DIMEXE	1.25	$DIMTP	0.0
$DIMTM	0.0	$DIMTXT	2.5	$DIMCEN	2.5
$DIMTSZ	0.0	$DIMTOL	0	$DIMLIM	0
$DIMTIH	0	$DIMTOH	0	$DIMSE1	0
$DIMSE2	0	$DIMTAD	1	$DIMZIN	8
$DIMBLK		$DIMASO	1	$DIMSHO	1
$DIMPOST		$DIMAPOST		$DIMALT	0
$DIMALTD	3	$DIMALTF	0.03937	$DIMLFAC	1.0
$DIMTOFL	1	$DIMTVP	0.0	$DIMTIX	0
$DIMSOXD	0	$DIMSAH	0	$DIMBLK1	
$DIMBLK2		$DIMSTYLE	STANDARD	$DIMCLRD	0
$DIMCLRE	0	$DIMCLRT	0	$DIMTFAC	1.0
$DIMGAP	0.625	$DIMJUST	0	$DIMSD1	0
$DIMSD2	0	$DIMTOLJ	0	$DIMTZIN	8
$DIMALTZ	0	$DIMALTTZ	0	$DIMUPT	0
$DIMDEC	2	$DIMTDEC	2	$DIMALTU	2
$DIMALTTD	3	$DIMTXSTY	STANDARD	$DIMAUNIT	0
$DIMADEC	0	$DIMALTRND	0.0	$DIMAZIN	0
$DIMDSEP	44	$DIMATFIT	3	$DIMFRAC	0

$DIMLDRBLK	STANDARD	$DIMLUNIT	2	$DIMLWD	-2
$DIMLWE	-2	$DIMTMOVE	0	$DIMFXL	1.0
$DIMFXLON	0	$DIMJOGANG	0.7854	$DIMTFILL	0
$DIMTFILLCLR	0	$DIMARCSYM	0	$DIMLTYPE	
$DIMLTEX1		$DIMLTEX2		$DIMTXTDIRECTION	0
$LUNITS	2	$LUPREC	4	$SKETCHINC	1.0
$FILLETRAD	0.0	$AUNITS	0	$AUPREC	2
$MENU	.	$ELEVATION	0.0	$PELEVATION	0.0
$THICKNESS	0.0	$LIMCHECK	0	$CHAMFERA	0.0
$CHAMFERB	0.0	$CHAMFERC	0.0	$CHAMFERD	0.0
$SKPOLY	0	$USRTIMER	1	$ANGBASE	0.0
$ANGDIR	0	$PDMODE	34	$PDSIZE	0.0

… and 120 more entries (not shown)

Vendor-defined text (not required by ANSI/AAMA-292)

- `layer 1: One mirrored pair`

These layer renderings present all data from each layer, drawn as a horizontal sequence to make information for each pattern piece more readable. Actual coordinates may stack all pieces at a common origin. In a graded file, non-sample-size pieces will not have data in all layers.



Layer 1 - Boundary / cut line



Layer 4 - Notches



Layer 7 - Grain line



Layer 8 - Internal lines (draw/ink/sew)

ANSI/AAMA-292 Compliance

8 departures, 1 extension, 0 advisories

Rules evaluated	38
Not applicable	79
Advisories	0

Findings

departure

Style Name is not present

Required 'Style Name' style text is absent.

AAMA-292 §4.2.1.2 (ASTM D6673 §4.3.1.1)

departure

Sample Size identifier missing

Required 'Sample Size' identifier is absent.

AAMA-292 §4.2.1.2 (ASTM D6673 §4.3.1.1)

departure

Grade Rule Table identifier missing

Required 'Grade Rule Table' identifier is absent.

AAMA-292 §4.2.1.2 (ASTM D6673 §4.3.1.1)

departure

Notch shape drawn as geometry instead of encoded

4 slit notches on layer 4 are drawn as geometry (4 LINE entities) rather than encoded as notch POINTs. front and 1 other piece carry drawn notches.

§4.3.4 encodes a notch as one POINT carrying its base point, angle (50), depth (30) and boundary width (39); drawn geometry records none of those values.

AAMA-292 §4.2.4 (revised in ASTM D6673 §4.3.4)

Also implicated:

back	2 drawn notches

departure

File is not AutoCAD Version 11 DXF

DXF version is AC1027; ANSI/AAMA-292 §2 specifies the AutoCAD Version 11 DXF (AC1009).

AAMA-292 §2 (revised in ASTM D6673 §1.2 / 4.1)

departure

Creation Date missing

'Creation Date' is absent; ANSI/AAMA-292 §4.2.1.2 lists it among the file-level text items.

AAMA-292 §4.2.1.2 (revised in ASTM D6673 §4.3.1.1)

departure

Creation Time missing

'Creation Time' is absent; ANSI/AAMA-292 §4.2.1.2 lists it among the file-level text items.

AAMA-292 §4.2.1.2 (revised in ASTM D6673 §4.3.1.1)

departure

Author missing

'Author' is absent; ANSI/AAMA-292 §4.2.1.2 lists it among the file-level text items.

AAMA-292 §4.2.1.2 (revised in ASTM D6673 §4.3.1.1)

extension

Text identifiers outside the ANSI/AAMA-292 vocabulary

1 text identifier not listed by ANSI/AAMA-292: 'Material' — permitted as 'other optional text' (§4.2.1.2, §4.2.1.3).


AAMA-292 §4.2.1.2 (revised in ASTM D6673 §4.3.1.1)

Pattern Pieces


Piece	Category	Annotation	Material	Quantity	Sizes	Bounding box	Area
front			cotton	2	50	290.25 × 620.0	169397.9
back			cotton	2	50	290.25 × 620.0	169397.9

Piece outlines

These images are composites of all available layer data for each pattern piece. The file owner can see a flipbook with separate per-piece images of each layer at https://aw.fyi/dxf.



front · 50



back · 50

About this report

The electronic version of this file is stored securely for up to 30 days and used only to improve this service and understand failures. We do not share this file with anyone other than the requestor. The application that created this document does not expose source .dxf files to any LLM or other AI agent; all processing is purely computational, using a private, proprietary codebase.

This document is provided by ApparelWerks LLC, for instructional and research purposes. While it contains section references to published versions of withdrawn standards ANSI/AAMA-292 and ASTM D6673, it does not reproduce the text of the standards. We've written all the observations about the standards and their contents, and paraphrased where necessary. This service is not affiliated with, sponsored by, or endorsed by ANSI or ASTM International. And finally, you shouldn't make any decisions based on the information you read here, without actually consulting the standards yourself.

Want to know more? Have suggestions to improve this? Email rick@apparelwerks.com.

Want to try this service on your own .dxf files? Go to https://aw.fyi/dxf