
AC-LST-001 | LONG SLEEVE TEE | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | TOPS



ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE, A CLIENT OF RAD PATTERNS, LLC

AC-LST-001 | LONG SLEEVE TEE | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | TOPS


15 JUNE, 2025 - ST

- Sample was out of tolerance in several POMs (see smaple specs on next page). Please go back to spec on all POMs.
- Side seam on sample was incorrect. Should be ISO #514 join seam with ISO #605 topstitching. Topstitching missing from sample; only overlock stitch was used. Please correct for next sample.
- Please add silicone wash or similar to improve handfeel of fabric.

INCORRECT SEAM - SHOULD INCLUDE ISO #605 TOPSTITCHING



CORRECT SEAM - SIDE SEAMS SHOULD MATCH TO THIS CONSTRUCTION



22 APRIL, 2025 - ST

- GARMENT WASH INSTRUCTION ADDED TO TECH PACK
- FABRIC AND COLORS UPDATED
- CB NECK LABEL AND CARE LABEL UPDATED

12 NOVEMBER, 2024 - ST

FABRIC COLORS ADDED TO TECH PACK

08 NOVEMBER, 2024 - ST

EMBROIDERY ARTWORK ADDED TO TECH PACK

23 SEPTEMBER, 2024 - ST

INITIAL TECH PACK CREATION

ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE, A CLIENT OF RAD PATTERNS, LLC

digs

DEVELOPMENT SAMPLE SPECS

FW25

AC-LST-001 | LONG SLEEVE TEE | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | TOPS

POM	DESCRIPTION	TOL. +/-	M REQUESTED	M ACTUAL	DIFFERENCE	NEW SPEC	NOTES
A	HPS LENGTH AT CENTER FRONT	1/2	30	29 1/4	- 3/4	30	Go back to spec
B	1/2 CHEST AT 1" BELOW UNDERARM	1/2	21 1/2	21 3/4	1/4	21 1/2	
C	1/2 HEM	1/2	21 1/2	21 7/8	3/8	21 1/2	
D	ACROSS SHOULDER	3/8	17 1/4	18	3/4	17 1/4	Go back to spec
E	SHOULDER SLOPE	1/8	1 1/2	1 3/4	1/4	1 1/2	Go back to spec
F	NECK WIDTH - HPS TO HPS	1/4	7	7 1/4	1/4	7	
G	FRONT NECK DROP	1/4	4 1/2	4 3/8	- 1/8	4 1/2	
H	BACK NECK DROP	1/8	7/8	7/8	0	7/8	
I	NECKBAND HEIGHT	1/8	1	1	0	1	
J	ARMHOLE DEPTH FROM HPS	1/4	10 1/2	10 3/4	1/4	10 1/2	
K	1/2 BICEP WIDTH AT 1" BELOW UNDERARM	1/4	8	8	0	8	
L	1/2 ELBOW AT CENTER OF UNDERARM SEAM	1/4	6	6 1/2	1/2	6	Go back to spec
M	1/2 SLEEVE WIDTH AT CUFF SEAM	1/8	5	5 1/2	1/2	5	Go back to spec
N	1/2 SLEEVE OPENING AT BOTTOM OF CUFF	1/8	4 3/4	4 3/4	0	4 3/4	
O	SLEEVE CUFF HEIGHT	1/8	2	2	0	2	
P	SLEEVE LENGTH ALONG OUTER FOLD	3/8	26	25 1/2	- 1/2	26	
Q	SLEEVE LENGTH ALONG UNDERARM SEAM	3/8	20 1/2	20 1/4	- 1/4	20 1/2	

ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE, A CLIENT OF RAD PATTERNS, LLC

AC-LST-001 | LONG SLEEVE TEE | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | TOPS

FABRICS:

A
P9842
MAIN BODY, SLEEVES, BACK YOKE
100% COTTON | 215gsm*150cm

B
2*2 Rib
NECKBAND, CUFFS
95% COTTON/5% SPANDEX | 380gsm*120cm


C
ASUTE GARMENT WASH
SEE ADDITIONAL DETAILS ON
REFERENCE IMAGE PAGE


LABELS:

L1
BRAND AND SIZE LABEL
SEW-IN PATCH LABEL
INTERNALLY AT CB NECK

L2
CARE, CONTENT, COO LABEL
SATIN LABEL; INTERNALLY ON
WEARER'S LEFT SIDE SEAM


L3
GRAPHIC LOGO ARTWORK
EMBROIDERY
CENTER BACK YOKE





ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE, A CLIENT OF RAD PATTERNS, LLC


AC-LST-001 | LONG SLEEVE TEE | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | TOPS



ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE, A CLIENT OF RAD PATTERNS, LLC

AC-LST-001 | LONG SLEEVE TEE | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | TOPS


2-PLY FOLDOVER RIB NECKBAND
JOIN TO BODY WITH ISO #514
TOPSTITCH WITH ISO #605



SATIN LOOP LABEL
CAUGHT IN SIDE SEAM STITCHING
4" ABOVE HEM

SEW-IN PATCH LABEL

ISO #301




1" SELF TURNBACK HEM
ISO #406
1/4" NEEDLE SPACING

ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE, A CLIENT OF RAD PATTERNS, LLC


AC-LST-001 | LONG SLEEVE TEE | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | TOPS

GARMENT STITCH TYPE DETAILS


ISO #514 - 2-NEEDLE
4-THREAD OVERLOCK
1/4” NEEDLE SPACING
ALL BODY SEAMS




ISO #605 - 3-NEEDLE
5-THREAD COVERSTITCH
ALL BODY TOPSTITCHING



ISO #406 - 2 NEEDLE
COVERSTITCH
1/4” NEEDLE SPACING
BOTTOM HEM



ISO #301 - LOCKSTITCH
CB LABEL PATCH



ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE, A CLIENT OF RAD PATTERNS, LLC

AC-LST-001 | LONG SLEEVE TEE | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | TOPS





Asute Wash process

1. Preparation of medicine: 20-40g/L potassium permanganate and 20g/L phosphoric acid. After weighing the permanganate, dissolve it at 80 , add phosphoric acid, and adjust the required concentration for use.

2. Add Turkish white stone or foam balls and salt to the snow machine, pour in the prepared potassium permanganate solution, start the machine and run for 2-3 minutes, then add potassium permanganate solution, and then run for another 2-3 minutes, so that the white stone or foam balls completely and evenly absorb the permanganate solution. The humidity is determined according to the required snowflake point size. If it is large, the medium should be wet, and if it is small, it should be dry.


3. Put the prepared fabric to be fried into the snow machine that has been sprinkled with medicine and fry for 3-10 minutes. The time is determined according to the required uniformity. After frying, take out the fabric and dry it for about 20 minutes.

4. Neutralization: Put the fried fabric into the washing machine, add 8g/l of sodium pyrosulfite, and neutralize at room temperature for 10-15 minutes. If the fabric is thick and has a lot of fabric, the neutralization time will be longer.

5. Cleaning: Add 1958 yellowing and brightening powder, 0.5g/l, 50°*10 , and then wash with clean water.

ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE, A CLIENT OF RAD PATTERNS, LLC

AC-LST-001 | LONG SLEEVE TEE | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | TOPS



ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE, A CLIENT OF RAD PATTERNS, LLC

AC-LST-001 | LONG SLEEVE TEE | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | TOPS

PLEASE USE SEWING PATTERN **AC-LST-001**

PATTERN INCLUDES 3/8” (1CM) ALLOWANCE ALONG ALL SEAMS AND 1” TURNBACK AT BOTTOM HEM

ALL MEASUREMENTS IN INCHES

POM	DESCRIPTION	TOL. +/-	S	M	L	XL
A	HPS LENGTH AT CENTER FRONT	1/2	29	30	31	32
B	1/2 CHEST AT 1" BELOW UNDERARM	1/2	20	21 1/2	23	25
C	1/2 HEM	N/A	20	21 1/2	23	25
D	ACROSS SHOULDER	3/8	16 1/2	17 1/4	18	19
E	SHOULDER SLOPE	1/8	1 1/2	1 1/2	1 1/2	1 1/2
F	NECK WIDTH - HPS TO HPS	1/4	6 3/4	7	7 1/4	7 1/2
G	FRONT NECK DROP	1/4	4 1/4	4 1/2	4 3/4	5
H	BACK NECK DROP	1/8	3/4	7/8	1	1 1/8
I	NECKBAND HEIGHT	1/8	1	1	1	1
J	ARMHOLE DEPTH FROM HPS	1/4	10 1/8	10 1/2	10 7/8	11 1/4
K	1/2 BICEP WIDTH AT 1" BELOW UNDERARM	1/4	7 1/2	8	8 1/2	9 1/8
L	1/2 ELBOW AT CENTER OF UNDERARM SEAM	1/4	5 11/16	6	6 5/16	6 11/16
M	1/2 SLEEVE WIDTH AT CUFF SEAM	1/8	4 13/16	5	5 3/16	5 3/8
N	1/2 SLEEVE OPENING AT BOTTOM OF CUFF	1/8	4 9/16	4 3/4	4 15/16	5 1/8
O	SLEEVE CUFF HEIGHT	1/8	2	2	2	2
P	SLEEVE LENGTH ALONG OUTER FOLD	3/8	25 5/8	26	26 3/8	26 3/4
Q	SLEEVE LENGTH ALONG UNDERARM SEAM	3/8	20 1/8	20 1/2	20 7/8	21 1/4

ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE, A CLIENT OF RAD PATTERNS, LLC

AC-LST-001 | LONG SLEEVE TEE | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | TOPS

TYPE	DESCRIPTION	REF #/VENDOR	PLACEMENT	QTY	COLORWAY #1	COLORWAY #2
FABRIC A	THERMAL KNIT 100% COTTON; 215gsm*150cm	P9842	BODY, SLEEVES, BACK YOKE		OFF WHITE	SAND BLUE
FABRIC B	2*2 RIB KNIT 95% COTTON/5% SPANDEX; 380gsm*120cm	2*2 RIB	NECKBAND, CUFFS		OFF WHITE	SAND BLUE
FABRIC C	FULL GARMENT WASH SEE WASH DETAILS ON REFERENCE IMAGE PAGE	VENDOR SOURCED	FULL GARMENT WASH		N/A	N/A
THREAD	POLY CORE THREAD	VENDOR SOURCED	ALL NEEDLE THREAD		DTM FABRIC	DTM FABRIC
THREAD	MICROFILIMENT TEXTURE THREAD	VENDOR SOURCED	ALL LOOPER THREAD		DTM FABRIC	DTM FABRIC
LABEL L1	BRAND AND SIZE LABEL SEW-IN PATCH LABEL	VENDOR SOURCED	INTERNALLY, AT CB NECK	1	SEE ARTWORK	SEE ARTWORK
LABEL L2	CARE/CONTENT/COO LABEL SATIN LABEL	VENDOR SOURCED	AT WEARER'S LEFT SIDE SEAM	1	WHITE SATIN WITH BLACK PRINT	WHITE SATIN WITH BLACK PRINT
LABEL L3	EMBROIDERY ARTWORK	VENDOR SOURCED	AT CB YOKE	1	PANTONE 19-3943 TXC BELLWETHER BLUE	PANTONE 19-3943 TXC BELLWETHER BLUE
PACKAGING P1	HANGTAG	STILL TBC	ATTACHED WITH PLASTIC TACK AT WEARER'S LEFT HPS	1	SEE ARTWORK	SEE ARTWORK
PACKAGING P2	RECYCLED POLYBAG PRESSURE ZIPPER, AIR HOLES, AND SAFETY WARNING - SEE PACKAGING ARTWORK	STILL TBC	GARMENT IS FOLDED AND PLACED IN POLYBAG	1	CLEAR WITH BLACK PRINT	CLEAR WITH BLACK PRINT
PACKAGING P3	BRAND AND SIZE STICKER	VENDOR SOURCED	STICKER AFFIXED TO POLYBAG	1	WHITE WITH BLACK PRINT	WHITE WITH BLACK PRINT

ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE, A CLIENT OF RAD PATTERNS, LLC

AC-LST-001 | LONG SLEEVE TEE | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | TOPS





COLORWAY #1

- FABRIC | OFF WHITE
- THREAD | DYE TO MATCH
- EMBROIDERY | PANTONE 19-3943 TXC BELLWETHER BLUE


COLORWAY #2


- FABRIC | SAND BLUE
- THREAD | DYE TO MATCH
- EMBROIDERY | PANTONE 19-3943 TXC BELLWETHER BLUE

ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE, A CLIENT OF RAD PATTERNS, LLC

AC-LST-001 | LONG SLEEVE TEE | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | TOPS

L1 BRAND AND SIZE LABEL
SEW-IN PATCH LABEL
INTERNALLY AT CB NECK






INTERIOR VIEW
BACK BODY

P1 HANGTAG
ATTACHED AT NECKLINE SEAM
WITH PLASTIC TACK



L2 CARE, CONTENT, COO LABEL
SATIN LABEL; INTERNALLY ON
WEARER'S LEFT SIDE SEAM



LABELS:


- L1 BRAND AND SIZE LABEL
- L2 CARE, CONTENT, COO LABEL

PACKAGING:

- P1 HANGTAG
- P2 POLYBAG
- P3 BARCODE STICKER

ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE, A CLIENT OF RAD PATTERNS, LLC


AC-LST-001 | LONG SLEEVE TEE | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | TOPS



FOLD + PACKAGE INSTRUCTIONS:

1. PLACE SHIRT FACE DOWN AND FOLD IN SLEEVES
2. FOLD BOTTOM QUARTER OF GARMENT UP
3. FOLD IN HALF
4. PLACE THE FOLDED GARMENT INTO THE POLYBAG AND SEAL
5. FRONT OF GARMENT SHOULD FACE FRONT OF BAG WITH ZIPPER EDGE AT TOP
6. AFFIX UPC LABEL TO BACK OF POLYBAG

BARCODE STICKER SHOULD BE AFFIXED TO POLYBAG



ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE, A CLIENT OF RAD PATTERNS, LLC

AC-LST-001 | LONG SLEEVE TEE | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | TOPS

ACTUAL SIZE ARTWORK



THREAD COLOR:
PANTONE 19-3943 TXC BELLWETHER BLUE

EMBROIDERY REFERENCE



- Satin stitch filled-in lettering
- zigzag stitching around letter outlines

ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE, A CLIENT OF RAD PATTERNS, LLC