

AC-PNT-001 | DRAWSTRING PANT | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | BOTTOMS



FRONT



BACK

ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE

AC-PNT-001 | DRAWSTRING PANT | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | BOTTOMS

15 OCTOBER, 2026 - AC (REV 0)

- Initial tech pack. **Pull-on drawstring pant** from the 7 reference photos (PAIGE "Fraser" pant, not digs product): flat-front waistband with an elastic back, drawstring through 2 metal eyelets, faux fly, slant front pockets, pointed patch back pockets with the darts under them, slim tapered leg.
- **Fabric A:** TENCEL™ Lyocell stretch twill, **98% lyocell / 2% elastane**, peached; target 230-280 g/m², weft stretch 15-25%. See the BOM and the fabric + wash notes on the reference image page.
- **Colorway #1 salmon**, measured from the reference photos (ref #CAA28C). The color standard is a physical swatch approved by digs under D65; final approval on a washed garment panel.
- **digs logo patch (L3) x2:** woven 3" x 1", horizontal, salmon ground, navy logo. Wearer's right back pocket, centered, 3/4" below the pocket top; wearer's left cuff, outside, back edge 1/2" in front of the outseam, centered in the cuff height. See the artwork detail page.
- **Permanent 1 1/2" turn-up cuff,** tacked at the inseam and the outseam: stitched in the ditch through all plies.
- Sizes S-XL, sample size M. All specs are after the garment wash. With no zip, A2 (waist fully stretched) is set 1" over the half hip so the waist pulls on over the seat; confirm on the proto.

OPEN ITEMS - DIGS TO CONFIRM BEFORE PROTO

- **1. Style number.** AC-PNT-001 is a placeholder; swap in the digs number if it differs.
- **2. Fly.** The PAIGE pant has a working zip fly with a button or snap. This pack specs a faux fly (J-stitch, no zip) so the pant is a true pull-on. Say if the working fly should come back.
- **3. Fabric + TENCEL™ branding.** No stock 98/2 lyocell stretch twill with a stated MOQ turned up: develop one with a mill (Tak Sang, Hong Kong, makes peached lyocell-blend stretch twills); meetMILK's 98/2 Soft Stretch Twill (240 g/m²) can cover protos. TENCEL™ on L2 or a hangtag needs the mill's Lenzing fabric certification plus a digs licence through the Lenzing E-Branding Service; without it L2 reads "98% LYOCELL".
- **4. Wash.** Piece-dye (reactive) and peach at the mill, then a short enzyme + softener garment wash. Do not garment-dye untreated lyocell: it fibrillates, takes abrasion marks and puckers at the seams. Wash trial first.
- **5. Both patches go through the wash.** The pocket patch goes on before the pocket is attached and the cuff patch while the leg is flat, so both L3s see the garment wash: wash-fast polyester damask, checked on the wash trial for bleed, shrinkage and pucker.
- **6. Back pockets.** PAIGE's whipstitch at the pocket top edge is not copied; bartacks at both top corners.
- **7. Fit.** Rise and leg opening start from the PAIGE Fraser listings (size 30: 11-12" rise, 12" leg opening all round), graded to M (11 1/2" rise, 13" opening). Confirm on the first proto.
- **8. Country of origin.** L1 and L2 read "Made in China"; change to the factory's country.
- **9. RN + packaging.** digs to supply its RN number (or the company name) for L2; the hangtag (P1) and polybag (P2) artwork are still TBC.

PAIGE FRASER REFERENCE, SALMON (NOT DIGS PRODUCT)





SALMON #CAA28C, MEASURED FROM THE PHOTOS; THE PHYSICAL SWATCH APPROVED UNDER D65 IS THE STANDARD

1. DRAWSTRING THROUGH 2 METAL EYELETS (T1, T2); FLAT FRONT, ELASTIC BACK
2. SLANT FRONT POCKET, BARTACKED AT BOTH ENDS
3. TURN-UP CUFF: PERMANENT 1 1/2", TACKED AT THE INSEAM + OUTSEAM
4. DO NOT COPY THE WHIPSTITCH: BARTACK BOTH TOP CORNERS INSTEAD
5. COPY THE POINTED PATCH POCKET AND ITS 1/16" + 1/4" TOPSTITCH

PHOTOS SHOW THE WEARER'S LEFT BACK POCKET; THE L3 PATCH GOES ON THE WEARER'S RIGHT BACK POCKET AND THE WEARER'S LEFT CUFF

ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE

AC-PNT-001 | DRAWSTRING PANT | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | BOTTOMS

POM	DESCRIPTION	TOL. +/-	M REQUESTED	M ACTUAL	DIFFERENCE	NEW SPEC	NOTES
A	1/2 WAIST RELAXED, ALONG TOP EDGE OF WAISTBAND	1/2	15 1/2				
A2	1/2 WAIST EXTENDED, ALONG TOP EDGE, FULLY STRETCHED	1/2	21				
B	1/2 HIP, 7" BELOW TOP OF WAISTBAND AT CF	1/2	20				
C	FRONT RISE, TOP OF WAISTBAND TO CROTCH SEAM	1/4	11 1/2				
D	BACK RISE, TOP OF WAISTBAND TO CROTCH SEAM	1/4	15 1/2				
E	1/2 THIGH, 1" BELOW CROTCH	1/4	11 3/4				
F	1/2 KNEE, 13" BELOW CROTCH	1/4	8				
G	1/2 LEG OPENING AT CUFF BOTTOM FOLD	1/8	6 1/2				
H	INSEAM, CROTCH SEAM TO CUFF BOTTOM FOLD	3/8	30				
H2	OUTSEAM, TOP OF WAISTBAND TO CUFF BOTTOM FOLD	1/2	41 1/2				
J	WAISTBAND HEIGHT	1/8	1 1/2				
J2	FLAT FRONT: WAISTBAND BETWEEN POCKET OPENINGS, NO ELASTIC	1/4	12 1/2				
K	CUFF HEIGHT, FINISHED	1/8	1 1/2				
L	FRONT POCKET OPENING, ALONG THE EDGE	1/4	6 1/2				
L2	FRONT POCKET: WAISTBAND SEAM TO OPENING END AT SIDE SEAM	1/4	5 1/2				
M	FAUX FLY J-STITCH, WIDTH FROM CF	1/8	1 1/4				
M2	FAUX FLY J-STITCH, LENGTH BELOW WAISTBAND SEAM	1/4	6 1/2				
N	EYELETS, CENTER TO CENTER, CENTERED ON CF	1/8	1 1/4				
N2	DRAWSTRING LENGTH, END TO END INCL. AGLETS	1	52				
O	BACK POCKET WIDTH AT TOP	1/8	5 3/4				
O2	BACK POCKET HEIGHT AT CENTER (POINT)	1/8	6 1/4				
O3	BACK POCKET HEIGHT AT SIDES	1/8	5 1/4				
P	BACK POCKET TOP EDGE BELOW WAISTBAND SEAM	1/8	2 1/8				
P2	BACK POCKET INNER TOP CORNER FROM CB SEAM	1/8	1 3/4				
Q	BACK DART LENGTH FROM WAISTBAND SEAM	1/8	2 5/8				
R	LOGO PATCH (L3), BACK POCKET: TOP EDGE BELOW POCKET TOP EDGE	1/8	3/4				
R2	LOGO PATCH (L3), BACK POCKET: CENTERED ON POCKET WIDTH	1/16	0				
S	LOGO PATCH (L3), CUFF: BACK EDGE IN FRONT OF OUTSEAM	1/8	1/2				
S2	LOGO PATCH (L3), CUFF: CENTERED IN CUFF HEIGHT	1/16	0				

ALL SPECS ARE AFTER WASH: EVERY PROTO GOES THROUGH THE FULL GARMENT WASH BEFORE IT IS MEASURED.
FACTORY FILLS IN M ACTUAL AND DIFFERENCE; OUT OF TOLERANCE IN RED. LAID FLAT, DRAWSTRING UNTIED AND EVEN.

ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE

AC-PNT-001 | DRAWSTRING PANT | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | BOTTOMS

FABRICS:


- (A) STRETCH TWILL
  98% TENCEL™ LYOCELL / 2% ELASTANE
  BODY, WAISTBAND, POCKETS,
  FLY FACING, CUFFS
- (B) POCKETING, 100% COTTON, DTM
  FRONT POCKET BAGS
- (C) WOVEN FUSIBLE, LOW-TEMP
  FRONT WAISTBAND OUTER PLY,
  POCKET OPENING TO OPENING
- (D) GARMENT WASH: ENZYME +
  SOFTENER (SEE REFERENCE PAGE)

LABELS:


- (L1) BRAND AND SIZE LABEL, 2 X 1.5 IN
  INSIDE BACK AT CB, TOP EDGE
  CAUGHT IN THE WAISTBAND SEAM
- (L2) CARE, CONTENT, COO LABEL
  SATIN; WEARER'S LEFT SIDE SEAM,
  TOP EDGE 4" BELOW WAISTBAND SEAM
- (L3) LOGO PATCH, WOVEN 3" X 1" (X2)
  WEARER'S RIGHT BACK POCKET +
  WEARER'S LEFT CUFF

TRIMS:

- (T1) DRAWSTRING, 1/4" COTTON CORD,
  NATURAL; BRASS AGLETS
- (T2) METAL EYELETS X2, 1 1/4" APART
  ON CF, FRONT WAISTBAND
- (T3) 3/4" KNIT ELASTIC, BACK WAISTBAND,
  POCKET TO POCKET



FRONT



BACK

L3 PATCHES AND THE DRAWSTRING ARE SEWN / THREADED BEFORE THE WASH; SEE WASH NOTES

ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE

AC-PNT-001 | DRAWSTRING PANT | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | BOTTOMS

DRAWSTRING (T1) THROUGH 2 METAL EYELETS (T2), 1 1/4" APART; NO BELT LOOPS


1 1/2" SELF WAISTBAND, FLAT FRONT BETWEEN THE POCKET OPENINGS; ELASTIC POCKET TO POCKET ROUND THE BACK

FAUX FLY: J-STITCH 1 1/4" X 6 1/2", ISO #301; BARTACK AT THE BOTTOM

SLANT POCKETS, 6 1/2" OPENING, 1/4" TOPSTITCH, BARTACKS AT BOTH ENDS

SIDE SEAMS + INSEAM ISO #516, PRESSED TO THE BACK, NO TOPSTITCH

SLIM TAPERED LEG, MID RISE, PULL-ON



PERMANENT 1 1/2" TURN-UP CUFF, TACKED AT THE INSEAM + OUTSEAM

L3 LOGO PATCH: WEARER'S LEFT CUFF, OUTSIDE, BACK EDGE 1/2" IN FRONT OF THE OUTSEAM

ELASTIC BACK WAISTBAND: DRAWSTRING CHANNEL 1/2" AT THE TOP; 1/16" EDGESTITCH AT THE JOIN


L3 LOGO PATCH: WEARER'S RIGHT BACK POCKET, CENTERED, 3/4" BELOW THE POCKET TOP

BACK DARTS 2 5/8", HIDDEN UNDER THE POCKET TOPS

POINTED PATCH BACK POCKETS, 1/16" + 1/4" DOUBLE TOPSTITCH, BARTACKS AT THE TOP CORNERS

CB SEAM FLAT-FELLED, ISO #401, 1/4" GAUGE

PLAIN BACK: NO YOKE, NO BELT LOOPS



CUFF TACKS AT THE INSEAM + OUTSEAM, STITCHED IN THE DITCH

ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE

AC-PNT-001 | DRAWSTRING PANT | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | BOTTOMS

FUSIBLE (C) ON THE FRONT WAISTBAND OUTER PLY, POCKET OPENING TO POCKET OPENING; EYELETS SET THROUGH IT

L2 CARE LABEL IN THE WEARER'S LEFT SIDE SEAM, TOP EDGE 4" BELOW THE WAISTBAND SEAM


FAUX FLY: SEPARATE SELF FACING UNDER THE WEARER'S LEFT FRONT, CAUGHT IN THE CF SEAM ISO #516; HELD BY THE J-STITCH

POCKET BAGS IN POCKETING (B), ISO #516 ROUND THE BAG; SELF FACING BEHIND THE OPENING

SIDE SEAMS + INSEAM ISO #516, PRESSED TO THE BACK

CUFF HEM ALLOWANCE 1" TURNED INSIDE, ISO #301, HIDDEN UNDER THE CUFF

CUFF TACKS THROUGH ALL LAYERS AT THE INSEAM + OUTSEAM



INSIDE OF FRONT, BACK REMOVED
WEARER'S LEFT ON THE LEFT


3/4" KNIT ELASTIC (T3) IN THE LOWER CHANNEL, POCKET TO POCKET; TACKED AT CB AND AT BOTH POCKET OPENINGS

L1 BRAND + SIZE LABEL AT CB: TOP EDGE CAUGHT IN THE WAISTBAND JOIN SEAM, HANGS FREE

L2, WEARER'S LEFT SIDE SEAM

POCKET AND DART STITCHING SHOWS THROUGH INSIDE

CB SEAM FLAT-FELLED, ISO #401




INSIDE OF BACK, FRONT REMOVED
WEARER'S LEFT ON THE RIGHT

ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE


AC-PNT-001 | DRAWSTRING PANT | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | BOTTOMS

GARMENT STITCH TYPE DETAILS


ISO #301 - LOCKSTITCH, 12 SPI
TOPSTITCHING: FLY J-STITCH, POCKET OPENINGS, BACK POCKETS (2 ROWS), WAISTBAND JOIN + CHANNEL, CUFF HEM; DARTS, CUFF TACKS, L1 + L3




ISO #401 - 2-NEEDLE CHAINSTITCH
1/4" NEEDLE SPACING
CB SEAM, FLAT-FELLED



ISO #516 - 5-THREAD SAFETY STITCH
SIDE SEAMS, INSEAM, CF SEAM, POCKET BAGS; PRESSED TO THE BACK



ISO #504 - 3-THREAD OVERLOCK
CUFF RAW EDGE, FLY FACING OUTER EDGE, POCKET FACING EDGES



BARTACK - ISO #304, 3/8" X 1/16"
POCKET OPENINGS, BACK POCKET TOP CORNERS, FLY BOTTOM, DRAWSTRING AT CB



METAL EYELETS (T2), X2
SET THROUGH OUTER WAISTBAND PLY + FUSIBLE BEFORE THE WAISTBAND IS CLOSED



No belt loops, no zip, no buttons. Pull-on with an elastic back and a drawstring.

Seam allowance 3/8" (1cm); felled CB seam per folder; cuff extension 4" below the finished length (two 1 1/2" cuff folds + 1" hem).

Thread: poly-core, Tex 27 for seams and overlock, Tex 40 for topstitch; DTM the washed standard.

Twill direction: one-way layout, every piece with the twill line running the same way; lyocell twill shades by direction.

Needle: light ball point (SES): Nm 70-75 (10-11) for the Tex 27 seams and overlock, Nm 80 (12) for the Tex 40 topstitch; the finest needle that works cuts fewer yarns and puckers less. 12 SPI (about 5 per cm); denser stitching can damage the elastane. Light thread tension and foot pressure.


Fusing: low-temp woven fusible (C) on the front waistband outer ply only, pocket opening to pocket opening; the eyelets go through it.

Pressing: low heat, 150°C max, on the reverse or with a press cloth; no shine, no crease marks.

ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE

AC-PNT-001 | DRAWSTRING PANT | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | BOTTOMS


WAISTBAND - CROSS-SECTIONS, TOP FOLD AT LEFT



Back, pocket opening to pocket opening: channel stitch 1/2" below the top edge; drawstring above, 3/4" elastic below, tacked at CB and both pocket openings through the lower channel only.

Front, between the pocket openings: no channel stitch, no elastic; the drawstring runs the full height. Eyelets go through the fused outer ply before the waistband closes.

FRONT - FAUX FLY, EYELETS, DRAWSTRING, 1:4




2 METAL EYELETS (T2), 1 1/4" APART (N), CENTERED ON CF AND IN THE WAISTBAND HEIGHT

DRAWSTRING (T1): 1/4" ROUND CORD, 52" AT M (N2), 1" METAL AGLETS; BARTACKED TO THE CASING AT CB

FAUX FLY J-STITCH (M, M2), ISO #301, ON THE WEARER'S LEFT THROUGH THE FRONT, ALLOWANCE + SELF FACING; 3/8" BARTACK AT THE J BOTTOM. CF SEAM ISO #516 FULL LENGTH, ALLOWANCE PRESSED TO THE WEARER'S LEFT. FACING: SELF, CUT 2 1/2" X 7 1/2", OUTER EDGE OVERLOCKED #504

BACK POCKET + DART - WEARER'S RIGHT, OUTSIDE, 1:4




DART (Q) 3/8" INTAKE, ENDS 1/2" UNDER THE POCKET TOP

L3 PATCH: CENTERED (R2), 3/4" BELOW THE TOP (R); SEWN ON BEFORE THE POCKET GOES ON

TOP HEM TURNED TWICE, 1/4" + 3/8", STITCHED 1/4" FROM THE TOP EDGE. ATTACH WITH 1/16" + 1/4" ROWS, ISO #301; 3/8" BARTACK AT BOTH TOP CORNERS

CUFF - PERMANENT 1 1/2" TURN-UP, TACKED AT THE SEAMS



1. Cut the leg 4" below the finished length (2 x 1 1/2" + 1"); overlock the raw edge (ISO #504). Pattern mirrors the leg taper below the finished length so the cuff lies flat.

2. Fold the extension to the inside 1 1/2" below the finished length; stitch the overlocked edge to the leg 1" above the finished length, ISO #301.

3. Turn the cuff up to the outside along the finished length: the outer cuff ply shows the face.

4. Tack at the inseam and outseam: stitch in the ditch through all plies, 3/4" long, backtacked.

Patch: wearer's left cuff. Sew it flat and upright on the face, in the outer-ply zone 1 1/2" to 3" below the finished-length line: back edge 1/2" in front of the outseam (S), centered in that zone (S2).

SEAM CONSTRUCTION - CROSS SECTIONS



SIDE SEAM + INSEAM
ISO #516, PRESSED TO THE BACK

CB SEAM, FLAT-FELLED
2-NEEDLE ISO #401, 1/4" GAUGE

BACK POCKET ATTACH
1/16" + 1/4" ROWS, ISO #301


CROSS SECTIONS NOT TO SCALE. DARK = FACE OF FABRIC A; LIGHT = SECOND PLY; GREY = ELASTIC / FUSIBLE; RED DASHED = NEEDLE LINES; SALMON = L3 PATCH.

ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE

AC-PNT-001 | DRAWSTRING PANT | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | BOTTOMS



CONSTRUCTION + COLOR REFERENCE: PAIGE "FRASER" DRAWSTRING PANT, 98% LYOCELL / 2% ELASTANE (NOT DIGS PRODUCT). SALMON = COLORWAY #1; OLIVE AND NAVY = LATER COLORWAYS.



DIGS 2024 MOODBOARD: SLIM FIT, SOFT PEACH LENZING LYOCELL, DRAWSTRING, NO BELT LOOPS, TURNED-UP CUFF. MOOD ONLY: NO CARGO POCKETS, NO GRAPHICS



CUFF REFERENCE: PERMANENT TURN-UP, ABOUT 1 1/2" DEEP

- **Copy:** pull-on waistband, flat front between the pocket openings, elastic back; drawstring through 2 metal eyelets; slant front pockets; pointed patch back pockets with a 1/16" + 1/4" topstitch; darts under the back pockets; plain back, no yoke; slim tapered leg, mid rise; permanent turn-up cuff; soft peached twill.
- **Do not copy:** the working zip fly + button (faux fly on AC-PNT-001); the whipstitch on the back pockets; PAIGE labels, branded hardware or trims.
- **Colors from the photos** (reference only, the physical standard rules): salmon #CAA28C, olive #79755C, navy #222531.

FABRIC + WASH ROUTE (PROPOSED - CONFIRM WITH THE MILL AND THE WASH HOUSE ON THE WASH TRIAL)

1. Fiber + cloth: standard TENCEL™ Lyocell, not the low-fibrillation LF grade (the peached hand needs the fiber to fibrillate). 98/2 with the elastane in the weft; 3/1 twill; target 230-280 g/m², 140cm+ cuttable; weft stretch 15-25%, warp 0%; growth 3% max (ASTM D3107).


2. Mill: piece-dye with reactive dyes, then peach: fibrillate, cellulase clean-up, re-fibrillate to the reference hand. Lubricate at every wet stage and keep wet dwell short (lyocell is stiff when wet and sets crease marks). Dry below 130°C to avoid yellowing.

3. Garment wash: short enzyme + softener wash only, at low temperature to protect the elastane. Do not garment-dye untreated lyocell: it fibrillates unevenly, takes abrasion marks and puckers at the seams.


4. Wash trial on a 1 m panel and one full proto first. Report shrinkage warp + weft (target 3% max after 3 home launders), color vs the approved salmon standard, peach and hand, stretch recovery, and both L3 patches (no bleed onto the salmon, no pucker). Pattern is enlarged by the measured shrinkage.

ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE

AC-PNT-001 | DRAWSTRING PANT | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | BOTTOMS



FRONT



BACK

MEASURING RULES

- Measure after the full garment wash, laid flat for 24 hours, no tension; drawstring untied, ends even.
- A relaxed along the top edge; A2 along the top edge stretched to the limit of the elastic.
- B 7" below the top of the waistband at CF. E 1" below the crotch; F 13" below the crotch, square to the leg.
- C, D from the top of the waistband at CF / CB, along the seam to the crotch point.
- G at the cuff bottom fold. H crotch point to cuff bottom fold; H2 waistband top to cuff bottom fold.
- K cuff height outside. L along the pocket opening edge; L2 square down from the waistband seam.
- M, M2, N, N2, Q and the logo patch POMs R-S2: see the detail and artwork pages.
- Record every proto on the development sample specs page.

ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE

AC-PNT-001 | DRAWSTRING PANT | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | BOTTOMS

SEWING PATTERN AC-PNT-001 TO BE DRAFTED FROM THIS SPEC

PATTERN INCLUDES 3/8" (1CM) ALLOWANCE ON ALL SEAMS, FELLED CB SEAM PER FOLDER, CUFF EXTENSION 4" BELOW THE FINISHED LENGTH

ALL MEASUREMENTS IN INCHES, AFTER GARMENT WASH; PATTERN ENLARGED BY THE MEASURED WASH SHRINKAGE

POM	DESCRIPTION	TOL. +/-	S	M	L	XL
A	1/2 WAIST RELAXED, ALONG TOP EDGE OF WAISTBAND	1/2	14 1/2	15 1/2	16 1/2	17 1/2
A2	1/2 WAIST EXTENDED, ALONG TOP EDGE, FULLY STRETCHED	1/2	20	21	22	23
B	1/2 HIP, 7" BELOW TOP OF WAISTBAND AT CF	1/2	19	20	21	22
C	FRONT RISE, TOP OF WAISTBAND TO CROTCH SEAM	1/4	11 1/4	11 1/2	11 3/4	12
D	BACK RISE, TOP OF WAISTBAND TO CROTCH SEAM	1/4	15	15 1/2	16	16 1/2
E	1/2 THIGH, 1" BELOW CROTCH	1/4	11 1/4	11 3/4	12 1/4	12 3/4
F	1/2 KNEE, 13" BELOW CROTCH	1/4	7 3/4	8	8 1/4	8 1/2
G	1/2 LEG OPENING AT CUFF BOTTOM FOLD	1/8	6 1/4	6 1/2	6 3/4	7
H	INSEAM, CROTCH SEAM TO CUFF BOTTOM FOLD	3/8	29 1/2	30	30 1/2	31
H2	OUTSEAM, TOP OF WAISTBAND TO CUFF BOTTOM FOLD	1/2	40 3/4	41 1/2	42 1/4	43
J	WAISTBAND HEIGHT	1/8	1 1/2	1 1/2	1 1/2	1 1/2
J2	FLAT FRONT: WAISTBAND BETWEEN POCKET OPENINGS, NO ELASTIC	1/4	12	12 1/2	13	13 1/2
K	CUFF HEIGHT, FINISHED	1/8	1 1/2	1 1/2	1 1/2	1 1/2
L	FRONT POCKET OPENING, ALONG THE EDGE	1/4	6 1/4	6 1/2	6 3/4	7
L2	FRONT POCKET: WAISTBAND SEAM TO OPENING END AT SIDE SEAM	1/4	5 1/4	5 1/2	5 3/4	6
M	FAUX FLY J-STITCH, WIDTH FROM CF	1/8	1 1/4	1 1/4	1 1/4	1 1/4
M2	FAUX FLY J-STITCH, LENGTH BELOW WAISTBAND SEAM	1/4	6 1/4	6 1/2	6 3/4	7
N	EYELETS, CENTER TO CENTER, CENTERED ON CF	1/8	1 1/4	1 1/4	1 1/4	1 1/4
N2	DRAWSTRING LENGTH, END TO END INCL. AGLETS	1	50	52	54	56
O	BACK POCKET WIDTH AT TOP	1/8	5 1/2	5 3/4	6	6 1/4
O2	BACK POCKET HEIGHT AT CENTER (POINT)	1/8	6	6 1/4	6 1/2	6 3/4
O3	BACK POCKET HEIGHT AT SIDES	1/8	5	5 1/4	5 1/2	5 3/4
P	BACK POCKET TOP EDGE BELOW WAISTBAND SEAM	1/8	2 1/8	2 1/8	2 1/8	2 1/8
P2	BACK POCKET INNER TOP CORNER FROM CB SEAM	1/8	1 5/8	1 3/4	1 7/8	2
Q	BACK DART LENGTH FROM WAISTBAND SEAM	1/8	2 5/8	2 5/8	2 5/8	2 5/8
R	LOGO PATCH (L3), BACK POCKET: TOP EDGE BELOW POCKET TOP EDGE	1/8	3/4	3/4	3/4	3/4
R2	LOGO PATCH (L3), BACK POCKET: CENTERED ON POCKET WIDTH	1/16	0	0	0	0
S	LOGO PATCH (L3), CUFF: BACK EDGE IN FRONT OF OUTSEAM	1/8	1/2	1/2	1/2	1/2
S2	LOGO PATCH (L3), CUFF: CENTERED IN CUFF HEIGHT	1/16	0	0	0	0

GRADE: WAIST, HIP +1" PER HALF PER SIZE; THIGH +1/2"; KNEE, LEG OPENING +1/4"; FRONT RISE +1/4"; BACK RISE, INSEAM +1/2". SIZE M FITS 32-34" WAIST.
RISE AND LEG OPENING START FROM THE PAIGE FRASER LISTINGS (SIZE 30: 11-12" RISE, 12" OPENING ALL ROUND), GRADED TO M.


ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE


AC-PNT-001 | DRAWSTRING PANT | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | BOTTOMS

TYPE	DESCRIPTION	REF #/VENDOR	PLACEMENT	QTY	COLORWAY #1
FABRIC A	TENCEL™ LYOCELL STRETCH TWILL, 98% LYOCELL / 2% ELASTANE 3/1 TWILL, PEACHED; 230-280 g/m², 140cm+ CUTTABLE WEFT STRETCH 15-25%, WARP 0%; SHRINKAGE 3% MAX	MILL STILL TBC DEV: TAK SANG (HK) PROTO: meetMILK 98/2	BODY + CUT-ON CUFFS, WAISTBAND, FLY FACING, POCKET FACINGS, BACK POCKETS		SALMON PHYSICAL STANDARD (REF #CAA28C)
FABRIC B	POCKETING, 100% COTTON POPLIN, LIGHTWEIGHT RATED FOR GARMENT WASH	VENDOR SOURCED	FRONT POCKET BAGS		DTM SALMON
FABRIC C	WOVEN FUSIBLE, LOW-TEMP, RATED FOR GARMENT WASH	VENDOR SOURCED	FRONT WAISTBAND OUTER PLY, POCKET OPENING TO POCKET OPENING; EYELETS SET THROUGH IT		WHITE
WASH D	GARMENT WASH: SHORT ENZYME + SOFTENER, LOW TEMP SEE WASH ROUTE ON THE REFERENCE IMAGE PAGE	VENDOR SOURCED	FULL GARMENT, WITH BOTH L3 PATCHES ON		N/A
THREAD	POLY CORE THREAD TEX 27 SEAMS + OVERLOCK / TEX 40 TOPSTITCH	VENDOR SOURCED	ALL NEEDLE THREAD		DTM WASHED STANDARD
THREAD	TEXTURED POLYESTER	VENDOR SOURCED	ALL LOOPER THREAD (ISO #401, #504, #516)		DTM WASHED STANDARD
TRIM T1	DRAWSTRING, 1/4" BRAIDED COTTON CORD, PRE-SHRUNK 1" BRASS AGLETS; 52" AT M (N2), END TO END	VENDOR SOURCED	IN THE WAISTBAND CASING, OUT THROUGH THE EYELETS; BARTACKED TO THE CASING AT CB	1	NATURAL CREAM CORD ANTIQUE SILVER AGLETS
TRIM T2	METAL EYELET + WASHER, 8MM INNER DIAMETER, RUSTPROOF (BRASS)	VENDOR SOURCED	FRONT WAISTBAND, 1 1/4" APART, CENTERED ON CF	2	ANTIQUE SILVER
TRIM T3	3/4" (19MM) KNIT ELASTIC, POLY / SPANDEX, WASH-RATED LENGTH BETWEEN TACKS: S 17" / M 18 1/2" / L 20" / XL 21 1/2"	VENDOR SOURCED	BACK WAISTBAND LOWER CHANNEL, POCKET TO POCKET; TACKED AT CB + POCKET OPENINGS	1	WHITE
LABEL L1	BRAND AND SIZE LABEL SEW-IN WOVEN LABEL, 2" x 1 1/2"	VENDOR SOURCED	INSIDE BACK AT CB, TOP EDGE CAUGHT IN THE WAISTBAND JOIN SEAM, HANGS FREE	1	SEE ARTWORK
LABEL L2	CARE / CONTENT / COO LABEL PRINTED SATIN, 1" x 2"	VENDOR SOURCED	WEARER'S LEFT SIDE SEAM, TOP EDGE 4" BELOW THE WAISTBAND SEAM	1	WHITE SATIN, BLACK PRINT
LABEL L3	LOGO PATCH - WOVEN DAMASK, 100% POLYESTER, WASH-FAST HORIZONTAL, 3" x 1" FINISHED, ENDS FOLDED GOES THROUGH THE GARMENT WASH	VENDOR SOURCED	WEARER'S RIGHT BACK POCKET + WEARER'S LEFT CUFF (OUTSIDE); SEE ARTWORK DETAIL	2	SALMON GROUND (DTM) PANTONE 19-3943 TCX BELLWETHER BLUE LOGO
PACKAGING P1	HANGTAG	STILL TBC	ATTACHED THROUGH THE L2 LABEL WITH A PLASTIC TACK	1	SEE ARTWORK
PACKAGING P2	RECYCLED POLYBAG PRESSURE ZIPPER, AIR HOLES, AND SAFETY WARNING - SEE PACKAGING ARTWORK	STILL TBC	GARMENT IS FOLDED AND PLACED IN POLYBAG	1	CLEAR WITH BLACK PRINT
PACKAGING P3	BARCODE STICKER STYLE, COLOR, SIZE, UPC	VENDOR SOURCED	STICKER AFFIXED TO POLYBAG	1	WHITE WITH BLACK PRINT

ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE

AC-PNT-001 | DRAWSTRING PANT | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | BOTTOMS





COLORWAY #1 - SALMON


- FABRIC A | SALMON - REF #CAA28C, MEASURED FROM THE REFERENCE PHOTOS
- THREAD | DYE TO MATCH THE WASHED STANDARD
- DRAWSTRING T1 | NATURAL / UNDYED CREAM, AGLETS ANTIQUE SILVER
- EYELETS T2 | ANTIQUE SILVER, MATCH THE AGLETS
- LOGO PATCH L3 | SALMON GROUND (DTM), PANTONE 19-3943 TCX BELLWETHER BLUE LOGO

COLOR APPROVAL

- ☐ PHYSICAL SALMON STANDARD APPROVED BY DIGS UNDER D65
- ☐ MILL DYES 3 LAB DIPS ON THE LYOCELL TWILL (REACTIVE DYE)
- ☐ EACH DIP RUN THROUGH THE PRODUCTION GARMENT WASH; PICK UNDER D65
- ☐ FINAL APPROVAL ON A WASHED GARMENT PANEL; HEX IS REFERENCE ONLY
- ☐ LATER COLORWAYS FROM THE REFERENCE: OLIVE #79755C, NAVY #222531


ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE

AC-PNT-001 | DRAWSTRING PANT | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | BOTTOMS



L1 ACTUAL SIZE; SIZE LINE CHANGES PER SIZE

L1 BRAND AND SIZE LABEL
SEW-IN WOVEN LABEL 2" X 1 1/2"
INSIDE BACK AT CB, TOP EDGE
CAUGHT IN THE WAISTBAND SEAM



L2 CARE, CONTENT, COO LABEL
SATIN; WEARER'S LEFT SIDE
SEAM, TOP EDGE 4" BELOW
THE WAISTBAND SEAM

P1 HANGTAG
TACKED THROUGH L2 WITH
A PLASTIC TACK




INTERIOR
VIEW BACK, FRONT REMOVED

LABELS:

- L1 BRAND AND SIZE LABEL
- L2 CARE, CONTENT, COO LABEL
- L3 LOGO PATCH x2 - SEE ARTWORK DETAIL

PACKAGING:

- P1 HANGTAG
- P2 POLYBAG
- P3 BARCODE STICKER




LICENSED VARIANT ONLY:
98% LYOCELL (TENCEL™)

L2 PRINTS "98% LYOCELL" UNTIL DIGS HOLDS THE LENZING LICENCE, THEN "98% LYOCELL (TENCEL™)": THE TRADEMARK SITS NEXT TO THE GENERIC NAME IN THE SAME TYPE SIZE, WHICH SUITS US AND EU/UK LABELS. A HANGTAG THAT NAMES TENCEL™ LYOCELL MUST ALSO SAY "SEE LABEL FOR THE PRODUCT'S FULL FIBER CONTENT" (16 CFR 303.17). RN#: DIGS TO SUPPLY (OR PRINT THE COMPANY NAME). CARE COPY CONFIRMED ON THE WASH TRIAL. COUNTRY OF ORIGIN TO MATCH THE FACTORY.

ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE


AC-PNT-001 | DRAWSTRING PANT | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | BOTTOMS



FOLD + PACKAGE INSTRUCTIONS:

1. TIE THE DRAWSTRING IN A BOW, AGLETS TUCKED INSIDE THE WAISTBAND; LAY THE PANT FACE UP
2. FOLD THE WEARER'S RIGHT LEG OVER THE LEFT ALONG CF + CB: THE BACK OF THE RIGHT LEG FACES UP
3. FOLD THE LEGS UNDER IN THIRDS, CUFFS FIRST, TO ABOUT 10 1/2" x 14"; THE BACK POCKET + L3 PATCH STAY ON TOP
4. PLACE IN THE POLYBAG, WAISTBAND AT THE ZIPPER EDGE, L3 POCKET PATCH FACING THE FRONT; SEAL
5. FRONT OF THE BAG: THE BACK POCKET AND L3 PATCH SHOW THROUGH
6. AFFIX THE BARCODE STICKER (P3) TO THE BACK OF THE POLYBAG. NO PINS, CLIPS OR CARDBOARD

BARCODE STICKER SHOULD BE AFFIXED TO POLYBAG



ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE

AC-PNT-001 | DRAWSTRING PANT | SIZE RANGE: S-XL | SAMPLE SIZE: M | STATUS: PROTO | BOTTOMS

ACTUAL SIZE ARTWORK



SEWN HORIZONTAL ON BOTH PLACEMENTS:
WORDMARK READS LEFT TO RIGHT, UPRIGHT

GROUND: SALMON, MATCH THE APPROVED WASHED FABRIC STANDARD

LOGO: PANTONE 19-3943 TCX BELLWETHER BLUE

PRINT AT 100% TO CHECK SIZE

CONSTRUCTION - END FOLD




SHOWN 3:4, FLAT



SIDE VIEW: BOTH ENDS FOLDED UNDER, SEWN FLAT


HD DAMASK, 100% POLYESTER, WASH-FAST YARNS
WOVEN OR ULTRASONIC-SEALED LONG EDGES
NO STIFFENER, SOFT HAND; APPROVE A 3-PATCH STRIP THROUGH THE GARMENT WASH BEFORE BULK

PLACEMENT - BACK POCKET + CUFF, 1:2



WEARER'S RIGHT BACK POCKET

- **Two patches per garment:** wearer's right back pocket, centered on the pocket (R2), top edge 3/4" below the pocket top edge (R); wearer's left cuff, outside of the leg, back edge 1/2" in front of the outseam (S), centered in the cuff height (S2). Long edges parallel to the pocket top / the cuff fold.
- **Sequence:** the pocket patch goes on the cut pocket after its top hem and before the pocket is attached (sewn after, it would stitch the pocket shut). The cuff patch goes on the flat front leg before the inseam, outseam and cuff are sewn.



WEARER'S LEFT CUFF, OUTSIDE

SEWN ON THE FLAT FRONT LEG PANEL IN THE OUTER-PLY ZONE, 1 1/2" TO 3" BELOW THE FINISHED LENGTH, UPRIGHT: THE TURN-UP BRINGS IT OUTSIDE

- **Both patches go through the garment wash:** wash-fast polyester damask only; check bleed onto the salmon, patch shrinkage and pucker on the wash trial.
- **Stitching:** 1/16" edgestitch all round, ISO #301, 12 SPI, thread DTM to the patch ground; lock the start and finish. Through the pocket only, or the outer-ply zone of the cuff only.
- **Press** the patch area from the reverse only. The patch lies flat and straight: no ripple, no twist.

ALL INFORMATION IN THIS DOCUMENT IS TO BE CONSIDERED THE CONFIDENTIAL PROPERTY OF DIGS/ANTAEUS COE