Tugas 02 – Spesifikasi Komputer

Nama: Fata Dwi Putra

NIM : A11.2021.13905





Spesifikasi Komputer

1. Casing : Cube Gaming Frins White



Spesifikasi

MODEL : FRINS

COLOR : BLACK / WHITE

:

CASE MATERIAL : STEEL, TEMPERED GLASS, ABS

COMPABILITY : ATX, M-ATX, ITX CASE DIMENSIONS : 382 X 245 X 448MM

MAXIMUM GPU LENGTH: UP TO 320MM

MAXIMUM CPU HEIGHT : 160MM

CASE DRIVE BAYS : (X2) 3,5IN HDD, (X2) 2.5IN SSD

FAN SUPPORT : (X1)420MM (REAR); (X2) 120MM (TOP)

(X3)420MM (FRONT); (X2) 120MM (BOTTOM)

1/0 PORTS :POWER BUTTON, RESET / LED BUTTON,

1X USB 3.0, 2X USB 2.0, HD AUDIO 1/0

FEATURES : INCLUDE 3 PCS 120MM RGB FAN, FULLY

FILTERED, TEMPERED GLASS, PSU COVER

Sumber: <a href="http://cubegaming.id/?p=1130">http://cubegaming.id/?p=1130</a>

2. Processor : Intel(R) Core(TM) i5-10400F CPU @ 2.90GHz



Spesifikasi : # of Cores : 6 # of Threads : 12

Processor Base Frequency : 2.90 GHz

Max Turbo Frequency: 4.30 GHz

Cache : 12 MB Intel® Smart Cache

Bus Speed : 8 GT/s

Intel® Turbo Boost Technology 2.0 Frequency‡: 4.30 GHz

TDP : 65 W

Sumber: https://ark.intel.com/content/www/us/en/ark/products/199278/intel-core-i5-

10400f-processor-12m-cache-up-to-4-30-ghz.html

### 3. Mainboard Model : Gigabyte B460M DS3H V2



## Spesifikasi:

Intel® Ultra Durable Motherboard with Intel® GbE with cFosSpeed, PCIe Gen3 x4 M.2, HDMI / DVI-D/ D-Sub Ports for Multiple Display, Anti-Sulfur Resistor, Smart Fan 5, RGB FUSION 2.0

Supports 10th Gen Intel® Core<sup>TM</sup> Processors and 11th Gen Intel® Core<sup>TM</sup> Processors\*

Dual Channel Non-ECC Unbuffered DDR4, 4 DIMMs

NVMe PCIe Gen3 X4 M.2 Connectors

Smart Fan 5 Features Multiple Temperature Sensors, Hybrid Fan Headers with FAN STOP

Intel® Optane<sup>TM</sup> Memory Ready

Intel® GbE LAN with cFosSpeed Internet Accelerator Software

3 Display Interfaces Support

RGB FUSION 2.0 with Multi-Zone Addressable LED Light Show Design, Support Addressable LED & RGB LED Strips

Anti-Sulfur Resistors Design

Q-Flash Plus Update BIOS without Installing the CPU, Memory and Graphics Card

Sumber: https://www.gigabyte.com/Motherboard/B460M-DS3H-V2-rev-10#kf

### 4. RAM : XLR8 Gaming 16 GB DDR4 3200MHz



Spesifikasi:

16GB KIT (2X8GB) XLR8 GAMING EPIC-X RGB DDR4 3200MHZ

**Features** 

PC Type/Memory Type Desktop DDR4

Capacity 16GB (2x8GB) Channel Type Dual Channel Kit

Frequency Speed (JEDEC) 3200MHz (PC4-25600)

CAS Latency CL16

Voltage 1.35V XMP Support\* Yes

Speed Compatibility 3200MHz, 3000MHz, 2933MHz, 2800MHz, 2666MHz,

2400MHz, 2133MHz

OS Compatibility Windows 10 and older

Sumber: https://shopee.co.id/RAM-PNY-XLR8-RGB-16GB-DDR4-PC-25600-

(3200Mhz)-KIT-DUAL-WHITE-BLACK-i.127261085.8352322737

5. Storage 1 : SSD V-Gen NVME 256 GB Hyper

Spesifikasi :



Kapasitas : 128GB, 256GB, 512GB, 1TB, 2TB

Dimensi : 80,15 x 22,15 x 2,38 (mm)

Baca hingga 3500 MB/dtk Tulis hingga 2500 MB/dtk

Interfaces : NVM express 1.3, PCIe Gen 3.0 x4

Faktor Bentuk : M.2 (2280)

Garansi NGFF : 3 tahun penggantian

Dukungan TRIM : Ya (Memerlukan Dukungan OS)

Pengumpulan Sampah : Kesalahan Algoritma Pengumpulan Sampah Otomatis

Pencatatan : YA EDGE Tipe Konektor : M-Key

PIN : Pin 59-66 (Kunci M)

Dukungan SOCKET : Hanya M-Key

Manajemen Daya Tingkat Lanjut: YA Dukungan Mode Tidur Perangkat: YA

Suhu Operasi : 0 °C – 70 °C

Volume: +/- 20 gr

Sumber: <a href="https://www.v-gen.co.id/ssd/v-gen-ssd-m-2-nvme/">https://www.v-gen.co.id/ssd/v-gen-ssd-m-2-nvme/</a>

Storage 2 : HDD WD Blue 1TB

Spesifikasi:



Berat Produk :0.94 kg

Tipe : Hard Drive Internal 3.5&#34

Antarmuka / Interface : SATA III

Kecepatan Putaran / RPM : 7200

Dimensi Produk : 14.6 x 10 x 2.6 cm (LxWxH)

Sumber: https://www.bhinneka.com/wd-blue-1tb-wd10ezex-skusku01112371

#### 6. VGA Card : NVIDIA GeForce RTX 2060 6GB DDR6



Spesifikasi :

Chip Series : GeForce® RTX 2060

Product Series : Colorful Series

GPU Code Name : TU106

Manufacturing Process : 12nm

CUDA Cores : 1920

Core Clock : Base: 1365Mhz; Boost:1680Mhz

Memory Speed Grade: 14Gbps
Memory Size : 6GB
Memory Bus Width : 192bit
Memory Type :GDDR6
Memory Bandwidth : 336 GB/S
Power Connector : 8pin
Power Supply : 6+2

TDP : 160W

Display Ports : DP+HDMI+DVI

Fans Type : FAN
Heat Pipe Number/Spec : 2\*φ8
Power Suggest : 500W

DirectX : 12.1/4.5

NV technology Support : Real-Time Ray Tracing, Ansel, GPU Boost

Slot Number : 2 slot

Product Size : 222\*126\*42mm

Product Weight : 0.9KG(N.W)

Accessories : Warranty Card,Manual

Sumber: <a href="https://en.colorful.cn/product\_show.aspx?mid=102&id=1842">https://en.colorful.cn/product\_show.aspx?mid=102&id=1842</a>

# 7. Power Supply: Power Supply FSP HV PRO 650W 80+





Spesifikasi:

Sesuai Dengan: ATX12 v2.52 & EPS12 v2.92

Efisiensi Beban Tipikal: 85%

PFC Aktif:  $\geq 0.9$ 

Beban Tahan Waktu: > 17ms @ 80%

Desain Rel Tunggal: +12V

Module Design: +5V & 3,3V DC ke DC

Ukuran kipas: 120mm dengan bahan kualitas tinggi dan tidak berisik

Perlindungan Lengkap: OCP / OVP / OPP / SCP

Sumber: https://www.fsplifestyle.com/PROP203004469/

### 8. Monitor : ViewSonic XG 2405



Spesifikasi: DISPLAY

Display Size (in.): 24 Viewable Area (in.): 23.8 Panel Type: IPS Technology Resolution: 1920 x 1080 Resolution Type: FHD

Static Contrast Ratio: 1,000:1 (typ) Dynamic Contrast Ratio: 80M:1

Light Source: LED

Brightness: 250 cd/m<sup>2</sup> (typ)

Colours: 16.7M

Colour Space Support: 8 bit (6 bit + Hi-FRC)

Aspect Ratio: 16:9

Response Time (Typical GTG): 1ms

Viewing Angles: 178° horizontal, 178° vertical Backlight Life (Hours): 30000 Hrs (Min)

Curvature: Flat

Refresh Rate (Hz): 144 Adaptive Sync: FreeSync Blue Light Filter: Yes

Flicker-Free: Yes

Colour Gamut: NTSC: 72% size (Typ)

sRGB: 104% size (Typ)

Pixel Size: 0.275 mm (H) x 0.275 mm (V)

Surface Treatment: Anti-Glare, Hard Coating (3H)

Compatibility

PC Resolution (max): 1920x1080 Mac® Resolution (max): 1920x1080

PC Operating System: Windows 10 certified; macOS tested

Mac® Resolution (min): 1920x1080

3.5mm Audio Out: 1

HDMI 1.4: 2 Display Port: 1

Power in: 3-pin Socket (IEC C14 / CEE22)

Audio

Internal Speakers: 2Watts x2

Power

Eco Mode (Conserve): 17W Eco Mode (Optimised): 21W Consumption (typical): 24W Consumption (max): 30W

Voltage: AC 100-240V, 50/60 Hz

Stand-by: 0.5W

Power Supply: Internal

Additional Hardware Kensington Lock Slot: 1 Cable Organisation: Yes

Controls

Physical Controls: Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)

On Screen Display: Input Select, Audio Adjust, ViewMode, Color Adjust, Manual

Image Adjust, Setup Menu

**Operating Conditions** 

Temperature: 32°F to 104°F (0°C to 40°C) Humidity (non-condensing): 20% to 90%

Wall Mount

VESA Compatible: 100 x 100 mm

Input Signal

Frequency Horizontal: 30 ~ 180KHz Frequency Vertical: 47 ~ 144Hz

Video Input

Digital Sync: TMDS - HDMI (v1.4), PCI-E - DisplayPort (v1.2)

**Ergonomics** 

Height Adjust (mm): 120

Swivel: 90°

Tilt (Forward/Back): -5° / 20° Pivot (Right/Left): 90° / 0°

Weight (metric) Net (kg): 6.7

Net Without Stand (kg): 3.4

Gross (kg): 8.4

Dimensions (metric) (wxhxd) Packaging (mm): 699 x 402 x 182 Physical (mm): 540 x 521 x 239

Physical Without Stand (mm): 540 x 325 x 43

#### General

Regulations: cTUVus, FCC-B, ICES003, CEC, MX-CoC, Mexico Energy, CE, CE EMC, CB, RoHS, ErP, REACH, WEEE, EAC, UkrSEPRO, BSMI, RCM, GEMS, VCCI, PSE, KC, e-Standby, BIS, CCC, China RoHS, China Energy Label PACKAGE CONTENTS: XG2405 x1, 3-pin Plug (IEC C13 / CEE22) x1, HDMI

Cable (v1.4; Male-Male) x1, Quick Start Guide x1

Recycle/Disposal: Please dispose of in accordance with local, state or federal laws.

Warranty: \*Warranty offered may differ from market to market Sumber: https://www.viewsonic.com/global/products/lcd/XG2405