行政院農業委員會 開放資料平台

土石流潛勢溪流基本資料 API 介接說明書

文件編號: COAOPD-API-EIR12

版本:1.0

發行日期: 2013/09/30

修訂表

版本	變更日期	修改摘要
1.0	2013/09/30	首次發行。

目 錄

1.		資料說明	1
		基本資料描述	
	(2)	資料內容描述	1
	(3)	更新頻率	1
	(4)	介接格式	1
2.		介接說明2	2
	(1)	土石流潛勢溪流基本資料清單2	2
	(2)	進階資料查詢	3

1. 資料說明

(1) 基本資料描述

本文件為「土石流潛勢溪流基本資料」的資料。資料提供單位為農委會水土保持局。

(2) 資料內容描述

提供資料包含:縣市、鄉鎮、村里、土石流流潛勢溪流編號、 警戒值、參考雨量站 1ID、參考雨量站 2ID、參考雨量站 1 站名、 參考雨量站 2 站名等欄位資料。

(3) 更新頻率 不定期

(4) 介接格式

輸出格式皆為 JSON 格式。若無資料,則傳回空值 []。本文件中輸出 JSON 格式值,皆為範例參考,並非實際資料,變數名稱順序亦非實際資料順序。

2. 介接說明

(1) 土石流潛勢溪流基本資料清單

■ 基本定義

- A. 土石流潛勢溪流基本資料服務序號定義為「eir12」
- B. Resource Path: http://fema.swcb.gov.tw/webservices/DebrisAlertServices. asmx?op=getDebrisAlertInfo

■ 規格定義

A. 輸出資料標籤說明:

編號	標籤名稱	標籤說明
01	County	縣市
02	Town	鄉鎮
03	Vill	村里
04	Debrisno	土石流潛勢溪流編
		號
05	AlertValue	警戒值
06	station1ID	參考雨量站 IID
07	station12D	參考雨量站.21ID
08	station1StationName	參考雨量站1站名
09	Station2StationName	參考雨量站 2 站名

B. JSON Output 範例:

JSON 格式

[{"County":"桃園縣","Town":"復興鄉","Vill":"高義村","Debrisno":"桃園縣

DF036","AlertValue":"350","station1ID":"999","station2ID":"1001","station1StationName":"巴陵","station2StationName":"嘎拉賀"},

. . .

{"County":"花蓮縣","Town":"秀林鄉","Vill":"和平村":"Debrisno":"花縣DF166","AlertValue":"250","station1ID":"1199","station2ID":"1198","tation1StationName":"和中","station2StationName":"富世"}]

(2) 進階資料查詢

■ 規格定義

- A. http://fema.swcb.gov.tw/webservices/DebrisAlertServices.
 asmx/getDebrisVillInfo?strCounty={County}&
 strTown={Town}輸入的參數名稱不必都出現。
- B. 輸入的參數名稱說明與輸出範例如下。

■ Input

項次	參數名稱	說明	備註
1	strCounty	縣市	如:將{County} 代換成 南投縣
2	strTown	鄉鎮	如:將{Town} 代換成 仁愛鄉

Output

JSON 格式

[{"County":"桃園縣","Town":"復興鄉","Vill":"高義村","Debrisno":"桃園縣

DF036","AlertValue":"350","station1ID":"999","station2ID":"1001","station1StationName":"巴陵","station2StationName":"嘎拉賀"},

. . .

{"County":"花蓮縣","Town":"秀林鄉","Vill":"和平村":"Debrisno":"花縣DF166","AlertValue":"250","station1ID":"1199","station2ID":"1198","tation1StationName":"和中","station2StationName":"富世"}]