


signup otp request with email

url : <http://127.0.0.1:8000/api/accounts/signup/otp/request/>

method : POST

body :

```
{  
  "email": "semsarifatemeh@gmail.com"  
}
```



otp request cache


```
127.0.0.1:6379> KEYS otp:*  
1) "otp:login:email:fatemehsemsari@gmail.com:cooldown"  
2) "otp:login:email:fatemehsemsari@gmail.com"
```

After using otp

```
127.0.0.1:6379> KEYS otp:*  
(empty array)  
127.0.0.1:6379>
```

otp request before 60s

resend previous request immediately after first request




Signup with otp and email

url: <http://127.0.0.1:8000/api/accounts/signup/>

method: POST

body:

```
{  
  "first_name": "fatemeh",  
  "last_name": "semsari",  
  "email": "semsarifatemeh@gmail.com",  
  "password": "TestPass123!",  
  "otp_code": "196693"  
}
```




Signup otp request with phone

url : <http://127.0.0.1:8000/api/accounts/signup/otp/request/>

method : POST

body :

```
{  
  "phone": "09146496236"  
}
```




Signup with otp and mobile

method: POST

body :

```
{  
  "first_name": "zahra",  
  "last_name": "semsari",  
  "phone": "09146496236",  
  "password": "TestPass123!",  
  "otp_code": "365940"  
}
```




Signup otp request with existing mobile/email

url : <http://127.0.0.1:8000/api/accounts/signup/otp/request/>

method : POST

body :

```
{  
  "phone": "09146496236"  
}
```




Login otp request

url : <http://127.0.0.1:8000/api/accounts/login/otp/request/>

method : POST

body :

```
{  
  "identifier": "semsarifatemeh@gmail.com",  
  "password": "TestPass123!"  
}
```




Login with otp

url : <http://127.0.0.1:8000/api/accounts/login/>

method : POST

body :

```
{  
  "identifier": "semsarifatemeh@gmail.com",  
  "otp_code": "655154"  
}
```




Login otp request with user who is not registered

url : <http://127.0.0.1:8000/api/accounts/login/otp/request/>

method : POST

body :

```
{  
  "identifier": "nobody@example.com",  
  "password": "TestPass123!"  
}
```




Get profile

Method : GET

Authorization → Bearer Token → Token :

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VyX2lkIjoxLCJyb2x1IjoieY3VzdG9tZXIiLCJleHAiOiJlE3ODY3ODY4NDMlhdCI6MTc4Njc3OTY0MywidHlwZSI6ImFjY2VzcyJ9.rVcF5-ac5LFbiiOZTv9TbSeV1b8QDx6moXW19j4wQpo



PATCH profile


url : PATCH

Authorization → Bearer Token → Token :

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VyX2lkjoxLCJyb2x1joiY3VzdG9tZXliLCJleHAiOiJlODY3ODY4NDMslmhdCI6MTc4Njc3OTY0MywidHlwZSI6ImFjY2VzcyJ9.rVcF5-ac5LFbii0ZTv9TbSeV1b8QDx6moXW19j4wQpo

Body:

```
{  
  
  "first_name": "fatemeh2",  
  
  "last_name": "semsari2"  
}
```





After updating the user profile , cache is cleared

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS D:\Database Project\backend\sport_ticketing> docker ps
CONTAINER ID   IMAGE     COMMAND                  CREATED        STATUS        PORTS
5e39d0b44a05   redis    "docker-entrypoint.s..." 2 months ago   Up 2 hours    0.0.0.0:6379->6379/tcp, [::]:6379->6379/tcp
p_redis-sport
PS D:\Database Project\backend\sport_ticketing> docker exec -it 5e39d0b44a05 redis-cli
127.0.0.1:6379> KEYS profile:user: pattern
PS D:\Database Project\backend\sport_ticketing> docker exec -it 5e39d0b44a05 redis-cli
127.0.0.1:6379> KEYS profile:user:*
(empty array)
127.0.0.1:6379>
```

After getting the user , profile cached in Redis



Email change request

url : <http://127.0.0.1:8000/api/accounts/profile/contact-change/otp/request/>


method : POST

Authorization → Bearer Token → Token :

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VyX2lkIjoxLCJyb2x1IjoieY3VzdG9tZXIiLCJleHAiOiJlE3ODY3ODY4NDMsImhhdCI6MTc0Njc3OTY0MywidHlwZSI6ImFjY2VzcyJ9.rVcF5-ac5LFbii0ZTv9TbSeV1b8QDx6moXW19j4wQpo

Body :

```
{  
  "identifier_type": "email",  
  "new_identifier": "fatemehsemsari@gmail.com",  
  "password": "TestPass123!"  
}
```



Expired otp for change email request

url : <http://127.0.0.1:8000/api/accounts/profile/contact-change/confirm/>


method : POST

Authorization → Bearer Token → Token :

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VyX2lkIjoxLCJyb2x1IjoieY3VzdG9tZXliLCJleHAiOiJlE3ODY3ODY4NDMsImhhdCI6MTc4Njc3OTY0MywidHlwZSI6ImFjY2VzcyJ9.rVcF5-ac5LFbii0ZTv9TbSeV1b8QDx6moXW19j4wQpo

Body :

```
{  
  "identifier_type": "email",  
  "new_identifier": "fatemehsemsari@gmail.com",  
  "otp_code": "332038"  
}
```



Confirm change email

url : <http://127.0.0.1:8000/api/accounts/profile/contact-change/confirm/>


method : POST

Authorization → Bearer Token → Token :

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VyX2lkIjoxLCJyb2xlIjoieY3VzdG9tZXIiLCJleHAiOiJlE3ODY3ODY4NDMsImIhdCI6MTc4Njc3OTY0MywidHlwZSI6ImFjY2VzcyJ9.rVcF5-ac5LFbiiOZTv9TbSeV1b8QDx6moXW19j4wQpo

Body :

```
{  
  "identifier_type": "email",  
  "new_identifier": "fatemehsemsari@gmail.com",  
  "otp_code": "629067"  
}
```



Get cities

url : <http://127.0.0.1:8000/api/catalog/cities/>

method : GET

The screenshot shows the Postman application interface. The URL bar contains `http://127.0.0.1:8000/api/catalog/cities/` and the method is set to `GET`. The response status is `200 OK` with a response time of `50 ms` and a size of `923 B`. The response body is in JSON format, showing a successful message and a list of cities.

```
{
  "success": true,
  "message": "Cities retrieved successfully.",
  "data": {
    "cities": [
      {
        "id": 4,
        "name": "Munich",
        "province_id": 4,
        "province_name": "Bavaria",
        "country_id": 2,
        "country_name": "Germany",
        "country_iso_code": "DE"
      }
    ]
  }
}
```

With filter

The screenshot shows the Postman application interface with a filtered request. The URL bar contains `http://127.0.0.1:8000/api/catalog/cities/?country_id=1&province_id=1&search=Tehran` and the method is set to `GET`. The response status is `200 OK` with a response time of `39 ms` and a size of `526 B`. The response body is in JSON format, showing a successful message and a list of cities filtered by the specified criteria.

```
{
  "success": true,
  "message": "Cities retrieved successfully.",
  "data": {
    "cities": [
      {
        "id": 1,
        "name": "Tehran",
        "province_id": 1,
        "province_name": "Tehran",
        "country_id": 1,
        "country_name": "Iran",
        "country_iso_code": "IR"
      }
    ]
  }
}
```

Get venue

url : <http://127.0.0.1:8000/api/catalog/venues/?search=Azadi>

method : GET


The screenshot shows the Postman interface with a GET request to `http://127.0.0.1:8000/api/catalog/venues/?search=Azadi`. The response is a 200 OK status with a response time of 43 ms and a body size of 624 B. The response body is displayed in JSON format, showing a successful retrieval of venues.

```
{
  "success": true,
  "message": "Venues retrieved successfully.",
  "data": {
    "venues": [
      {
        "id": 1,
        "name": "Azadi Stadium",
        "address": "Azadi Sports Complex, Tehran",
        "capacity": 78000,
        "city_id": 1,
        "city_name": "Tehran",
        "province_id": 1,
      }
    ]
  }
}
```

Get sport

url : <http://127.0.0.1:8000/api/catalog/sports/>


method : GET



Get leagues

url : <http://127.0.0.1:8000/api/catalog/leagues/>


method : GET



Get teams

url : <http://127.0.0.1:8000/api/catalog/teams/>

method : GET



Ticket search

url : <http://127.0.0.1:8000/api/tickets/search/>

method : GET

The screenshot shows the Postman interface with a GET request to `http://127.0.0.1:8000/api/tickets/search/` successfully executed. The response is a 200 OK status with a response time of 80 ms and a body size of 2.35 KB. The response body is displayed in JSON format, showing a successful ticket search result.


```
{
  "success": true,
  "message": "Available tickets retrieved successfully.",
  "data": {
    "tickets": [
      {
        "event_id": 1001,
        "event_datetime": "2026-08-22T13:29:30.049947Z",
        "event_status": "scheduled",
        "sport_id": 1,
        "sport_name": "Football",
        "league_id": 1,
        "league_name": "Persian Gulf Pro League",
      }
    ]
  }
}
```

Ticket search with filter


url : http://127.0.0.1:8000/api/tickets/search/?team_id=1

method : GET

The search result was not cached the first



In second request , search result was cached



```
127.0.0.1:6379> KEYS ticket-search:*
1) "ticket-search:v1:fca886bf99759d0e930ca1a5db2514728dff224c2d3dd9978c50f3dd0e89f463"
2) "ticket-search:version"
127.0.0.1:6379>
```


After 30s

```
127.0.0.1:6379> KEYS ticket-search:*
1) "ticket-search:version"
127.0.0.1:6379> |
```


Getting available seats in specific ticket category

url : http://127.0.0.1:8000/api/reservations/seats/?ticket_category_id=1001

method : GET



Create reservation

url : <http://127.0.0.1:8000/api/reservations/>


method : POST

Authorization → Bearer Token → Token :

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VyX2lkIjoxLCJyb2x1IjoieY3VzdG9tZXliLCJleHAiOiJlE3ODY3ODY4NDMsImh0dCI6MTc4Njc3OTY0MywidHlwZSI6ImFjY2VzcyJ9.rVcF5-ac5LFbiiOZTv9TbSeV1b8QDx6moXW19j4wQpo

body :

```
{  
  "ticket_category_id": 1001,  
  "inventory_id": 1005  
}
```



After reservation

The screenshot shows a Postman interface with a GET request to `http://127.0.0.1:8000/api/reservations/seats/?ticket_category_id=1001`. The request is successful, returning a 200 OK status with a response time of 83 ms and a body size of 1.15 KB. The response body is a JSON array with one object:

```
1 {
2   "ticket_category_id": 1001,
3   "inventory_id": 1005
4 }
```

The response body is also shown in a visualized JSON format:

```
39 {
40   "inventory_id": 1004,
41   "seat_id": 1004,
42   "row_number": "A",
43   "seat_number": 4,
44   "section_id": 1001,
45   "section_name": "VIP West",
46   "ticket_category_id": 1001,
47   "ticket_category_name": "VIP",
48   "price": 5000000
49 }
50 ],
51 "count": 4
52 }
53 }
```

After 10 minutes reservation expires

The screenshot shows a Postman interface with a GET request to `http://127.0.0.1:8000/api/reservations/seats/?ticket_category_id=1001`. The request is successful, returning a 200 OK status with a response time of 68 ms and a body size of 1.33 KB. The response body is a JSON array with one object:

```
1 Ctrl+Alt+P to Ask AI
```

The response body is also shown in a visualized JSON format:

```
51 {
52   "inventory_id": 1005,
53   "seat_id": 1005,
54   "row_number": "A",
55   "seat_number": 5,
56   "section_id": 1001,
57   "section_name": "VIP West",
58   "ticket_category_id": 1001,
59   "ticket_category_name": "VIP",
60   "price": 5000000
61 }
62 ],
63 "count": 5
64 }
```

Reservation conflict


We login with another user with this information

```
{  
  "identifier": "09146496236",  
  "password": "TestPass123!"  
}
```

Now we reserve the seat with this information

```
{  
  "ticket_category_id": 1001,  
  "inventory_id": 1005  
}
```

Whitch has been reserved by another user




User's reservations

url : <http://127.0.0.1:8000/api/reservations/mine/>

method : GET

Authorization → Bearer Token → Token :

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VyX2kljoxLCJyb2xlljoiY3VzdG9tZXIiLCJleHAiOiJlE3ODY4MDI1NTgsImhhdCI6MTc0Njc5NTM1OCwidHlwZSI6ImFjY2VzcyJ9.sFxEI80TLJOYT_DNr6u8xqXrLTwTgKwznmFj8JbYpA



Returned Jason :

```
{
  "success": true,
  "message": "Reservations retrieved successfully.",
  "data": {
    "active": [
      {
        "reservation_id": 5,
        "event_id": 1001,
        "event_datetime": "2026-08-22T13:29:30.049947Z",
        "home_team_name": "Persepolis",
        "away_team_name": "Esteghlal",
        "venue_name": "Azadi Stadium",
        "city_name": "Tehran",
        "ticket_category_id": 1001,
        "ticket_category_name": "VIP",
        "status": "pending",
        "quantity": 1,
        "price": 5000000,
        "total_amount": 5000000,
        "reserved_at": "2026-08-15T12:04:26.787396Z",
        "expires_at": "2026-08-15T12:14:26.786928Z",
        "paid_at": null,
        "remaining_seconds": 586,
        "seats": [
```

```
{
  "inventory_id": 1005,
  "seat_id": 1005,
  "row_number": "A",
  "seat_number": 5,
  "section_id": 1001,
  "section_name": "VIP West"
}
]
}
],
"active_count": 1,
"history": [
  {
    "reservation_id": 4,
    "event_id": 1001,
    "event_datetime": "2026-08-22T13:29:30.049947Z",
    "home_team_name": "Persepolis",
    "away_team_name": "Esteghlal",
    "venue_name": "Azadi Stadium",
    "city_name": "Tehran",
    "ticket_category_id": 1001,
    "ticket_category_name": "VIP",
    "status": "expired",
    "quantity": 1,
    "price": 5000000,
  }
]
```

```
"total_amount": 5000000,

"reserved_at": "2026-08-15T11:51:49.368737Z",

"expires_at": "2026-08-15T12:01:49.368118Z",

"paid_at": null,

"remaining_seconds": null,

"seats": [

  {

    "inventory_id": 1005,

    "seat_id": 1005,

    "row_number": "A",

    "seat_number": 5,

    "section_id": 1001,

    "section_name": "VIP West"

  }

],

{

  "reservation_id": 3,

  "event_id": 1001,

  "event_datetime": "2026-08-22T13:29:30.049947Z",

  "home_team_name": "Persepolis",

  "away_team_name": "Esteghlal",

  "venue_name": "Azadi Stadium",


  "city_name": "Tehran",

  "ticket_category_id": 1001,

  "ticket_category_name": "VIP",
```



```
"status": "expired",
"quantity": 1,
"price": 5000000,
"total_amount": 5000000,
"reserved_at": "2026-08-15T11:20:16.532515Z",
"expires_at": "2026-08-15T11:30:16.531456Z",
"paid_at": null,
"remaining_seconds": null,
"seats": [
  {
    "inventory_id": 1005,
    "seat_id": 1005,
    "row_number": "A",
    "seat_number": 5,
    "section_id": 1001,
    "section_name": "VIP West"
  }
]
},
"history_count": 2
}
```



Returned Jason :

```
{
  "success": true,
  "message": "Payment completed successfully and ticket issued.",
  "data": {
    "payment_id": 1,
    "reservation_id": 5,
    "amount": 5000000,
    "method": "bank_card",
    "payment_status": "successful",
    "transaction_ref": "a43eb2f15a4c4742b897bca812ea85e2",
    "paid_at": "2026-08-15T12:09:07.381263Z",
    "reservation_status": "paid",
    "tickets": [
      {
        "ticket_id": 1,
        "inventory_id": 1005,
        "serial_number": 100000,
        "status": "valid",
        "issue_date": "2026-08-15T12:09:07.381263Z"
      }
    ]
  }
}
```

Request to pay the ticket again

The image shows the Postman application interface. The top bar includes navigation icons, a search bar, and an 'Upgrade' button. The left sidebar contains icons for Collections, Environments, History, Flows, and Files. The main workspace displays a POST request to `http://127.0.0.1:8000/api/payments/`. The request body is raw text:

```
{
  "reservation_id": 5,
  "method": "bank_card"
}
```

. The response status is **409 Conflict** with a response time of 83 ms and a body size of 354 B. The response body is JSON:

```
{
  "detail": "This reservation has already been paid."
}
```

. The bottom status bar shows various tool icons like Cloud View, Find and replace, Console, Terminal, Postbot, Runner, Start Proxy, Cookies, Vault, and Trash.


User's booking

url : <http://127.0.0.1:8000/api/tickets/my-bookings/>

method : GET

Authorization → Bearer Token → Token :

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VyX2lkIjoxLCJyb2xlljoiY3VzdG9tZXIiLCJleHAiOiJlE3ODY4MDI1NTgsImhhdCI6MTc4Njc5NTM1OCwidHlwZSI6ImFjY2VzcyJ9.sFXuEI80TLJOYT_DNr6u8xqXrLTwTgKwznmFj8JbYpA



Returned Jason :

```
{
  "success": true,
  "message": "User bookings retrieved successfully.",
  "data": {
    "upcoming": [
      {
        "ticket_id": 1,
        "serial_number": 100000,
        "ticket_status": "valid",
        "booking_state": "upcoming",
        "issue_date": "2026-08-15T12:09:07.381263Z",
        "reservation_id": 5,
        "reservation_status": "paid",
        "total_amount": 5000000,
        "paid_at": "2026-08-15T12:09:07.381263Z",
        "event_id": 1001,
        "event_datetime": "2026-08-22T13:29:30.049947Z",
        "sport_id": 1,
        "sport_name": "Football",
        "league_id": 1,
        "league_name": "Persian Gulf Pro League",
        "league_season": "2026-2027",
```

```
"home_team_id": 1,
"home_team_name": "Persepolis",
"home_team_logo_url": "https://example.com/persepolis.png",
"away_team_id": 2,
"away_team_name": "Esteghlal",
"away_team_logo_url": "https://example.com/esteghlal.png",
"venue_id": 1,
"venue_name": "Azadi Stadium",
"venue_address": "Azadi Sports Complex, Tehran",
"city_id": 1,
"city_name": "Tehran",
"ticket_category_id": 1001,
"ticket_category_name": "VIP",
"purchase_price": 5000000,
"section_id": 1001,
"section_name": "VIP West",
"seat_id": 1005,
"row_number": "A",
"seat_number": 5,
"checked_in_at": null,
"gate": null
}
],
"cancelled": [],
"used": [],
"past": [],
```


```
"counts": {  
  "upcoming": 1,  
  "cancelled": 0,  
  "used": 0,  
  "past": 0  
},  
"total_count": 1  
}
```

```
}
```


Getting cancellation info of the specific ticket

url : <http://127.0.0.1:8000/api/tickets/1/cancellation-info/>

method : GET



Returned Jason :

```
{  
  "success": true,  
  "message": "Cancellation information retrieved successfully.",  
  "data": {  
    "ticket_id": 2,  
    "reservation_id": 6,  
    "event_id": 1001,  
    "event_datetime": "2026-08-22T13:29:30.049947Z",  
    "organizer_id": 1001,  
    "organizer_name": "Iran Football Events",  
    "ticket_category_id": 1002,  
    "ticket_category_name": "Regular",  
    "ticket_status": "valid",  
    "reservation_status": "paid",  
    "purchase_price": 1500000,  
    "remaining_hours": 164.48281820055556,  
    "can_cancel": true,  
    "rule_id": 1001,  
    "min_hours_before_event": 72.0,  
    "max_hours_before_event": null,  
    "refund_percent": 90,  
  }  
}
```

```
"penalty_percent": 10,  
"refund_amount": 1350000,  
"penalty_amount": 150000,  
"policy_notes": "More than 72 hours before event: 90 percent refund.",  
"reason": null  
}  
}
```


Cancelling the ticket

url : <http://127.0.0.1:8000/api/tickets/2/cancel/>


method : POST

Authorization → Bearer Token → Token :

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VyX2lkIjoxLCJyb2xlIjoieY3VzdG9tZXIiLCJleHAiOiJlE3ODY4MjAxODMsImhhdCI6MTc4NjgxMjk4MywidHlwZSI6ImFjY2VzcyJ9.z4GRj1rv8Vfsly0E9j48eoYuKskVxsWdz6fm0Xz2bWs



User's bookings after cancellation



Returned Jason :

```
{
  "success": true,
  "message": "User bookings retrieved successfully.",
  "data": {
    "upcoming": [
      {
        "ticket_id": 1,
        "serial_number": 100000,
        "ticket_status": "valid",
        "booking_state": "upcoming",
        "issue_date": "2026-08-15T12:09:07.381263Z",
        "reservation_id": 5,
        "reservation_status": "paid",
```

"total_amount": 5000000,
"paid_at": "2026-08-15T12:09:07.381263Z",
"event_id": 1001,
"event_datetime": "2026-08-22T13:29:30.049947Z",
"sport_id": 1,
"sport_name": "Football",
"league_id": 1,
"league_name": "Persian Gulf Pro League",
"league_season": "2026-2027",
"home_team_id": 1,
"home_team_name": "Persepolis",
"home_team_logo_url": "https://example.com/persepolis.png",
"away_team_id": 2,
"away_team_name": "Esteghlal",
"away_team_logo_url": "https://example.com/esteghlal.png",
"venue_id": 1,
"venue_name": "Azadi Stadium",
"venue_address": "Azadi Sports Complex, Tehran",
"city_id": 1,
"city_name": "Tehran",
"ticket_category_id": 1001,
"ticket_category_name": "VIP",
"purchase_price": 5000000,
"section_id": 1001,
"section_name": "VIP West",
"seat_id": 1005,

```
"row_number": "A",
"seat_number": 5,
"checked_in_at": null,
"gate": null
}
],
"cancelled": [
{
  "ticket_id": 2,
  "serial_number": 100001,
  "ticket_status": "cancelled",
  "booking_state": "cancelled",
  "issue_date": "2026-08-15T16:59:06.535144Z",
  "reservation_id": 6,
  "reservation_status": "cancelled",
  "total_amount": 1500000,
  "paid_at": "2026-08-15T16:59:06.535144Z",
  "event_id": 1001,
  "event_datetime": "2026-08-22T13:29:30.049947Z",
  "sport_id": 1,
  "sport_name": "Football",
  "league_id": 1,
  "league_name": "Persian Gulf Pro League",
  "league_season": "2026-2027",
  "home_team_id": 1,
  "home_team_name": "Persepolis",
```


```
"home_team_logo_url": "https://example.com/persepolis.png",
"away_team_id": 2,
"away_team_name": "Esteghlal",
"away_team_logo_url": "https://example.com/esteghlal.png",
"venue_id": 1,
"venue_name": "Azadi Stadium",
"venue_address": "Azadi Sports Complex, Tehran",
"city_id": 1,
"city_name": "Tehran",
"ticket_category_id": 1002,
"ticket_category_name": "Regular",
"purchase_price": 1500000,
"section_id": 1002,
"section_name": "East Stand",
"seat_id": 1014,
"row_number": "B",
"seat_number": 4,
"checked_in_at": null,
"gate": null
}
],
"used": [],
"past": [],
"counts": {
  "upcoming": 1,
  "cancelled": 1,
```



```
    "used": 0,  
    "past": 0  
  },  
  "total_count": 2  
}
```

```
}
```

Cancelling the cancelled ticket



Create report for the specific ticket

url : <http://127.0.0.1:8000/api/reports/>


method : POST

Authorization → Bearer Token → Token :

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VyX2lkIjoxLCJyb2xlIjoieY3VzdG9tZXIiLCJleHAiOiJlE3ODY4MjAxODMsImhhdCI6MTc4NjgxMjk4MywidHlwZSI6ImFjY2VzcyJ9.z4GRj1rv8Vfsly0E9j48eoYuKskVxsWdz6fm0Xz2bWs

Body :

```
{  
  "ticket_id": 2,  
  "issue_type": "ticket_information",  
  "message": "I accidently cancelled my ticket . what can I do?"  
}
```



Valid issue types for ticket/reservation reports :

- purchase_problem
- payment_problem
- ticket_information
- pricing_problem
- seat_problem
- venue_problem
- event_time_change
- unexpected_cancellation
- other

Support login

The image shows the Postman application interface. At the top, the title bar indicates the workspace is 'API Network'. The main area displays a POST request to the endpoint `http://127.0.0.1:8000/api/accounts/login/`. The request body is a JSON object with the following structure:

```
1 {
2   "identifier": "support@gmail.com",
3   "otp_code": "321921"
4 }
```

The response is a 200 OK status, indicating a successful login. The response body is a JSON object with the following structure:

```
1 {
2   "success": true,
3   "message": "User logged in successfully.",
4   "data": {
5     "user": {
6       "id": 3,
7       "first_name": "ali",
8       "last_name": "mohammadi",
9       "email": "support@gmail.com",
10      "phone": null,
11      "role": "support",
12      "email_verified": true,

```

The interface also shows a sidebar with navigation options like Collections, Environments, History, Flows, and Files. The bottom status bar displays various tool icons and the current status of the request.


Support's all delivered reports

url : <http://127.0.0.1:8000/api/support/reports/>

method : GET

Authorization → Bearer Token → Token :

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VyX2lkIjozLCJyb2xlljoic3VwcG9ydClmV4cCI6MTc4NjgyMzgxNSwiaWF0IjoxNzgzODE2NjE1LCJ0eXBlljoiYWVjZjZlLn0.KyBt6elpO9kPo8UolSaggSay0sez8sY7IJe2--0629M



Returned Jason :

```
{
  "success": true,
  "data": {
    "reports": [
      {
        "report_id": 1,
        "user_id": 1,
        "first_name": "fatemeh2",
        "last_name": "semsari2",
        "email": "fatemehsemsari@gmail.com",
        "phone": null,
        "ticket_id": 2,
        "reservation_id": 6,
        "issue_type": "ticket_information",
        "message": "I accidently cancelled my ticket . what can I do?",
        "status": "pending",
        "support_response": null,
        "reviewed_by": null,
        "reviewed_at": null,
        "reviewer_first_name": null,
        "reviewer_last_name": null
      }
    ],
    "count": 1
  }
}
```


Checking cancelled tickets

url : <http://127.0.0.1:8000/api/support/cancelled-tickets/>

method : GET

Authorization → Bearer Token → Token :

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VyX2lkIjozLCJyb2xlljoic3VwcG9ydCI6ImV4cCI6MTc4NjgyMzg5NSwiaWF0IjoxNzgzODE2NjE1LCJ0eXBlljoiYWVjZjZlLn0.KyBt6elpO9kPo8UolSaggSay0sez8sY7IJe2--0629M



Returned Jason :

```
{
  "success": true,
  "data": {
    "tickets": [
      {
        "ticket_id": 2,
```



```
    "serial_number": 100001,  
    "ticket_status": "cancelled",  
    "issued_at": "2026-08-15T16:59:06.535144Z",  
    "reservation_id": 6,  
    "reservation_status": "cancelled",  
    "user_id": 1,  
    "first_name": "fatemeh2",  
    "last_name": "semsari2",  
    "email": "fatemehsemsari@gmail.com",  
    "phone": null,  
    "event_id": 1001,  
    "event_datetime": "2026-08-22T13:29:30.049947Z",  
    "home_team_name": "Persepolis",  
    "away_team_name": "Esteghlal",  
    "venue_name": "Azadi Stadium",  
    "inventory_id": 1014,  
    "row_number": "B",  
    "seat_number": 4,  
    "section_name": "East Stand"  
  }  
],  
  "count": 1  
}  
}
```


Suspicious Payments

url: <http://127.0.0.1:8000/api/support/suspicious-payments/>

method : GET

Authorization → Bearer Token → Token :

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VyX2lkIjozLCJyb2xlljoic3VwcG9ydCIsImV4cCI6MTc0NjgyMzg5NSwiaWF0IjojODZlOjE1LCJ0eXBlljoiiWVNjZXNzLn0.KyBt6elP09kPo8UoISaggSay0sez8sY7IJe2--0629M



This API detect 7 types of abnormalities

- amount_mismatch
- successful_without_paid_at
- successful_payment_but_reservation_not_paid
- refunded_without_refund_amount
- refund_exceeds_payment
- refund_status_mismatch
- multiple_successful_payments

Update Report


url : <http://127.0.0.1:8000/api/support/reports/1/>

method : PATCH

Authorization → Bearer Token → Token :

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VyX2lkIjozLCJyb2x1Ijoic3VwcG9ydClmV4cCI6MTc4NjgyMzgxNSwiaWF0IjoxNzg2ODE2NjE1LCJ0eXB1IjojYWVWZWNjZXNzLn0.KyBt6elpO9kPo8UolSaggSay0sez8sY7IJe2--0629M

```
{  
  "status": "resolved",  
  "support_response": "The reported issue has been resolved."  
}
```



Returned Jason :

```
{
  "success": true,
  "message": "Report reviewed successfully.",
  "data": {
    "report_id": 1,
    "user_id": 1,
    "first_name": "fatemeh2",
    "last_name": "semsari2",
    "email": "fatemehsemsari@gmail.com",
    "phone": null,
    "ticket_id": 2,
    "reservation_id": 6,
    "issue_type": "ticket_information",
    "message": "I accidentally cancelled my ticket . what can I do?",
    "status": "resolved",
    "support_response": "The reported issue has been resolved.",
    "reviewed_by": 3,
    "reviewed_at": "2026-08-15T18:49:28.224223Z",
    "reviewer_first_name": "ali",
    "reviewer_last_name": "mohammadi"
  }
}
```

Modify reservation

url: <http://127.0.0.1:8000/api/support/reservations/9/>


method : PATCH

Authorization → Bearer Token → Token :

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VyX2lkIjozLCJyb2xlljoic3VwcG9ydCI6ImV4cCI6MTc4NjgyMzg5NSwiaWF0IjojNzg2ODE2NjE1LCJ0eXBlljoicjYWNjZXNzIn0.KyBt6eIpO9kPo8UoISaggSay0sez8sY7IJe2--0629M

Body :

```
{
  "action": "modify",
  "expires_at": "2026-08-16T23:58:00Z",
  "note": "Expiration extended by support."
}
```



Cancel reservation

url : <http://127.0.0.1:8000/api/support/reservations/9/>

method : PATCH

AUTHORIZATION → BEARER TOKEN → TOKEN :

EYJHBGCIOIJIUZI1NIIISINR5CCI6IKPXVCJ9.EYJ1C2VYX2LKIJOZLCJYB2XLIJOIC3VWCG9YDC
ISIMV4CCI6MTC4NJGYMZGXNSWIAWF0IJOXNZG2ODE2NJE1LCJ0EXBLIJOIYWNJZXNZIN0.
KYBT6EIPO9KPO8UOLSAGGSAY0SEZ8SY7IJE2--0629M

Body :

```
{  
  
  "ACTION": "CANCEL",  
  
  "NOTE": "CANCELLED BY SUPPORT."  
}
```

