



Sri Chaitanya IIT Academy, India

A.P, TELANGANA, KARNATAKA, TAMILNADU, MAHARASHTRA, DELHI, RANCHI

A right Choice for the Real Aspirant

ICON CENTRAL OFFICE, MADHAPUR-HYD

Sec: Sr. IPLCO

Time: 9:00 AM to 12:00 Noon

RPTM-5

Date: 05-09-15


Max.Marks: 360

KEY SHEET

PHYSICS		MATHS		CHEMISTRY	
Q.NO	ANSWER	Q.NO	ANSWER	Q.NO	ANSWER
1	2	31	3	61	4
2	1	32	1	62	2
3	1	33	4	63	1
4	2	34	3	64	4
5	3	35	3	65	4
6	2	36	1	66	4
7	1	37	4	67	2
8	1	38	1	68	4
9	3	39	1	69	3
10	1	40	3	70	2
11	2	41	2	71	3
12	3	42	1	72	4
13	2	43	4	73	1
14	2	44	1	74	2
15	2	45	4	75	3
16	2	46	4	76	3
17	4	47	2	77	3
18	1	48	3	78	3
19	3	49	3	79	4
20	3	50	1	80	4
21	2	51	4	81	4
22	3	52	4	82	4
23	3	53	1	83	3
24	4	54	3	84	3
25	2	55	2	85	2
26	2	56	3	86	2
27	1	57	1	87	2
28	4	58	3	88	2
29	2	59	2	89	4
30	1	60	2	90	2

CHEMISTRY

61. Conversion of hemiacetal to acetal requires acid medium for the dehydration.




(2.5D)

(Propanal)

Carbonyl groups being more polar, thus

dipole moment of these

(1-Butene)




(0.3D)

are substantially larger than those of

alkenes with comparable

molecular masses. Alkyl substituents stabilize the carbonyl group in the same way that they stabilize C = C double bond or carbocation. Heat of combustion of butanal is 592Kcal/mole whereas for that of butanone is 584Kcal/mole.


62. Liquid dish washing detergents are non-ionic type.
63. Some of the tranquillizers reduce the level of noradrenaline by inhibiting the action of related enzymes
64. Sucralose does not decompose while aspartame does at the cooking temperature.
65. Bithonol is added to soap to give antiseptic properties.
66. A narrow spectrum antibiotic is active against gram-positive or gram-negative bacteria.
67. b - sodium benzoate is food preservative
a – sodium lauryl sulphate is biodegradable detergent.
c – sodium stearate is soap.
68. (P) $\Rightarrow \text{CH}_3 - \text{CHO}$
(Q) $\Rightarrow \text{CH}_3 - \text{CH}_2 - \text{CHO}$
69. Vitamins are never drug target in a body.
70. due to steric and electronic factors
71. $\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_2\text{CHO}$, $\text{CH}_3\text{CH}_2\text{CH}(\text{CH}_3)\text{CHO}$, $(\text{CH}_3)_3\text{C} - \text{CHO}$, $\text{CH}_3\text{CH}(\text{CH}_3)\text{CH}_2\text{CHO}$




72.

73. It is an aldol condensation at low temperature to give β - hydroxy ketone


74. It is acid catalysed aldol condensation



75. a) is obtained from

b) is obtained from $\text{CH}_3\text{COCH}_2\text{CH}_2\text{CH}_2\text{CHO}$ 


c) is obtained from







d) is obtained from



76.


I)





78.






Not oxidised by PCC

79.

80. All of them are acetals.

81. 5-ethyl 4-oxo-hex-5-ene-1-al

82. Alkenes are electron rich and do not attacked by nucleophiles


83. Jone's reagent oxidize 1^0 - alcohols to carboxylic acid, whereas PCC oxidizes 1^0 - alcohols to aldehydes

84.


only three out of six carbon atoms bonded to two oxygen atoms

85. Clear, colourless aq. solution of 40% formaldehyde solution is Formalin. It is used to preserve biological specimens


86.



1)




2)




3)

87. (I & II) hemiacetals gives positive Tollen's test, (III) acetal do not show positive Tollen's test



88.

Intramolecular Cannizaro type.



89.



90. Beckmann Rearrangement-anti migration takes place