

Wanderlux AEM Project — Walkthrough Notes

Chat export with Claude Code · Project: c:\aem\my_project\wanderlux · User: fathimazuhra.ab@cognizant.com · Date: 2026-06-16

Q1. Give links to the files — all components, CF, tests and other things I may need to explain — organized in my project.

1. Java Sling Models

Location: `wanderlux/core/src/main/java/com/cognizant/aem/wanderlux/models/`

- [AboutContentModel.java](#)
- [AccordionModel.java](#)
- [BookingFormModel.java](#)
- [ContactFormModel.java](#)
- [ContactInfoModel.java](#)
- [CTABannerModel.java](#)
- [DestinationCardModel.java](#)
- [DestinationDetailBlockModel.java](#)
- [DestinationListModel.java](#)
- [FeatureTileModel.java](#) · [FeatureTilesModel.java](#)
- [FilterBarModel.java](#)
- [FooterModel.java](#)
- [GalleryModel.java](#)
- [HeroBannerModel.java](#)
- [ItineraryTabsModel.java](#)
- [MapModel.java](#)
- [NavigationModel.java](#)
- [PageHeroModel.java](#)
- [PaginationModel.java](#)
- [RelatedDestModel.java](#)
- [StatsBannerModel.java](#)
- [TeamMemberModel.java](#) · [TeamMembersModel.java](#)
- [TestimonialModel.java](#) · [TestimonialsModel.java](#)

2. Services & Servlets

Services

- [EmailService.java](#) (interface)
- [EmailServiceImpl.java](#) · [EmailServiceConfig.java](#)
- [GoogleMapsServiceConfig.java](#)

- [WanderLuxAppConfig.java](#)

Servlets

- [BookingServlet.java](#)
- [ContactServlet.java](#)

3. HTL Components

Location: `wanderlux/ui.apps/src/main/content/jcr_root/apps/wanderlux/components/`

- [about-content.html](#)
- [accordion.html](#)
- [booking-form.html](#)
- [contact-form.html](#)
- [contact-info.html](#)
- [contact-section.html](#)
- [cta-banner.html](#)
- [destination-card.html](#)
- [destination-detail-block.html](#)
- [destination-list.html](#)
- [detail-hero-image.html](#)
- [feature-tile.html](#) · [feature-tiles.html](#)
- [filter-bar.html](#)
- [footer.html](#)
- [gallery.html](#)
- [hero-banner.html](#)
- [itinerary-tabs.html](#)
- [map.html](#)
- [navigation.html](#)
- [page-hero.html](#)
- [pagination.html](#)
- [related-destinations.html](#)
- [stats-banner.html](#)
- [team-member.html](#) · [team-members.html](#)
- [testimonial.html](#) · [testimonials.html](#)
- Page extras: [page/customheaderlibs.html](#) · [page/customfooterlibs.html](#)
- XF page: [xfpage/content.html](#)

4. Component Dialogs

Each component above has its own `_cq_dialog/.content.xml` at `apps/wanderlux/components/<name>/_cq_dialog/.content.xml`. Components with dialogs: about-content, accordion, booking-form, contact-info, cta-banner, destination-card, destination-detail-block, destination-

list, feature-tile, feature-tiles, filter-bar, footer, gallery, hero-banner, itinerary-tabs, map, navigation, page-hero, related-destinations, stats-banner, team-member, team-members, testimonial, testimonials.

5. Client Libraries

- **clientlib-base** — [.content.xml](#) · [js.txt](#) · [css.txt](#)
- **clientlib-dependencies** — [.content.xml](#) · [js.txt](#) · [css.txt](#)
- **clientlib-grid** — [.content.xml](#) · [grid.less](#)
- **clientlib-site** — [.content.xml](#) · [wanderlux-site.js](#) · [wanderlux-site.css](#)

6. Templates & Template Types

Template Types: [page](#), [xf](#), [ic-editor-template](#)

Page Templates (each has `.content.xml`, `initial/`, `structure/`, `policies/`):

- [page-content](#) (base)
- [home-page](#)
- [about-page](#)
- [contact-page](#)
- [destination-list-page](#)
- [destination-detail-page](#)
- [xf-web-variation](#)

Global policies: [policies/.content.xml](#)

7. Content Fragment Models

- [destination](#)
- [team-member](#)
- [testimonial](#)

8. Sample Content

Pages: [en/](#), [destinations](#), [about](#), [contact](#), [destination-detail](#)

DAM: destinations, team, testimonials, images under `content/dam/wanderlux/`

Experience Fragments: [header/master](#), [footer/master](#)

9. Tests

Unit (JUnit / AEM Mocks):

- [AppAemContext.java](#) (shared test fixture)
- [HeroBannerModelTest.java](#)

- [CTABannerModelTest.java](#)
- [FeatureTileModelTest.java](#)
- [PageHeroModelTest.java](#)
- [StatsBannerModelTest.java](#)

Integration tests:

- [CreatePageIT.java](#)
- [GetPageIT.java](#)

10. OSGi Configs

Default (runmode-agnostic):

- [EmailServiceImpl](#)
- [GoogleMapsServiceImpl](#)
- [WanderLuxAppConfig](#)
- [LogManager](#) (wanderlux logger)
- [RepositoryInitializer](#) (repointit)

Author runmode: [CORS policy](#), [MobileEmulator](#)

Stage / Prod: [stage logger](#) · [prod logger](#)

11. Build / Project Files

- Parent reactor: [wanderlux/pom.xml](#)
- Modules: [all](#), [core](#), [ui.apps](#), [ui.apps.structure](#), [ui.config](#), [ui.content](#), [it.tests](#), [ui.tests](#)
- Docs: [README.md](#) · [WANDERLUX_README.md](#)

12. Other

- Segments: [summer](#), [winter](#)
- Vault filter: [ui.config filter.xml](#)

Q2. Tell me where in the site I am using each component / template / CF — page-by-page, with the Sling Model that backs each component.

Home Page

Page: [/content/wanderlux/en](#) · **Template:** [home-page](#)

Component (HTL)	Sling Model
page (root)	WCM core — no custom model

navigation.html	NavigationModel.java
hero-banner.html	HeroBannerModel.java
feature-tiles.html (whyWanderlux)	FeatureTilesModel → FeatureTileModel
destination-list.html (featured)	DestinationListModel.java
testimonials.html	TestimonialsModel → TestimonialModel
cta-banner.html	CTABannerModel.java
footer.html	FooterModel.java

CFs used: [destination](#), [testimonial](#)

About Page

Page: [/content/wanderlux/en/about](#) · **Template:** [about-page](#)

Component (HTL)	Sling Model
page	<i>WCM core</i>
navigation.html	NavigationModel.java
page-hero.html	PageHeroModel.java
about-content.html	AboutContentModel.java
stats-banner.html	StatsBannerModel.java
feature-tiles.html (values)	FeatureTilesModel → FeatureTileModel
team-members.html	TeamMembersModel → TeamMemberModel
cta-banner.html	CTABannerModel.java
footer.html	FooterModel.java

CFs used: [team-member](#) (8 fragments under `content/dam/wanderlux/team/`)

Contact Page

Page: [/content/wanderlux/en/contact](#) · **Template:** [contact-page](#)

Component (HTL)	Sling Model
page	<i>WCM core</i>
navigation.html	NavigationModel.java
page-hero.html	PageHeroModel.java
contact-section.html (wrapper)	<i>pure HTL — includes the two below</i>
→ contact-info.html	ContactInfoModel.java
→ contact-form.html	<i>no model</i> — POSTs to ContactServlet → EmailService
map.html	MapModel.java

accordion.html (FAQ)	AccordionModel.java
footer.html	FooterModel.java

CFs used: None

Destinations List Page

Page: </content/wanderlux/en/destinations> · **Template:** [destination-list-page](#)

Component (HTL)	Sling Model
page	<i>WCM core</i>
navigation.html	NavigationModel.java
page-hero.html	PageHeroModel.java
filter-bar.html	FilterBarModel.java
destination-list.html	DestinationListModel.java
pagination.html (static markup)	<i>no model wired</i> — PaginationModel.java exists but unused
footer.html	FooterModel.java

CFs used: [destination](#) (all 12: amalfi-coast, dubai, golden-triangle, kyoto, machu-picchu, maldives, masai-mara, new-york, reykjavik, rio, santorini, sydney)

Destination Detail Page

Page: </content/wanderlux/en/destination-detail> · **Template:** [destination-detail-page](#)

Component (HTL)	Sling Model
page	<i>WCM core</i>
navigation.html	NavigationModel.java
destination-detail-block.html	DestinationDetailBlockModel.java
related-destinations.html	DestinationListModel.java (reuses list model; RelatedDestModel.java exists but isn't wired)
footer.html	FooterModel.java

CFs used: [destination](#)

Root / Language Pages (structural only)

</content/wanderlux>, </content/wanderlux/us>, </content/wanderlux/us/en>

Template: [page-content](#) · **Components:** page only · **Models:** none

Header Experience Fragment

Path: [/content/experience-fragments/wanderlux/us/en/site/header/master](#) · **Template:** [xf-web-variation](#)

Component	Sling Model
xfpage/content.html	<i>Adobe core XF page — no custom model</i>
navigation.html	NavigationModel.java

Footer Experience Fragment

Path: [/content/experience-fragments/wanderlux/us/en/site/footer/master](#) · **Template:** [xf-web-variation](#) ·

Component: [xfpage/content.html](#)

Q3. Notes — Sling Models that exist but aren't wired to any current page.

Defined but Not Wired on Any Page

- [PaginationModel.java](#) — pagination.html is static markup
- [RelatedDestModel.java](#) — related-destinations.html uses DestinationListModel instead
- [ContactFormModel.java](#) — contact-form.html is a static `<form>`; backend logic is in [ContactServlet.java](#)
- [BookingFormModel.java](#) — booking-form component isn't placed on any page; would be served by [BookingServlet.java](#)
- [GalleryModel.java](#), [ItineraryTabsModel.java](#), [DestinationCardModel.java](#) — components exist but aren't placed on any page

Suggested walkthrough order for explaining the project:

1. POM / module layout
2. Templates & policies
3. Pick one full component trio (HTL + dialog + Sling Model) — e.g. accordion or map
4. Walk through one page (Home) showing how components compose
5. Services & Servlets (form submission flow: contact-form → ContactServlet → EmailService)
6. OSGi configs (runmode separation: default / author / publish / stage / prod)
7. Content Fragment Models & how they feed lists (destination, team-member, testimonial)
8. Experience Fragments (header / footer reused on every page)
9. Tests (unit + integration)