


Fathurahman AL F


212310018

Proses Branch


1. buat repository



2. buat clone




3. membuat project laravel



The screenshot shows a terminal window with the following commands and output:

```
D:\SituGede\SituGede>composer create-project laravel/laravel SituGede
Creating a "laravel/laravel" project at "./SituGede"
Info from https://repo.packagist.org: #StandWithUkraine
Installing laravel/laravel (v10.2.2)
 - Installing laravel/laravel (v10.2.2): Extracting archive
Created project in D:\SituGede\SituGede\SituGede
> @php -r "file_exists('.env') || copy('.env.example', '.env');"
Loading composer repositories with package information
Updating dependencies
Lock file operations: 107 installs, 0 updates, 0 removals
  - Locking brick/math (0.11.0)
  - Locking dflydev/dot-access-data (v3.0.2)
  - Locking doctrine/inferno (2.0.6)
  - Locking doctrine/lexer (3.0.0)
  - Locking dragonmantank/cron-expression (v3.3.2)
  - Locking egulias/email-validator (4.0.1)
  - Locking fakerphp/faker (v1.22.0)
  - Locking filp/whoops (2.15.2)
  - Locking fruitcake/php-consts (v1.2.0)
  - Locking graham-campbell/result-type (v1.1.1)
  - Locking guzzlehttp/guzzle (7.7.0)
  - Locking guzzlehttp/promises (2.0.0)
  - Locking guzzlehttp/psr7 (2.5.0)
  - Locking guzzlehttp/uri-template (v1.0.1)
  - Locking hamcrest/hamcrest-php (v2.0.1)
  - Locking laravel/framework (v10.12.0)
  - Locking laravel/pint (v1.10.0)
git remote add origin https://github.com/Fathurahmanalf/SituGede.git
git branch -M main
git push -u origin main
```


4. git add dan git commit -m



The screenshot shows a terminal window with the following commands and output:

```
D:\SituGede\SituGede>git add .
D:\SituGede\SituGede>git commit -m "SituGede"
[main (root-commit) 4e2d7a5] SituGede
79 files changed, 10917 insertions(+)
create mode 100644 SituGede/.editorconfig
create mode 100644 SituGede/.env.example
create mode 100644 SituGede/.gitattributes
create mode 100644 SituGede/.gitignore
create mode 100644 SituGede/README.md
create mode 100644 SituGede/app/Console/Kernel.php
create mode 100644 SituGede/app/Exceptions/Handler.php
create mode 100644 SituGede/app/Http/Controllers/Controller.php
create mode 100644 SituGede/app/Http/Kernel.php
create mode 100644 SituGede/app/Http/Middleware/Authenticate.php
create mode 100644 SituGede/app/Http/Middleware/EncryptCookies.php
create mode 100644 SituGede/app/Http/Middleware/PreventRequestsDuringMaintenance.php
create mode 100644 SituGede/app/Http/Middleware/RedirectIfAuthenticated.php
create mode 100644 SituGede/app/Http/Middleware/TrimStrings.php
create mode 100644 SituGede/app/Http/Middleware/TrustHosts.php
create mode 100644 SituGede/app/Http/Middleware/TrustProxies.php
create mode 100644 SituGede/app/Http/Middleware/ValidateSignature.php
create mode 100644 SituGede/app/Http/Middleware/VerifyCsrfToken.php
git remote add origin https://github.com/Fathurahmanalf/SituGede.git
git branch -M main
git push -u origin main
```


5. git push origin main




```
select C:\Windows\System32\cmd.exe
create mode 100644 SituGede/routes/console.php
create mode 100644 SituGede/routes/web.php
create mode 100644 SituGede/storage/app/.gitignore
create mode 100644 SituGede/storage/app/public/.gitignore
create mode 100644 SituGede/storage/framework/.gitignore
create mode 100644 SituGede/storage/framework/cache/.gitignore
create mode 100644 SituGede/storage/framework/cache/data/.gitignore
create mode 100644 SituGede/storage/framework/sessions/.gitignore
create mode 100644 SituGede/storage/framework/testing/.gitignore
create mode 100644 SituGede/storage/framework/views/.gitignore
create mode 100644 SituGede/storage/logs/.gitignore
create mode 100644 SituGede/tests/CreatesApplication.php
create mode 100644 SituGede/tests/Feature/ExampleTest.php
create mode 100644 SituGede/tests/TestCase.php
create mode 100644 SituGede/tests/Unit/ExampleTest.php
create mode 100644 SituGede/vite.config.js
echo "# SituGede" > .gitignore
git init
git add .
git commit -m "Enumerating objects: 103, done.
Counting objects: 100% (103/103), done.
git branchDelta compression using up to 4 threads
git remoteCompressing objects: 100% (84/84), done.
Writing objects: 100% (103/103), 71.63 KiB | 611.00 KiB/s, done.
Total 103 (delta 6), reused 0 (delta 0), pack-reused 0
git push -u origin main
remote: Resolving deltas: 100% (6/6), done.
To https://github.com/Fathurahmanalf/SituGede.git
 * [new branch] main -> main

D:\SituGede\SituGede>
git remote
git branch -M main
git push -u origin main
```

6. Cek project di github



7. membuat branch dan cek status dan merubah ke branch yg dibuat



```
D:\SituGede\SituGede>git push origin main
Enumerating objects: 103, done.
Counting objects: 100% (103/103), done.
Delta compression using up to 4 threads
Compressing objects: 100% (84/84), done.
Writing objects: 100% (103/103), 71.63 KiB | 611.00 KiB/s, done.
Total 103 (delta 6), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (6/6), done.
To https://github.com/Fathurahmanalf/SituGede.git
 * [new branch]      main -> main


D:\SituGede\SituGede>git branch fathurahmanalf
D:\SituGede\SituGede>git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

D:\SituGede\SituGede>git checkout fathurahmanalf
Switched to branch 'fathurahmanalf'

D:\SituGede\SituGede>
```

8. git push origin (nama branch)



```
D:\SituGede\SituGede>git status
On branch main
Your branch is up to date with 'origin/main'.


nothing to commit, working tree clean

D:\SituGede\SituGede>git checkout fathurahmanalf
Switched to branch 'fathurahmanalf'

D:\SituGede\SituGede>git push origin fathurahmanalf
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0
remote: Create a pull request for 'fathurahmanalf' on GitHub by visiting:
remote:   https://github.com/Fathurahmanalf/SituGede/pull/new/fathurahmanalf
remote:
To https://github.com/Fathurahmanalf/SituGede.git
 * [new branch]      fathurahmanalf -> fathurahmanalf

D:\SituGede\SituGede>
```

9.melihat file apa yang diubah




The screenshot shows a terminal window with the following output:

```
Select C:\Windows\System32\cmd.exe
no changes added to commit (use "git add" and/or "git commit -a")
D:\SituGede\SituGede>git add .
D:\SituGede\SituGede>git status
On branch fathurahmanalf
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   SituGede/resources/views/welcome.blade.php
```

The terminal window is titled "Select C:\Windows\System32\cmd.exe". The output shows that the file `SituGede/resources/views/welcome.blade.php` has been modified and is staged for commit. The repository is on the `fathurahmanalf` branch.

10. git commit dan push untuk mengubahnya



The screenshot shows a terminal window with the following output:

```
Select C:\Windows\System32\cmd.exe
D:\SituGede\SituGede>git status
On branch fathurahmanalf
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   SituGede/resources/views/welcome.blade.php

D:\SituGede\SituGede>git commit -m "mengubah welcome"
[fathurahmanalf ifea44d] mengubah welcome
1 file changed, 11 insertions(+), 139 deletions(-)

D:\SituGede\SituGede>git push origin fathurahmanalf
Enumerating objects: 11, done.
Counting objects: 100% (11/11), done.
Delta compression using up to 4 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (6/6), 620 bytes | 310.00 KiB/s, done.
Total 6 (delta 2), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/Fathurahmanalf/SituGede.git
   4e2d7a5..1fea44d fathurahmanalf -> fathurahmanalf

D:\SituGede\SituGede>
```

The terminal window shows the execution of `git commit -m "mengubah welcome"` and `git push origin fathurahmanalf`. The commit message is "mengubah welcome". The push operation is successful, and the repository is now on the `fathurahmanalf` branch.

11.melakukan merge

