


# Steps:


1. Set up a new React project with TypeScript for the frontend.
2. Set up a new Express project for the middleware.
3. Set up a new Node project for the backend.
4. Set up a new SQLite database.
5. Used bcrypt for password hashing for security purpose.



EXPLORER

...

✓ DEVCHALLENGE



✓ Solution


✓ frontend


> public

✓ src


✓ components


 ChatMessages.tsx

 SingleMessage.tsx


 UserInfo.tsx


# App.css

 App.test.tsx

 App.tsx

# index.css


 index.tsx

 logo.svg

TS react-app-env.d.ts

TS reportWebVitals.ts

TS setupTests.ts

 .gitignore

{ } package-lock.json


{ } package.json

i README.md

JS tailwind.config.js

TS tsconfig.json

≡ Steps.txt



DevChallenge

localhost:3000

Render Messages for Chat ID = 8 Here as JSON

```
[
  {
    "id": 459,
    "chatid": 8,
    "message": "oporteat dissentias nam ne, dico veniam delicatissimi vim et, id libris semper option vim. Eam albuscius torquatos rationibus in, dico veniam delicatissimi vim et",
    "userid": 100,
    "ts": 1591982805
  },
  {
    "id": 550,
    "chatid": 8,
    "message": "Eam albuscius torquatos rationibus in, dico veniam delicatissimi vim et",
    "userid": 100,
    "ts": 1591982829
  }
]
```

Render User ID = 100 Here as JSON

```
{
  "id": 100,
  "username": "Tester1",
  "password": "$2a$12$I735k7ULTDco7Bx0uWpJ9uCuoAO8rL1J0hfEplW#infyickx7TvG2y"
}
```

Echo Message ID = 459 Here as HTML

oporteat dissentias nam ne, dico veniam delicatissimi vim et, id libris semper option vim. Eam albuscius torquatos rationibus in, dico veniam delicatissimi vim et

User ID: 100

6/12/2020, 10:26:45 PM

Search

30°C  
Haze

ENG

7:32 PM  
9/4/2024