ISLAMIC UNIVERSITY OF TECHNOLOGY (IUT) ORGANISATION OF ISLAMIC COOPERATION (OIC)

Department of Computer Science and Engineering (CSE)

MID SEMESTER EXAMINATION

WINTER SEMESTER, 2017-2018

DURATION: 1 Hour 30 Minutes

FULL MARKS:75

CSE 4733: Digital Image Processing

Programmable calculators are not allowed. Do not write anything on the question paper.

There are 4 (four) questions. Answer any 3 (three) of them.

Figures in the right margin indicate marks.

		a second marks.	187
1.	a)	Define the following terms: i. Digital Image ii. Luminance iii. Intensity Resolution iv. Spatial Resolution v. False Contouring	2×5
	b) c)	Describe a simple image formation model in the 2D spatial domain. In order to generate digital images from sensed data, sampling and quantization are two important processes. How do these two operations affect the size and color information of an image?	5 10
2.	a) b)	When and how do you use bicubic interpolation in digital image processing? Consider the two sub-regions in an image, R_i and R_j , shown in Figure 1. For $V = \{1\}$, determine whether these two subsets are (i) 4-adjacent, (ii) 8-adjacent, or (iii) m-adjacent. Explain your answers. $ \begin{array}{cccccccccccccccccccccccccccccccccc$	8 9
	c)	Figure 1. When is an operation H called linear? Show that the median operator is not linear.	8
3.	a)	What conditions should an intensity transformation function $T()$ fulfill? What happens if they fail?	3+4
	b)	Draw a single intensity transformation function for spreading the intensities of a gray-scale image so the lowest intensity is θ and the highest is $(L-1)$. Here L is the number of	4+4
	c)	Explain with appropriate figures, why the discrete histogram equalization technique does not, in general, yield a flat histogram.	10
4.	a)	Give the mathematical equation representing the convolution of a filter $w(x,y)$ with an image $f(x,y)$. Show the results of applying a weighted average filter on an image of size	10

 5×5 pixels. Explain some of the convolution responses with that filter.

What is high-boost filtering and why is this filter used? Can you change this filter to perform exactly as unsharp masking? Explain the working principle of unsharp masking. How was the Sobel mask designed for computing the gradient of an image? b)

c)

10

5