




Using keyboard shortcuts is one of the easiest ways to improve your workflow and become a coding ninja in the process... and it makes sense.

You're faster with keyboard shortcuts than you are with a mouse. Try them out and unlock your full potential!



Every editor comes with a ton of keyboard shortcuts that help cut down on the amount of time you spend writing code. It would be almost impossible to list all of them here, so for brevity we've highlighted the most useful commands for **Sublime Text** and **Atom**.

Commands

This page is filled with keyboard shortcut keys *and* example videos of how they're used. You don't need to *read* the entire page. Instead, use the links below to jump to specific commands.

- [cut, copy, paste](#)
- [undo, redo](#)
- [duplicate](#)
- [select](#)
- [move cursor](#)
- [jump](#)
- [indent, unindent](#)
- [toggle comment](#)
- [tab management](#)
- [quick open](#)
- [find](#)

Other editors have keyboard shortcuts too! Check out:



Cut, Copy, Paste

Mac

- Cut: ⌘ + X
- Copy: ⌘ + C
- Paste: ⌘ + V

Windows/Linux

- Cut: Ctrl + X
- Copy: Ctrl + C
- Paste: Ctrl + V

The classics! Stop typing the same thing over and over again. Use cut, copy, and paste.

The screenshot shows a code editor window titled 'index.html'. The code is as follows:

```
mauris placerat eleifend leo. quisque sit amet est et  
sapien ullamcorper pharetra. Vestibulum erat wisi,  
condimentum sed, <code>commodo vitae</code>, ornare sit  
amet, wisi. Aenean fermentum, elit eget tincidunt  
condimentum, eros ipsum rutrum orci, sagittis tempus lacus  
enim ac dui. <a href="#">Donec non enim</a> in turpis  
pulvinar facilisis. Ut felis.</p>  
17  
18 <h2>Header Level 2</h2>  
19  
20 <ol>  
21   <li>Lorem ipsum dolor sit amet, consectetur adipiscing  
   elit.</li>  
22   <li>Aliquam tincidunt mauris eu risus.</li>  
23 </ol>  
24  
25 <blockquote><p>Lorem ipsum dolor sit amet, consectetur  
adipiscing elit. Vivamus magna. Cras in mi at felis aliquet  
congue. Ut a est eget ligula molestie gravida. Curabitur  
massa. Donec eleifend, libero at sagittis mollis, tellus  
est malesuada tellus, at luctus turpis elit sit amet quam.  
Vivamus pretium ornare est.</p></blockquote>  
26  
27 <h3>Header Level 3</h3>  
28
```

At the bottom of the editor, a status bar indicates '2 lines, 48 characters selected', 'Spaces: 4', and 'HTML'.

Undo, Redo



Sublime Text and Atom Keyboard Shortcuts

- Redo: $\text{⌘} + \text{⇧} + \text{Z}$ or $\text{⌘} + \text{Y}$

Windows/Linux

- Undo: $\text{Ctrl} + \text{Z}$
- Redo: $\text{Ctrl} + \text{⇧} + \text{Z}$ or $\text{Ctrl} + \text{Y}$

Make a mistake? Need to redo what you just did? No problem, just use the undo and redo commands.

```
137 color: inherit;
138 }
139 h1,
140 h2,
141 h3 {
142     margin-top: 20px;
143     margin-bottom: 10px;
144 }
145 h4,
146 h5,
147 h6 {
148     margin-top: 10px;
149     margin-bottom: 10px;
150 }
151 }
152 h1 {
153     font-size: 36px;
154 }
155 h2 {
156     font-size: 30px;
157 }
158 h3 {
159     font-size: 24px;
160 }
```

Line 150, Column 3; Undo: Insert Characters Spaces: 2 CSS

Duplicate

Mac

- $\text{⌘} + \text{⇧} + \text{D}$ with or without text highlighted

Windows/Linux

- $\text{Ctrl} + \text{⇧} + \text{D}$ with or without text highlighted

If you've got text highlighted, you will copy that text specifically. If you don't have any text highlighted, you will duplicate the line your cursor is on.



Sublime Text and Atom Keyboard Shortcuts

```
Mauris placerat eleifend leo. Quisque sit amet est et
sapien ullamcorper pharetra. Vestibulum erat wisi,
condimentum sed, <code>commodo vitae</code>, ornare sit
amet, wisi. Aenean fermentum, elit eget tincidunt
condimentum, eros ipsum rutrum orci, sagittis tempus lacus
enim ac dui. <a href="#">Donec non enim</a> in turpis
pulvinar facilisis. Ut felis.</p>
17
18 <h2>Header Level 2</h2>
19
20 <ol>
21   <li>Lorem ipsum dolor sit amet, consectetur adipiscing
    elit.</li>
22   <li>Aliquam tincidunt mauris eu risus.</li>
23 </ol>
24
25 <blockquote><p>Lorem ipsum dolor sit amet, consectetur
    adipiscing elit. Vivamus magna. Cras in mi at felis aliquet
    congue. Ut a est eget ligula molestie gravida. Curabitur
    massa. Donec eleifend, libero at sagittis mollis, tellus
    est malesuada tellus, at luctus turpis elit sit amet quam.
    Vivamus pretium ornare est.</p></blockquote>
26
27 <h3>Header Level 3</h3>
Line 18, Column 28                                     Spaces: 4      HTML
```

Select

Mac

- Select Word: ⌘ + D
- Select Line: ⌘ + L
- Select All: ⌘ + A
- Select Every Instance: ⌘ + Ctrl + G

Windows/Linux

- Select Word: Ctrl + D
- Select Line: Ctrl + L
- Select All: Ctrl + A
- Select Every Instance: Alt + F3

Need to select a word, line, or entire file? Use one of these commands. If you select a word and want to continue selecting the same word, keep pressing ⌘ + D (Mac) or Ctrl + D (Windows/Linux). Want to select every instance of the same word? Press ⌘ + Ctrl + G (Mac) or Alt + F3 (Windows/Linux) to select all instances of the same word.



Sublime Text and Atom Keyboard Shortcuts

```
27  small {
28      font-size: 80%;
29  }
30  sub,
31  sup {
32      font-size: 75%;
33      line-height: 0;
34      position: relative;
35      vertical-align: baseline;
36  }
37  sup {
38      top: -0.5em;
39  }
40  sub {
41      bottom: -0.25em;
42  }
43  img {
44      border: 0;
45  }
46  figure {
47      margin: 1em 40px;
48  }
49  hr {
50      -webkit-box-sizing: content-box;
```

8 characters selected

Spaces: 2

CSS

Move Cursor

Mac

- Move Cursor to Previous Word: Alt + ←
- Move Cursor to Next Word: Alt + →
- Move Cursor to Start of Line: ⌘ + ←
- Move Cursor to End of Line: ⌘ + →
- Move Cursor to Start of Document: ⌘ + ↑
- Move Cursor to End of Document: ⌘ + ↓

Windows/Linux

- Move Cursor to Previous Word: Ctrl + ←
- Move Cursor to Next Word: Ctrl + →
- Move Cursor to Start of Line: Home
- Move Cursor to End of Line: End
- Move Cursor to Start of Document: Ctrl + Home
- Move Cursor to End of Document: Ctrl + End

Use the move cursor commands to quickly traverse a document without using a mouse. Also, if you hold ⇧ (Shift) down while using the commands then the text within the move will be selected.



Sublime Text and Atom Keyboard Shortcuts

```
25  ...<blockquote><p>Lorem ipsum dolor sit amet, consectetur
    adipiscing elit. Vivamus magna. Cras in mi at felis aliquet
    congue. Ut a est eget ligula molestie gravida. Curabitur
    massa. Donec eleifend, libero at sagittis mollis, tellus
    est malesuada tellus, at luctus turpis elit sit amet quam.
    Vivamus pretium ornare est.</p></blockquote>
26
27  ...<h3>Header Level 3</h3>
28
29  ...<ul>
30  ...    <li>Lorem ipsum dolor sit amet, consectetur adipiscing
    elit.</li>
31  ...    <li>Aliquam tincidunt mauris eu risus.</li>
32  ...</ul>
33
34  ...<pre><code>
35  ...    #header h1 a {
36  ...        display: block;
37  ...        width: 300px;
38  ...        height: 80px;
39  ...    }
40  ...</code></pre>
41 </body>
42 </html>
```

42 lines, 1829 characters selected Spaces: 4 HTML

Jump

Mac

- Jump to Opening/Closing Parentheses, Brackets, Braces: Ctrl + M
- Jump to Definition: ⌘ + R

Windows/Linux

- Jump to Opening/Closing Parentheses, Brackets, Braces: Ctrl + M
- Jump to Definition: Ctrl + R

The jump commands are useful for snapping to places in code fast! Try them out.



Sublime Text and Atom Keyboard Shortcuts

```
91  box-sizing: border-box;
92  }
93  html {
94    font-size: 10px;
95    -webkit-tap-highlight-color: rgba(0, 0, 0, 0);
96  }
97  body {
98    font-family: "Helvetica Neue", Helvetica, Arial, sans-serif;
99    font-size: 14px;
100   line-height: 1.42857143;
101   color: #333333;
102   background-color: #ffffff;
103 }
104 input,
105 button,
106 select,
107 textarea {
108   font-family: inherit;
109   font-size: inherit;
110   line-height: inherit;
111 }
112 a {
113   color: #337ab7;
```

Line 97, Column 7 Spaces: 2 CSS

Indent, Unindent

Mac

- Indent: Tab or ⌘ +]
- Unindent: ⌘ + [

Windows/Linux

- Indent: Tab or Ctrl +]
- Unindent: ⌘ + [

Make your code easier to read by leveraging the indent and unindent commands.



Sublime Text and Atom Keyboard Shortcuts

```
19 h1 {
20   font-size: 2em;
21   margin: 0.67em 0;
22 }
23 mark {
24   background: #ff0;
25   color: #000;
26 }
27 small {
28   font-size: 80%;
29 }
30 sub,
31 sup {
32   font-size: 75%;
33   line-height: 0;
34   position: relative;
35   vertical-align: baseline;
36 }
37 sup {
38   top: -0.5em;
39 }
40 sub {
41   bottom: -0.25em;
42 }
```

4 lines, 103 characters selected Spaces: 2 CSS

Toggle Comment

Mac

- ⌘ + /

Windows

- Ctrl + /

Leave comments in your code with the toggle comments command. You'll thank yourself later! Also, this is great for quickly debugging.



Sublime Text and Atom Keyboard Shortcuts

```
25  <blockquote><p>Lorem ipsum dolor sit amet, consectetur
    adipiscing elit. Vivamus magna. Cras in mi at felis aliquet
    congue. Ut a est eget ligula molestie gravida. Curabitur
    massa. Donec eleifend, libero at sagittis mollis, tellus
    est malesuada tellus, at luctus turpis elit sit amet quam.
    Vivamus pretium ornare est.</p></blockquote>
26
27  <h3>Header Level 3</h3>
28
29  <ul>
30    <li>Lorem ipsum dolor sit amet, consectetur adipiscing
    elit.</li>
31    <li>Aliquam tincidunt mauris eu risus.</li>
32  </ul>
33
34  <pre><code>
35    #header h1 a {
36      display: block;
37      width: 300px;
38      height: 80px;
39    }
40  </code></pre>
41 </body>
42 </html>
```

3 lines, 69 characters selected

Spaces: 4

HTML

Tab Management

Mac

- New Tab: ⌘ + N
- Switch Tab Left: ⌘ + ⇧ + [
- Switch Tab Right: ⌘ + ⇧ +]
- Close Tab: ⌘ + W
- Reopen Tab: ⌘ + ⇧ + T

Windows


- New Tab: Ctrl + N
- Switch Tab Left: Ctrl + PgUp
- Switch Tab Right: Ctrl + PgDn
- Close Tab: Ctrl + W
- Reopen Tab: Ctrl + ⇧ + T

Look like a dynamo creating new tabs, swapping between tabs, and closing tabs. Check out these commands for tab management.

Also, try using these commands in your browser. They work there too! Only difference is ⌘ + N (Mac) or Ctrl + N (Windows/Linux) will open a new window in the browser and ⌘ + T (Mac) or Ctrl + T (Windows/Linux) will open a new tab.



Sublime Text and Atom Keyboard Shortcuts



Quick Open

Mac

- ⌘ + P

Windows/Linux

- Ctrl + P

Try opening a folder inside Sublime or Atom. Notice how you can see all the files in the sidebar? That's a project! Use the sidebar or the quick open command to open the file you want to work on.



Sublime Text and Atom Keyboard Shortcuts

Find

Mac

- ⌘ + F

Windows

- Ctrl + F

Looking for a word in a file? Use the find command to search for it. Want to search the entire project? Add ⇧ (Shift) to the command.



Sublime Text and Atom Keyboard Shortcuts

```
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <title>Keyboard Shortcuts - Practice</title>
6   <link rel="stylesheet" type="text/css" href="
css/main.css" media="screen">
7   <style>
8     body {
9       padding: 0 20px 0 20px;
10    }
11  </style>
12 </head>
13 <body>
14   <h1>HTML Ipsum Presents</h1>
15
16   <p><strong>Pellentesque habitant morbi
tristique</strong> senectus et netus et
malesuada fames ac turpis egestas.
Vestibulum tortor quam, feugiat vitae,
ultricies eget, tempor sit amet, ante. Donec
eu libero sit amet quam egestas semper. <em>
Aenean ultricies mi vitae est.</em> Mauris
```

1 of 3 matches Spaces: 4 HTML

Want to See More?

For an entire list of Sublime's or Atom's keyboard shortcuts, visit the links below.

Sublime Text

- http://docs.sublimetext.info/en/latest/reference/keyboard_shortcuts_osx.html (Mac)
- http://docs.sublimetext.info/en/latest/reference/keyboard_shortcuts_win.html (Windows/Linux)

Atom

- <https://github.com/nwinkler/atom-keyboard-shortcuts>

NEXT