

Speech Processing Quiz testing

CSC325 · Speech Processing

0/0 QUIZ

Questions

1

In assembly language programming for speech processing applications involving the conversion of analog audio signals to digital, which instruction would be most appropriate to read an input from a sound card's ADC (Analog-to-Digital Converter) port?

[1 mark · medium]

Applying

- ☐ A IN A
- ☐ B MOV AL, [ADR]
- ☐ C OUT B
- ☐ D IN AX

2

In assembly language programming for speech processing systems, which instruction is typically used to load a byte of data from memory into the accumulator register?

[1 mark · medium]

Applying

- ☐ A MOV AL, [BX]
- ☐ B LOAD A, MEM[10H]
- ☐ C IN BL, 'data'
- ☐ D MOV AL, 5AH

3

In assembly language programming for speech processing tasks such as filtering noise from a voice signal, which instruction would most likely be used to perform an arithmetic operation on two audio samples?

[1 mark · medium]

Applying

- ☐ A ADD AL, BL
- ☐ B SUBAL LDAX AX
- ☐ C MUL R16, R16
- ☐ D ADDC AX, BX

4

In assembly language programming for speech processing systems, which instruction is typically used to load a byte of data into the AL register?

[1 mark · medium]

Applying

- ☐ A MOVZ AI, #0x12
- ☐ B MOVB AI, #0x34
- ☐ C MOVEA AX, 0x5678h
- ☐ D IN AL, [data_source]

5

In assembly language programming for speech processing systems, which instruction is typically used to load a word from memory into the accumulator?

[1 mark · medium]

Applying

- ☐ A MOV AX, [1234H]
- ☐ B LOAD LOW(A), [1234H]
- ☐ C STORE HIGH(AX), [1234H]
- ☐ D MOV AL, [1234H]

6

In assembly language programming for speech processing systems, which instruction is used to compare two values and set the processor flags based on their equality?

[1 mark · medium]

Applying

- ☐ A CMP
- ☐ B ADD
- ☐ C SUB
- ☐ D MOV

7

In assembly language programming for speech processing systems, which instruction is typically used to load a byte of data into the AL register?

[1 mark · medium]

Applying

- ☐ A MOVZ AX, BL
- ☐ B MOVB DX, CL
- ☐ C MOVBL AL, BL
- ☐ D INCAL CX

8

In assembly language programming for speech processing systems, which instruction is typically used to load a byte of data into the AL register?

[1 mark · medium]

Applying

- ☐ A MOV BL, #data
- ☐ B MOV AH, #data
- ☐ C MOV AL, data
- ☐ D LOAD BYTE, memory_address; MOV AX, al

9

In assembly language programming for speech processing systems, which instruction is typically used to load a byte of data from memory into the accumulator register?

[1 mark · medium]

Applying

- ☐ A MOV AL, [BX]
- ☐ B LOAD A, M[0x1234h]
- ☐ C STORE BL, DS:[DI]
- ☐ D ADD AL, 5

10

In assembly language programming for speech processing systems, which instruction is typically used to perform a multiplication operation?

[1 mark · medium]

Applying

- ☐ A MUL R16,R32
 - ☐ B IMUL DWORD PTR [ebp-4],AX
 - ☐ C ADD EAX,EBX
 - ☐ D SUB R16,R32
-

